



Catalog 6

Europe and Middle East Distributors

HEADQUARTER EUROPE

Bureau commercial Allemand
et logistique
Harkortstraße 2
D-58339 Breckerfeld
Tel.: +49 2338 801-888
Fax: +49 2338 801-877
E-mail: info.gco.germany@gc.dental
www.gcorthodontics.eu

FRANCE

Bureau commercial
8, rue Benjamin Franklin
F-94370 Sucy en Brie
Phone: 01 77 45 65 61
Fax: 01 45 76 31 53
E-mail: info.gco.france@gc.dental
www.gcorthodontics.eu

USA

GC Orthodontics America inc.
Siège social et bureau commercial
11535 S, Central Avenue
Alsip, IL 60803
Customer Care Line
Phone: 888-332-4883 FREE
Fax: 708-897-8857

ARMENIA

Dentax LLC
Paronyan 9-43,
Yerevan 0015,
Armenia
Phone: +374 12 555 300, +374 44 150 300
E-mail: info@dentax.am
Web: www.dentax.am

AUSTRIA

Leibetseder Dentalwarenhandel GmbH
Hans-Zach-Straße 2
A-4210 Gallneukirchen
Phone: +43 (0) 7235 63993
Fax: +43 (0) 7235 63993-13
E-mail: office@dental-leibetseder.at
Web: www.dental-leibetseder.at

BELGIUM

B-Dental
Paalsesteenweg 257
B-3583 Paal
Phone: +32 (0)11 76 86 43
Fax: +32 (0)11 76 86 40
E-mail: info@b-dental.be
Web site: www.b-dental.be

BULGARIA

PATRICIA Ltd.
kv. Sveta Troitsa, bl. 303b, vh. G, ap. 87
1202 SOFIA
Phone: +35929319931
E-mail: patricia@patricia.bg
Website: <http://www.patricia.bg>

CROATIA

Manodent d.o.o
Bistrec 11
10 432 Lug Samoborski
Tel.: 00 385 1 3327 649
Fax.: 00 385 1 3327 649
E-mail: info@manodent.hr
Web: www.manodent.hr

CZECH REPUBLIC

ORTHOEXPRESS CZ, s.r.o.
Krenova 40.
CZ-60200 Brno
Czech Republic
Phone: +420 603 887 379
E-mail: info@orthoexpress.cz

DENEMARK

Ortodonti Service A/S
Ellekaer 9 2.th
DK-2730 Herlev
Phone: +4556141753
E-mail: info@ortodontiservice.dk
Web: www.ortodontiservice.dk

ESTONIA

Medeq OÜ
Katusesapi 16a-18,
11412 Tallinn,
Estonia
Phone: +372 622 8111
E-mail: info@medeq.ee
Web: www.medeq.ee

FINLAND

Ortomat Herpola Oy
Artukaistentie 15, 20240 Turku
Phone: +358-2-276 4700
E-mail: info@ortomat-herpola.fi
Web: <https://www.ortomat-herpola.fi/fi>



GREECE

ORTHOSHOP EE

Import Sales Dental Products
Mr Kostas Panagiotis
Sp.Davari 67
19441KOROPI
Phone: +30 2109958506
E-mail: info@orthoshop.gr

GREECE

MILTADIS VITSAROPOULOS S.A.

Import Sales Dental Products
M.Thanasis Vitsaropoulos
Mesogion 348 Avenue
15341 ATHENS
GREECE
Phone: +30 2106541340
Web: www.vitsaropoulos.gr

HOLLAND

ORTHOTEC

Dijnselburgerlaan 3
3705 LP ZEIST
Phone: +31 0306962262

HUNGARY

SAVARIA-DENT Ltd.

Dr. Szabolcs Zoltán Str 5/A.
H-9700 Szombathely
Hungary
Phone: +36 30 4722 688
E-mail: info@savariadent.hu

HUNGARY

D-Controll Ltd,

Március 15. sqr. 5
H-9742 Salköveskút
Hungary
Phone: +36 70 670 9595
E-mail: info@dcontroll.hu

IRAK

Vital Alliance Co Ltd

Iraq , Sulaymaniyah
Malik Mahmood Road/ opposite to
German village
Ahmed Medical Building/ ground floor/
app 1
Phone: +96 47706833383
Web: www.Vitalalliance.net

IRAN

Nik Pouyan

6 Vanak St., Aseman Building,
Unit 1106, Tehran, Iran
Phone: +98 21 8888 6040
Fax: +98 21 8888 7425
E-mail: info@nikpouyan.com
Web: www.nikpouyan.com

ISRAEL

GC Israel

4 Koifman St
Phone Aviv
Phone: + Fax:+972-3-7979610
E-mail: info.gcisrael@gc.dental
Web:https://europe.gc.dental/

ITALIA

Ortospecialized Srl

Street Via di Pratignone 11
50019 Sesto Fiorentino (FI), Italy
Phone: +39 055 430351
E-mail: info@ortospecialized.it
Web: www.ortospecialized.it

JORDAN

FIRST INTERNATIONAL FOR MEDICAL SERVICE

4th floor - Office 401
11953 KAHLDA
JORDANIA
E-mail: info@first-ims.com

KOWEIT

MEDICAID MEDICAL SERVICES

AL-REHAB COMPLEX
TUNIS St,
9 Floor, Office 915 PO-BOX 4065
22041 HAWALLY
KOWEIT
Phone: +965 22626627
E-mail: info@medicaid.com.kw

LITHUANIA

DECAVITA

M. Indriliuno g. 31,
LT-08336 Vilnius,
Lithuania
Phone: +37069964256
Email : info@decavita.eu

LUXEMBOURG

B-Dental
Kerkstraat 164
B - 3290 Schaffen
Phone: +32 (0)13 290 781
Fax: +32 (0)13 290 780
info@b-dental.be
Web: www.b-dental.be

MOROCCO

Ortho Zenith
59 Av. Ibn Sina
Appt 4 Agdal
Rabat 10000, Morocco
Tel: +212 03 7674512/674513
Fax: +212 037674507
E-mail: orthozenit@iam.net.ma

MONTENEGRO

Dental express
Bulevar Zorana Djindjica 88
Belgrade, Serbia
Phone: +381113111048
Fax: : +381112143142
E-mail: office@dentalexpress.rs
Web: : dentalexpress.rs

NORWAY

Dentalvarehuset AS
Nesbruveien 75
N-1394 NESBRU
Phone: +47 22 33 39 00
Mail: post@dentalvarehuset.no
Web: www.dentalvarehuset.no

POLAND

Marrodent Sp. z o.o.
Poland, 43-300 Bielsko-Biała,
ul. Krasinskiego 31
Department of Orthodontics
Phone: + Fax 22 843 06 60
E-mail: ortodoncja@marrodent.pl
Web: www.marrodent.pl

PORTUGAL

Ortospecialized Spain SL
Carrer Tarragona 157
Torre Nunez y Navarro 5 floor
08014 Barcelona, Spain
Phone: +34 935476561/2
E-mail: info@ortospecialized.es
Web: www.ortospecialized.es

ROUMANIA

D-Controll SRL.
Andrei Saguna 224.
310077 Arad
Romania
Phone: +40 257 251 715
E-mail:office@ortoforum.eu

RUSSIA

Moscou
KASSIS Ltd
21, Yablochkova, Bld 3.
127322
Phone: 8 800 201 27 42
E-mail: info@kassis.ru
Web: www.kassis.ru

RUSSIA

ST. Petersburg
ORTOS SPB LTD
19, Chudnovskogo, Litera A,
193231
Tel.: 8 800 201 27 42
Email: spb@kassis.ru
Web: www.kassis.ru

SLOVAKIA

ORTHOEXPRESS SK s.r.o
Cierny Chodnik 13
SK-83107 Bratislava
Slovakia
Phone: +421 903 411 887
E-mail: skorthoexpress@gmail.com

SLOVENIA

Manodent d.o.o
Bistrec 11
10 432 Lug Samoborski
Tel.: 00 385 1 3327 649
Fax.: 00 385 1 3327 649
E-mail: info@manodent.hr
Web: www.manodent.hr

SAUDI ARABIA

World Smile Trading Est.
Khalid Bin Alwaleed St.
P. O. Box: 42113,
Jeddah 21541,
Saudi Arabia
Phone: 96126622221
E-mail: m.jamal@worldsmile.co



SPAIN

Ortospecialized Spain SL
C/Roger de Luria 56, 1º
08009 Barcelona, Spain
Phone: +34676233349
E-mail: info@ortospecialized.es
Web: www.ortospecialized.es

SWEDEN

Ortopro AB
P.O. Box 24067,
SE-400 22 Gothenburg
Phone: +46 31 810035
E-mail: info@ortopro.com
Web: www.ortopro.com

SUIZERLAND

ALPIN ORTHODONTICS AG
Zürichstrasse 68
CH-6004 Luzern
Phone: +41 41 429 80 80
Fax: +41 41 429 80 81
E-mail: info@alpinorthodontics.ch
Web: www.alpinorthodontics.ch

TUNISIA

MEDICAL ADVANCED TECHNOLOGY
Z.I Sidi Abdelhamid
9, Rue de l'oxygène
4061 Sousse
Tél. : +216 73 321 860
E-mail: medicaladvancedtechnology@yahoo.fr

TURKEY

MEDIKODENTAL
Seba Office Boulevard Ayazaga Mah.
Mimar Sinan Sk. No:21 A Blok D:34
34485 Sariyer/ISTANBUL
TURQUIE
Phone: +90 212 219 97 55
Fax: +90 212 219 97 60
E-mail: info@medikodental.com
Web: www.medikodental.com

UKRAINE

ART-ORTHO, Ltd
Vodohinna street,
2 office 308
79017 LVIV
UKRAINE
Phone: +38 097 476 5275
E-mail: artortho.info@gmail.com
Web: www.artortho.com.ua

UNITED EMIRATES

Abcon International Drug Store LLC,
C50, Plot 242-397, Al Ghusais 1,
P.O.Box: 80513
Dubai, UAE
Tel:+97 14 2588101
Fax:+97 14 2578901
E-mail: info@abcondubai.com
Web: www.abcondubai.com

UNITED KINGDOM

Wrights Dental Supply Co
Dunsinane Avenue
Kingsway West
Dundee
Scotland
DD2 3QD
Phone: +44 7967 578 308
E-mail: g.protherough@wright-cottrell.co.uk
Web: www.wright-cottrell.co.uk

UZBEKISTAN

BIOTECH STOM
G-24, Proektnaya str, Sergeli dst,
Tashkent, Uzbekistan, 100085
Phone: +99890 924 90 54, +99891 135 01 06
E-mail: stoma05@mail.ru
Web: www.biotechstom.uz

YEMEN

NoorDent for Dental Supplies
Al Taisi Building , 3rd floor office 11.
Hadda Street – Sana'a
Republic of Yemen
Phone: +967 1 208827
E-mail: oordent@gmail.com





GC Orthodontics Europe GmbH

Terms and Conditions of Sale

TERMS OF DELIVERY AND PAYMENT

General Provisions

GC Orthodontics Europe GmbH terms and conditions apply exclusively. No other terms are recognized unless specifically agreed upon in writing. Deviations from these terms are only effective if confirmed by GC Orthodontics Europe GmbH in writing. These General Terms and Conditions of Sale apply to all future business relationships with the Buyer, even if they have not been specifically agreed upon again.

Offer and contract finalisation

Our Goods and Services are subject to confirmation and non-binding; delivery options and intermediate sale are reserved in all cases.

Prices and terms of payment

Prices are calculated according to our current valid price list. Prices listed do not include the value added tax (VAT). The VAT, calculated at the current legal rate on the day of invoicing, is listed separately on the invoice and does not include shipping costs and transportation insurance.

Shipping costs are not charged for orders over 250€. Orders below our minimum order amount of 25€ will be charged a fee of 5€. Payment is due on the payment date stated on the invoice.

A 3% discount is granted for payment by direct debit. Payments are considered paid in full once the funds are freely available. Overdue invoices are subject to collection and carry a service charge of 8% above the European Central Bank's set interest rate base per month. If we are able to prove that damages other than late payment have occurred, we have the right to enforce a legal claim. The Buyer is only entitled to compensation if their counter claims are legally established or recognized by GC Orthodontics Europe GmbH. The Buyer can only exercise a right of lien if this counter claim is based on the same contractual relationship.

Delivery time

Delivery times are non-binding. We are not responsible for delivery delays due to force majeure or events that impede delivery or render delivery impossible, even if they happen to our suppliers or sub-contractors. Delays that are not our fault give us the right to postpone delivery until the end of the situation causing the delay, plus an appropriate time to restart the process or to cancel the contract completely or cancel the non-fulfilled part of the contract. The respect of our delivery obligations presupposes the timely and correct compliance of the Buyer's commitments. We reserve the right to make partial deliveries at any time.

Transfer of risk

Risk of loss shall transfer to the Buyer at the time products are released to a transporter or have left our warehouse for the purpose of shipment. If shipment is delayed at the request of the Buyer, risk is transferred upon notification of shipment availability.

Warranty

GC Orthodontics Europe GmbH warrants that all products are free from defects, including deviation from the agreed quality of our products. The Buyer is obligated to examine the product within 8 days of receiving delivery and to promptly notify us in writing of any claimed defects. The complaint obligation for hidden defects remains unaffected. All necessary documents and information regarding a defect must be included with the defect notification. In case of non-respect of laws regarding inspection rights or complaint rights, the goods/services are considered accepted.

If the product displays a defect at the time of risk transfer, the Buyer has a claim to subsequent fulfillment. Our sole responsibility will be, at its option, to repair or replace a product in the event of a manufacturing defect. If we decide to repair the defect, the Buyer agrees to allow the appropriate time and opportunity to rectify the defect. If a defect complaint proves to be unjustified, we are entitled to demand a refund from the Buyer for any costs incurred including documentation costs.

In case of failure to repair the defect, or failure to deliver a replacement product after an additional time period fixed by the Buyer, the Buyer has the right to consequently reduce the remuneration or cancel the contract. The limitation period of claims due to defects is one year. Defects due to improper usage, insufficient maintenance, unauthorized changes, and improper intervention by the Buyer or a third party are not covered under the warranty. Furthermore, it shall not affect the Buyer's rights, in the case of a product quality defect, to demand instead of cancellation or a reduction in remuneration the refund of incurred expenses. The terms of the following paragraphs remain unaffected. Except in the case of malice or in the case of quality warranties, all warranties for material defects are excluded according to what is stated in the paragraphs below.

Return shipments must be postage paid. Returned items without postage paid will not be processed. Returns within four weeks of receipt of delivery are accepted when the product is unopened, undamaged in its original packaging and a copy of the invoice is enclosed.

General disclaimers

Liability for interest and damages, for whatever legal reason, notably due to delay, infeasibility, unauthorized actions,

warranty for defective material and interest and damages due to a breach of obligations are excluded. This disclaimer does not apply to intent and grossly negligent actions on our part, by our managing employees or assistants as well as a culpable breach of an essential contractual duty in which compliance is decisive to achieving the purpose of the contract, and does not apply to fatal or physical injury, health problems as well as claims according to the product liability law, ProdHaftG. In addition, in the case of slight negligence, liability is limited to compensation for foreseeable damages, which can typically be expected in the scope of such a contract. A change in the burden of proof to the disadvantage of the Buyer is not associated with the provisions above.

Reservation of property Rights

We reserve the right of proprietorship of all delivered goods until receipt of full payment as stipulated in the contract. In case of seizure or other intervention by third parties, the Buyer must inform us immediately in writing so that we can file a suit in accordance with § 771 ZPO (German Code of Civil Procedure). The Buyer has the right to resell the products in the normal course of business, but we now release to him all liability claims including VAT resulting for him from the resale to his customers or third parties, regardless if the delivered item was sold with or without further processing. The Buyer is authorized to collect this claim after assignment.

Our right to collect the claims himself shall remain unaffected, however, if we commit ourselves to not collect such claims as long as the Buyer duly meets his payment obligations and performs all his other commitments properly. We shall be entitled to claim that the Buyer provides him with information concerning the claims assigned, the debtors of such claims and further information in that regard, and that the Buyer provides all the necessary documentation and informs the debtors about the assignment.

If the value of the existing securities exceeds the value of the secured debt by more than 10%, we are obliged to release the securities we are entitled to that extent upon request by the Buyer. In transactions with contractors, we reserve the right to proprietorship of the delivered product until receipt of all payments from the business relationship with the Buyer. The retention of proprietorship also extends to the recognized balance in as far as we record the current account receivables balance against the Buyer (current account reserve). In transactions with contractors, goods in our ownership during the length of the reservation of proprietary rights must be insured by the Buyer against fire, water, theft and break-in theft. The rights from these insurances are assigned to us. We accept these assignments.

Training events

1. The training events offered by GC Orthodontics Europe GmbH take place exclusively on the basis of these general terms of business.

2. Registration for training events must be in writing, either by faxing the completed and signed registration form to +49 2338 801 877 or for French speaking customers to

+33 149 5616 38. The registration form can also be emailed to info-de@gcorthodontics.eu or info-fr@gcorthodontics.eu (French speakers), or via GC Orthodontics website at www.gcorthodontics.eu. With your registration, you recog-

nise the general terms of business of GC Orthodontics Europe GmbH. Deviations as well as verbal arrangements and side arrangements require written confirmation from GC Orthodontics Europe GmbH. The number of participants for our training events is limited, therefore registrations will be considered on a first come first serve basis. After receipt of the registration form, if it is possible for us to confirm the registration, you will receive a written registration confirmation from GC Orthodontics Europe GmbH.

3. Fifteen days before the start of the event, each participant will receive from GC Orthodontics Europe GmbH, a written invoice in the amount of the respective event registration fee including VAT. In addition, you will receive detailed information regarding the training event such as training agenda, directions to the laboratory and hotel information.

4. The invoice amount will be deducted from the indicated bank account or charged to your account 15 days before the start of the training event. The wire transfer for the registration fee is due 15 days before the start of the event.

5. Cancellation instructions for consumers, cancellation rights: All cancellations must be received in writing (mail, fax or email) within 15 days. The deadline takes effect after receiving written notification, but not before fulfillment of our obligations in accordance to article 246 § 2 in association to § 1 clause 1 and 2 of the EGBGB (German civil code). Timely dispatch of the cancellation is sufficient to meet the cancellation period.

All cancellations should be sent to:

GC Orthodontics Europe GmbH

Harkortstr. 2, 58339 Breckerfeld

Fax: +49 2338 801 877 or by

e-mail to info.gco.germany@gc.dental



Consequences of Cancellation

In the event of a valid cancellation, the services delivered by either party is to be returned and the proceeds of any utilization (e.g. interest) surrendered. If you are unable to submit / return the received services and benefits (e.g. utilization benefits) to us, or submit / return them only partially or in a deteriorated condition, you need to compensate us to the required extent. You must pay compensation for degraded items. This could mean that you must fulfill the contractual payment obligations up until the cancellation. Payment obligations must be fulfilled within 30 days. The time limit becomes effective on dispatch of your cancellation notice for you, and on its receipt for us. Special note: Your cancellation rights expire prematurely if upon your explicit request the contract is entirely fulfilled by both parties before you have exercised your right of cancellation. End of cancellation instructions.

The following applies regardless of the above cancellation rights:

In case of cancellation by participant, regardless of the reason for the cancellation, the following cancellation fees apply: 10% fee to change reservation towards a different event, if cancelled at least four weeks prior to the start of the event 50% fee if cancelled less than two weeks before the start of the event 100% if cancellation is less than one week before the start of the event or upon failure to attend. Registration can be transferred to another participant without processing fees applying. Cancellations must be made in writing.

GC Orthodontics Europe GmbH reserves the right to substitute announced instructors with other instructors, or make necessary changes to the event program or location. If it is not possible to carry out the event due to force majeure, if an instructor is unable to attend, a disturbance at the event location, or due to low attendance numbers or for similar reasons that are not the responsibility of GC Orthodontics Europe GmbH, we will endeavor to inform the attendees as soon as possible. Please provide private telephone number or mobile number when registering for this purpose.

In the event of there being insufficient registration numbers, GC Orthodontics Europe GmbH reserves the right to cancel the event at least 14 days before the event. Cancellation due to other specific reasons might be made with shorter notice. In the event of cancellation by GC Orthodontics Europe GmbH, all event registration fees paid will be reimbursed in full. GC Orthodontics Europe GmbH shall not accept liability for any consequential loss and shall have no liability to reimburse any other costs that may have been incurred, including transport costs, accommodation, loss of work or turnover etc. However, this does not apply if GC Orthodontics Europe GmbH was grossly negligent and intentionally liable for the cancellation of the event or occurrence of the specified claims. A legal right to a replacement event does not exist. However, alternative training events will be proposed.

GC Orthodontics Europe GmbH is not liable for any errors in seminar content including whether it is up-to-date, accurate or complete.

Data Security

Your personal information will be exclusively used by us for the sole purpose of event administration (planning, implementation and invoicing). We do not share this data to third parties unless they are governmental bodies (tax office or social insurance agencies) as required by law. Your personal data will only be saved for the amount of time necessary to correctly administer the event. You have the right to request disclosure of your saved personal data.

Payment

Despite any deviating terms of the Buyer, we are entitled to record payments in priority against older debts and will inform the Buyer of how payments were applied. If costs and interest have already been incurred we are entitled to offset payments initially against the costs, then the interest and finally against the main claim. A payment only counts as paid when we can freely dispose of the amount. We explicitly reserve the right to refuse cheques and bills of exchange. Acceptance is only provided on account of payment. Bank charges for discounts are covered by the Buyer and are due for immediate payment. The Buyer has the right to compensation if the counterclaim is undisputed or has been legally established.

Court of jurisdiction/place of execution

The court of jurisdiction for all legal disputes, including bill of exchange and cheque processes, is Hagen, Germany. We are entitled to sue the Buyer through the court of his general court of jurisdiction. The place of execution for services by us and the payment obligation of the Buyer is Breckerfeld, Germany.

Applicable law

The laws of the Federal Republic of Germany under exclusion of the UN Sales Convention apply exclusively to all legal relationships between GC Orthodontics Europe GmbH and Buyer. The relevant requirements of norm 13485 must be met.

Partial ineffectiveness

Should one or more terms of these general terms and conditions be or become fully or partially ineffective, the effectiveness of all other terms or agreements are not affected. Concessionary law takes the place of the ineffective term. This also applies in the event of a loophole.

GC ORTHODONTICS EUROPE GMBH, BRECKERFELD
Status: 30.07.2018



This symbol shows you a dynamic photo with a video attached. Only applicable to the digital version of the catalog



Interactive QR codes' in the digital version of the catalog. Please use your Idevice camera to reach the content in the printed version.

EXPERIENCE, INITIALLOY, BIO-EDGE, GC BIO-ACTIVE, GC Sure-Snap, GC KommonBase, GC Ortho Connect, A-FIT are trademarks of GC Orthodontics Europe GmbH
Graffics on INITIALLOY, BIO-EDGE and INITIALLOY springs come from tests made by TOMY inc. in Japan.

*MBT is a trademark of 3M Unitek

GC Orthodontics version of the MBT™ System prescription (McLaughlin, Bennet or Trevisi) and is not a copy of existing system. No endorsement by the Drs McLaughlin, Bennett or Trevisi is implied.

GC Orthodontics version of the Roth® System prescription and is not a copy of existing system. No endorsement by Dr Roth is implied.

GC Orthodontics version of the Andrews System prescription and is not a copy of existing system. No endorsement by Dr Andrews is implied.

GC Orthodontics version of the Planché System prescription and is not a copy of existing system. No endorsement by Dr Planché is implied.

GC Orthodontics version of the BiDimensional prescription and is not a copy of existing system. No endorsement by Dr Gianelly is implied.

GC Orthodontics version of the Bio-Progressive prescription and is not a copy of existing system. No endorsement by Dr Ricketts is implied.

All products sold under the GC Orthodontics name have CE certification.

For more information, go to www.gcorthodontics.eu/GC/fr/content/norme-ce





Summary

Europe and Middle East Distributors	2	No HG	133
Brackets	13	With HG.....	134
Brackets «Made in Japan» by TOMY Inc.....	15	Maxillary Triple Tubes 1 st Molar	139
Available Prescriptions by Bracket Type	16	Mandibular Single Tube 1 st Molar	142
Torque, Angulation and Rotation Information	17	Convertible.....	142
Color Coding by Prescription	18	Single Tube Non-Convertible 2 nd Molar	144
EXPERIENCE™ Interactive System	21	Mandibular Double Tubes 1 st Molar	147
GET Prescription.....	23	Convertible with Tube Bumper	147
Rhodium Aesthetic metal brackets range	31	Convertible.....	148
EXPERIENCE mini metal Rhodium.....	33	Non-Convertible	150
EXPERIENCE metal Rhodium.....	37	Bondable Lingual Attachments.....	151
Aesthetic LEGEND mini / LEGEND medium	40	Weldable Lingual Attachments	152
EXPERIENCE mini metal	45	Bands	155
EXPERIENCE mini ceramic	51	Band Coding.....	157
EXPERIENCE ceramic	55	Sure-Snap Molar Bands.....	160
EXPERIENCE metal	63	A-Fit Molar Bands.....	161
EXPERIENCE L	73	Sure-Snap Bicuspid Bands.....	162
EXPERIENCE LSB (Small Base)	75	Archwires and Accessories.....	163
Chic. mini and Chic.	81	Different Archforms	166
Chic. mini.....	82	INITIALLOY	168
Chic.....	84	BIO-EDGE	170
LEGEND mini / LEGEND medium	89	BIO-ACTIVE and BIO-ACTIVE light	172
LEGEND mini.....	90	INITIALLOY and BIO-ACTIVE Aesthetic Archwires	174
LEGEND mini, Weldable.....	98	Stainless Steel Aesthetic Archwires	176
LEGEND medium	99	INITIALLOY and BIO-EDGE Lingual Archwires	177
Weldable LEGEND medium.....	105	Albaflex Aesthetic Archwires	179
AXCESS	107	Superelastic NiTi Archwires	180
Legacy & Legacy mini	111	NiTi in spool	181
Standard Edgewise.....	114	Reverse	181
Buccal Tubes	117	Deep Bite Opener CTA.....	181
Tubes LEGEND LP (Low Profile)	119	Titanium-Molybdenum archwires (Beta Titanium).....	182
EXPERIENCE Self-Ligating Buccal Tubes	121	Monostranded Stainless Steel Archwires	184
LEGEND LE Tubes (Large Entrance)	123	Multistranded Stainless Steel Archwires.....	186
AXCESS Tubes	124	Bioalloy Wire	187
Maxillary Single Tubes	127	Intraoral Auxiliaries.....	188
Convertible.....	127	INITIALLOY Springs.....	188
Non-Convertible.....	128	INITIALLOY Stop Wound™ Open Springs	188
Maxillary Double Tubes.....	133	INITIALLOY Open Springs.....	188
1 st Molar (convertible).....	133	NiTi Open Spring (in Spool)	189

INITIALLOY Closed Springs.....	189	Reliance Range	214
Stainless Steel Springs	189	Flow Tain™.....	214
Intraoral Auxiliaries.....	190	L.C.R.™.....	214
Lip Bumpers.....	190	Ultra Band-Lok®	214
Palatal Bars.....	191	Maximum Cure® Sealant.....	215
Extra-oral Auxiliares.....	192	Metal Primer.....	215
Facebows	192	Assure PLUS All Surface Bonding Resin	215
Hooks and Stops for Archwires	193	Porcelain Conditioner	216
Metal Ligatures and Kobayashi	194	Porc Etch™	216
Accessories for V-Slot Brackets	195	Facebows, Lab, Miscellaneous	217
Quadhelix.....	196	DentaSonic.....	219
Elastomerics.....	197	Interproximal reduction.....	219
Elastomeric Color Chains.....	199	Laboratory	222
Orchestra Intra and.....	200	Smile Rite Thermoforming.....	222
Extraoral Elastics.....	200	Extraoral Traction.....	222
GC Ties Elastomeric Ligatures	201	Miscellaneous	223
Hollow or Solid Elastomeric Threads.....	202	Band Pushers	223
Archwire Protection Sleeves	203	Cheek Retractor.....	223
Adhesive and Sealing Products.....	205	Cheek Retractor with vaccuming system NOLA.....	224
Adhesive and Sealing Products.....	207	Protective Wax	224
Light Cure Adhesive	208	Protective Silicon	224
GC Ortho Connect™	208	Mirrors	225
GC Ortho Connect™ Flow	208	Lip Protection.....	225
GC Ortho Etching Gel.....	208	Elastics Placement.....	225
GC Fuji ORTHO™	209	Elasti-bites.....	225
GC Fuji ORTHO LC	209	Instruments	227
GC Fuji ORTHO LC Paste Pak Automix	209	Distable end Cutters	229
GC Fuji ORTHO Band LC Paste Pak Automix	209	Cutters	229
Self-Cure Orthodontic Adhesives	210	Utility Pliers.....	230
GC Fuji ORTHO	210	Linguales Pliers	231
GC Fuji ORTHO Band Paste Pak.....	210	Forming Pliers	232
Orther Products	210	Forming Pliers (Continued).....	233
Lingual Orthodontics Base Extensions	211	Instruments.....	233
GC Kommonbase™	211	Holders	234
Miscellaneous	211	Mosquito and Mathieu Pliers.....	234
GC Tooth Mousse & GC MI Paste Plus™	211	Lab Instruments	234
GC MI Varnish™	213	Self-ligation Instruments	235
GC Tri Plaque ID Gel™	213	Aligners Instruments YDM	235
		Sterilization.....	236



Catalog N°6

Brackets



Experts in Orthodontics
GC Orthodontics Europe GmbH
www.gcorthodontics.eu

Brackets

Brackets «Made in Japan» by TOMY Inc.	15
Available Prescriptions by Bracket Type	16
Torque, Angulation and Rotation Information by Prescription.....	17
Color Coding by Prescription	18
EXPERIENCE™ Interactive System	21
GET Prescription.....	23
Rhodium Aesthetic metal brackets range	31
EXPERIENCE mini metal Rhodium.....	33
EXPERIENCE metal Rhodium.....	37
Aesthetic LEGEND mini / LEGEND medium	40
EXPERIENCE mini metal.....	45
EXPERIENCE mini ceramic	51
EXPERIENCE ceramic	55
EXPERIENCE metal	63
EXPERIENCE L	73
EXPERIENCE LSB (Small Base)	75
Chic. mini and Chic.	81
Chic. mini.....	82
Chic.....	84
LEGEND mini / LEGEND medium	89
LEGEND mini.....	90
LEGEND mini, Weldable.....	98
LEGEND medium	99
Weldable LEGEND medium.....	105
AXCESS	107
Legacy & Legacy mini	111
Standard Edgewise.....	114



Brackets «Made in Japan» by TOMY Inc.

GC Orthodontics was created from an alliance of two Toothal industry leaders: GC Corporation and TOMY Inc. Based in Japan, TOMY Inc. supplies all of our brackets, bands and force-intuitive archwires. This partnership guarantees to our clients a consistent level of quality among the highest in the orthodontic industry. The latest innovations in technology are used to create our products such as CIM (Ceramic Injection Molded) and CNC (Computer Numerical Controlled) in order to provide the most precise and robust products available.




Automated assembly of brackets TOMY factory (Japan)



Assembly of personalized kits Breckerfeld (Germany)



How are part numbers (P/Ns) created?



Available Prescriptions by Bracket Type

Brackets \ Prescription	GET	Ext. Torque	Roth Type	MBT Type	ACO	And. Type	Bio. Prog.	Bi Dim.
Experience mini metal	✓		✓	✓	✓			
Experience mini metal Rh	✓		✓	✓	✓			
Experience metal	✓	✓	✓	✓	✓	✓		
Experience metal Rh			✓	✓				
EXPERIENCE mini ceramic	✓		✓	✓				
Experience ceramic	✓	✓	✓	✓	✓			
Chic.			✓	✓				
Chic. mini			✓	✓				
LEGEND mini*			✓	✓			✓	✓
LEGEND mini Rh			✓	✓				
LEGEND medium **		✓	✓	✓			✓	✓
LEGEND medium Rh								✓
Axcess			✓	✓				
Legacy			✓					
Legacy mini			✓					

* LEGEND mini is also available in Planché Type, V-Slot Roth Type, Alexander Type

** LEGEND medium is also available in Bio-Progressive V-Slot, Bi6Dimensional V-Slo, Polar



Torque, Angulation and Rotation Information by Prescription


Maxillary	U1			U2			U3			U4			U5			U6			U7		
Prescription	T.	A.	R.	T.	A.	R.	T.	A.	R.	T.	A.	R.	T.	A.	R.	T.	A.	R.	T.	A.	R.
GET	12°	5°	—	8°	9°	—	0°	11°	—	-10°	4°	2°d	-10°	4°	2°d	-20°	0°	10°d	-25°	0°	6°d
Extra Torque	18°	5°	—	10°	8°	—	0°	8°	2°m	-10°	4°	2°d	-10°	4°	2°d	-20°	0°	20°d	-20°	0°	20°d
Roth Type	12°	5°	—	8°	9°	—	-2°	13°	—	-7°	0°	—	-7°	0°	—	-14°	0°	14°d	-14°	0°	14°d
MBT Type	17°	5°	—	10°	9°	—	-7° 0	8°	—	-7°	0°	—	-7°	0°	—	-14°	0°	10°d	-19°	0°	8°d
ACO	12°	5°	—	10°	9°	—	-7°	10°	2°m	-9°	0°	—	-9°	0°	—	-14°/ -20°	0°	10°d/ 14°d	-14°/ -20°	—	10°d/ 14°d/ 10°d
Andrews Type	7°	5°	—	3°	9°	—	-7	11°	—	-7°	2°	—	-7°	2°	—	-9°	5°	10°d	-9°	5°	10°d
Bioprogressive Type	22°	5°	—	14°	8°	—	7	10°	—	-7°	0°	—	-7°	0°	—	-10°	0°	15°d	-10°	0°	12°d

Mandibular	U1			U2			U3			U4			U5			U6			U7		
Prescription	T.	A.	R.	T.	A.	R.	T.	A.	R.	T.	A.	R.	T.	A.	R.	T.	A.	R.	T.	A.	R.
GET	-1°	2°	—	-1°	2°	—	-3°	3°	—	-17°	1°	4°d	-22°	1°	4°d	-30°	0°	4°d	-30°	0°	4°d
Extra Torque	°1	0°	—	1°	0°	—	-3°	7°	2°m	-7°	-1°	2°d	-7°	-1°	2°d	-10°/ -14°	0°	4°d	-10°	0°	—
Roth Type	-1°	2°	—	-1°	2°	—	-11°	7°	—	-17°	0°	—	-22°	-1°	—	-30°	-1°	4°d	-30°	-1°	4°d
MBT Type	-6°	0°	—	-6°	0°	—	-6° 0	3°	—	-12°	2°	—	-17°	2°	—	-20°	0°	—	-10°	0°	—
ACO	-6°	0°	—	-6°	0°	—	-8°	3°	—	-12°	2°	—	-17°	-1°	4°d	-25°/ -20°	-1°	—	-20°/ -25°	-1°	—
Andrews Type	-6°	2°	—	-6°	2°	—	-11°	5°	—	-17°	2°	—	-22°	2°	—	-30°	2°	—	-31°	2°	—
Bioprogressive Type	-1°	0°	—	-1°	0°	—	7°	5°	—	-11°	0°	—	-17°	0°	—	-27°	0°	5°d	-27°	0°	6°d


Color Coding by Prescription

EXPERIENCE mini metal


Roth Type Interactive




Roth Type Passive



MBT Type Interactive




MBT Type Passive




EXPERIENCE mini metal Rh


Roth Type Interactive




Roth Type Passive



MBT Type Interactive




MBT Type Passive






EXPERIENCE metal and Rh


Roth Type




Roth Type .020"x.028"



Extra Torque




MBT Type




EXPERIENCE ceramic and mini ceramic


Experience ceramic Roth Type



Experience ceramic MBT Type




EXPERIENCE mini ceramic MBT Type




Standard brackets


Chic. Roth Type




Chic. MBT Type




Chic. mini



LEGEND and AXCESS



Legacy and Legacy mini



EXPERIENCE™ Interactive System

Self-Ligating Brackets

EXPERIENCE is a comprehensive interactive self-ligating system, featuring a low friction/control combination that translates into increase patient comfort, less chair time and additional precision in your treatment outcome. EXPERIENCE system surpasses your treatment demands, without compromise, and usually with no auxiliaries. Whether you use small dimension or full sized arches at the end of treatment, the EXPERIENCE interactive system offers the prescription that best fits your needs and those of your patients.



Passive

Interactive

Active



EXPERIENCE ceramic


Discreet when in the mouth, with excellent bond strength and mechanical properties, EXPERIENCE ceramic has become the reference in aesthetic appliances. Its Rhodium clip literally blends into the bracket's ceramic body. First order information is compatible with EXPERIENCE metal brackets allowing for the appliance to remain consistent when both brackets are present on the same arch



EXPERIENCE metal and Rhodium



Interactive brackets are the best selling self-ligating system in the world. Reduced friction and control are the 2 most sought-after features in an orthodontic appliance. In addition to these, EXPERIENCE metal also provides: information precision chosen by the practitioner, and a perfectly adapted anatomical shaped micro-etched base, which limits debonding. Its rhodium finish creates an enhanced aesthetic that in combination with EXPERIENCE ceramic provides a perfect mixed treatment.



EXPERIENCE mini ceramic

Created with the same high-quality standards as EXPERIENCE ceramic, these brackets offer a low profile while preserving structural resistance. EXPERIENCE mini ceramic provides enhanced patient comfort and discretion.



EXPERIENCE mini metal and Rhodium



Launched in 2013, this bracket was an instant success. Featuring the same manufacturing quality as EXPERIENCE metal, its low profile increases comfort and the rhodium version is ideal for mixed treatments.



EXPERIENCE L

EXPERIENCE L is one of the most sophisticated interactive lingual brackets available on the market. Its easy-to-access golden clip makes wire changes extremely accessible for clinicians, aiding to reduce treatment time and thus increasing patient satisfaction. Its small size limits speech interference and potential bond failure.



EXPERIENCE LSB

Is a self-ligating lingual bracket similar to EXPERIENCE L, but with a smaller base. It is the tool of choice for aesthetic corrections for anterior alignment.

Invisible, EXPERIENCE LSB is the perfect treatment option for discerning adult patients looking for an efficient cosmetic solution. Easy-to-bond through direct bonding on the lingual surface or indirectly via transfer trays.



GET Prescription



GET Prescription EXPERIENCE™



Developed with Dr. Stefano Troiani, based on Professeur Michel Legall's TGO technique, this prescription features slot sizes of .020" x .028" on the incisors to promote torque control at the end of treatment.



Who is Dr. Stefano Troiani?

Dr. Stefano Troiani graduated from the orthodontic program at the University of Aarhus in Denmark receiving his MSc in Orthodontics in 2003. Private practice in Denmark and Germany between, 2003 and 2018.

- Clinical Assistant Professor at the Department of Orthodontics of the University of Aarhus, 2005-2007
- Scientific Director for the Alpe Adria Face master program at the University of Graz, Ljubljana and Zagreb, 2012-13.
- Consultant Orthodontist at the Department of Maxillo-Facial Surgery at Sønderborg Hospital, 2008- 2009 2009
- Department of Maxillo-Facial Surgery at Odense University Hospital in Denmark, 2008-2018
- Currently Dr. Troiani is in private practice in Switzerland and has given 130 lectures internationally.


"Orthodontic treatment should be tailored to the specific needs of each patient that is based on a thorough diagnosis using a proper treatment plan and realistic biomechanics. At the same time, I firmly believe that being a good orthodontist does not mean producing one or two Board Certified cases per year. It is about providing all patients with a continuous high level of care. Hence the GET treatment is meant to provide the orthodontist with a general framework which can be adapted to the needs of individual patients. I wish you all the best and success."

Upper

U1, U2: .020" x .028" slot - U1: 12°T, 5°A / U2: 8°T, 9°A

The problem with upper incisors is normally a lack of torque at the end of the treatment. This is due to play between the archwire and the slot. In some prescriptions, extra-torque series of brackets are available. We prefer to decrease the size of the slot and maintain normal torque values. This has two benefits:

- Allows more predictable expression of torque values
- Reduces the need of additional inventory for the orthodontist





Torque play in GET brackets based on wire and bracket slot sizes (.020" x .028" vs. .022" x .028").

Measurement made at Tomy (Japan) R&D laboratory.

Tomy's comment:

We would like to report the minimum and maximum theoretical play calculated from the dimensions obtained from the actual manufacturing records (product inspection records) of brackets and wires as follows. As for the radius of curvature of wire, it is normally about 0.05mm in our wires, but competitors' wires may have larger radius, so we also calculated the play when it is 0.1mm as a reference.

Bracket	Wire	Wire material	.020" x .028" slot		.022" x .028" slot	
			MIN	MAX	MIN	MAX
EXPERIENCE metal & mini metal	0.019"×0.025"	SS Rh	2.94°	5.90°	8.26°	11.73°
	0.019"×0.025"	NiTi	2.55°	5.22°	7.93°	11.00°
	0.020"×0.020"	NiTi	0.28°	3.72°	7.40°	11.80°
EXPERIENCE C	0.019"×0.025"	SS Rh	3.70°	6.71°	9.35°	12.89°
	0.019"×0.025"	NiTi	3.30°	6.03°	8.99°	12.15°
	0.020"×0.020"	NiTi	1.26°	4.81°	8.86°	13.52°

U3: .022" x .028" slot - U3: 0°T, 11°A

We chose the original straight wire 11 degrees mesial tip, to allow an increase in arch length in the upper arch and 0 degrees torque to avoid too steep a canine guidance, which can lead to an increase in immediate Bennett movement.

U4, U5: .022" x .028" slot - U4/5: -10°T, 4°A

We chose to add very little extra lingual crown torque (-10 degrees). We do not want to have upper bicuspid with a marked lingual inclination (an «open» position is better from a gnathological standpoint) but a 3 degrees extra negative torque is needed to compensate for side-effects of levelling, which tends to flare out premolars.

U6, U7: .022" x .028" slot - U6: -20°T, 10°OF / U7: -25°T, 6°OF

We reduced the value of the distal rotation to the original straight wire value (U6) and even less (U7). This is to avoid a lingually projection of the distal-buccal cusp of the upper second molar, which is a major source of premature contacts. We also chose to increase the lingual crown torque in order to reduce the tendency to premature contacts due to hanging palatal cusps of upper molars (especially second molars).

Visit the website



Lower

L1, L2: .020" x .028" slot - L1 / L2: -1°T, 2°A

We maintained classical values of torque, but the .020" x .028" slot allows an optimal control. Moreover, the low profile of EXPERIENCE mini brackets helps to solve a very common problem of self-ligating brackets, which tend to give a premature contact with the palatal faces of the upper incisors, in some cases hindering the completion of the overjet reduction.

L3: .022" x .028" slot - L3: -3°T, 3°A

A reduced value of mesial tip, to reduce the lower arch's length. At the same time, we chose a reduced value of lingual crown torque, to avoid excessive transverse overjet and to harmonise with the decreased lingual crown torque on the upper cuspids.

L4, 5, 6, 7: .022" x .028" slot - L4: -17°T, 1°A / L5: -22°T, 1°A / L6: / L7: -30°T, -1°A



EXPERIENCE mini metal



Rhodium



Tooth	Torque	Angulation	Rotation	P/N	
				R	L
Maxillary					
U 1 .020" x .028"	12°	5°	0°	24-5110-0500	24-5210-0500
U 2 .020" x .028"	8°	9°	0°	24-5120-0500	24-5220-0500
U 3/Hk .022" x .028"	0°	11°	0°	24-213D-0500	24-223D-0500
U 4/5 .022" x .028"	-10°	4°	2°d	24-2140-0500	24-2240-0500
U 4/5/Hk .022" x .028"	-10°	4°	2°d	24-214M-0500	24-224M-0500
Mandibular					
L 1/2 .020" x .028"	-1°	2°	0°	24-5410-0500	24-5310-0500
L 3/Hk .022" x .028"	-3°	3°	0°	24-243D-0500	24-233D-0500
L 4 .022" x .028"	-17°	1°	4°d	24-2440-0500	24-2340-0500
L 4/Hk .022" x .028"	-17°	1°	4°d	24-244D-0500	24-234D-0500
L 5 .022" x .028"	-22°	1°	4°d	24-2450-0500	24-2350-0500
L 5/Hk .022" x .028"	-22°	1°	4°d	24-245D-0500	24-235D-0500



Kits EXPERIENCE mini metal



Rhodium

Prescription	Upper	Lower	Hook on	P/N .022"
G.E.T.	5-5	5-5	3	24-5CC3-0500
G.E.T.	5-5	5-5	3,4,5	24-5CC5-0500



EXPERIENCE mini metal

Tooth	Torque	Angulation	Rotation	P/N	
				R	L
Maxillary					
U 1 .020" x .028"	12°	5°	0°	21-5110-0500	21-5210-0500
U 2 .020" x .028"	8°	9°	0°	21-5120-0500	21-5220-0500
U 3/Hk .022" x .028"	0°	11°	0°	21-213D-0500	21-223D-0500
U 4/5 .022" x .028"	-10°	4°	2°d	21-2140-0500	21-2240-0500
U 4/5/Hk .022" x .028"	-10°	4°	2°d	21-214M-0500	21-224M-0500
Mandibular					
L 1/2 .020" x .028"	-1°	2°	0°	21-5410-0500	21-5310-0500
L 3/Hk .022" x .028"	-3°	3°	0°	21-243D-0500	21-233D-0500
L 4 .022" x .028"	-17°	1°	4°d	21-2440-0500	21-2340-0500
L 4/Hk .022" x .028"	-17°	1°	4°d	21-244D-0500	21-234D-0500
L 5 .022" x .028"	-22°	1°	4°d	21-2450-0500	21-2350-0500
L 5/Hk .022" x .028"	-22°	1°	4°d	21-245D-0500	21-235D-0500



Kits EXPERIENCE mini metal

Prescription	Upper	Lower	Hook on	P/N .022"
G.E.T.	5-5	5-5	3	21-5CC3-0500
G.E.T.	5-5	5-5	3,4,5	21-5CC5-0500



EXPERIENCE mini ceramic



Tooth	Torque	Angulation	Rotation	P/N		
				R	L	
Maxillary						
U 1 .020" x .028"	12°	5°	0°	12-5110-0500	12-5210-0500	
U 2 .020" x .028"	8°	9°	0°	12-5120-0500	12-5220-0500	
U 3/Hk .022" x .028"	0°	11°	0°	12-213D-0500	12-223D-0500	
U 4/5/Hk .022" x .028"	-10°	4°	2°d	12-214D-0500	12-224D-0500	
Mandibular						
L 1/2 .020" x .028"	-1°	2°	0°	12-5410-0500	12-5310-0500	
L 3/Hk .022" x .028"	-3°	3°	0°	12-243D-0500	12-233D-0500	
L 4/Hk .022" x .028"	-17°	1°	4°d	12-244D-0500	12-234D-0500	
L 5/Hk .022" x .028"	-22°	1°	4°d	12-245D-0500	12-235D-0500	



Kits EXPERIENCE mini ceramic

Prescription	Upper	Lower	Hook on	P/N .022"
G.E.T.	5-5	5-5	3,4,5	12-5CC5-0500



EXPERIENCE metal

Tooth	Torque	Angulation	Rotation	P/N	
				R	L
Maxillary					
U 1 .020" x .028"	12°	5°	0°	20-5110-0500	20-5210-0500
U 2 .020" x .028"	8°	9°	0°	20-5120-0500	20-5220-0500
U 3/Hk .022" x .028"	0°	11°	0°	20-213D-0500	20-223D-0500
U 4/5 .022" x .028"	-10°	4°	2°d	20-2140-0500	20-2240-0500
U 4/5/Hk .022" x .028"	-10°	4°	2°d	20-214M-0500	20-224M-0500
Mandibular					
L 1/2 .020" x .028"	-1°	2°	0°	20-5410-0500	20-5310-0500
L 3/Hk .022" x .028"	-3°	3°	0°	20-243D-0500	20-233D-0500
L 4 .022" x .028"	-17°	1°	4°d	20-2440-0500	20-2340-0500
L 4/Hk .022" x .028"	-17°	1°	4°d	20-244D-0500	20-234D-0500
L 5 .022" x .028"	-22°	1°	4°d	20-2450-0500	20-2350-0500
L 5/Hk .022" x .028"	-22°	1°	4°d	20-245D-0500	20-235D-0500



Kits EXPERIENCE metal

Prescription	Upper	Lower	Hook on	P/N .022"
G.E.T.	5-5	5-5	3	20-5CC3-0500
G.E.T.	5-5	5-5	3,4,5	20-5CC5-0500



EXPERIENCE ceramic



Tooth	Torque	Angulation	Rotation	D	G
Maxillary					
U 1 .020" x .028"	12°	5°	0°	11-5110-0010	11-5210-0010
U 2 .020" x .028"	8°	9°	0°	11-5120-0010	11-5220-0010
U 3/Hk .022" x .028"	0°	11°	0°	11-213D-0010	11-223D-0010
U 4/5 .022" x .028"	-10°	4°	2°d	11-2140-0030	11-2240-0030
U 4/5/Hk .022" x .028"	-10°	4°	2°d	11-214M-0030	11-224M-0030
Mandibular					
L 1/2 .020" x .028"	-1°	2°	0°	11-5410-0010	11-5310-0010
L 3/Hk .022" x .028"	-3°	3°	0°	11-243D-0021	11-233D-0021
L 4 .022" x .028"	-17°	1°	4°d	11-2440-Z010	11-2340-Z010
L 4/Hk .022" x .028"	-17°	1°	4°d	11-244D-Z010	11-234D-Z010
L 5 .022" x .028"	-22°	1°	4°d	11-2450-Z010	11-2350-Z010
L 5/Hk .022" x .028"	-22°	1°	4°d	11-245D-Z010	11-235D-Z010



Kits EXPERIENCE ceramic

Prescription	Upper	Lower	Hook on	P/N .022"
G.E.T.	5-5	5-5	3	11-5CC3-0500
G.E.T.	5-5	5-5	3,4,5	11-5CC5-0500



Rhodium Aesthetic metal brackets range



Rhodium

The **Rh** Rhodium range

When metal meets Aesthetics

Largely used in the jewelry industry, Rhodium has the unique characteristic of reducing reflection (shine). Its silver matte finish provides a transparent appearance that enhances aesthetics.



Brackets

Self-ligating or conventional, there will be the bracket type for you!




EXPERIENCE mini metal Rhodium

This self-ligating bracket has been widely used for years. It incorporates the main quality manufacturing characteristics known from TOMY Inc. The bracket features a CNC milled bracket slot for more precision in .018" or .022", torque in the base, an interactive clip for ideal torque expression and a micro-etched mesh base to limit potential debonding.



EXPERIENCE metal Rhodium

The low profile EXPERIENCE mini metal Rhodium is also manufactured by TOMY Inc. The bracket features a CNC milled slot for increased precision in .018" or .022", torque in the base, an interactive clip for ideal torque expression and a micro-etched mesh base to limit potential debonding.



LEGEND mini and medium Rhodium

These conventional brackets have proven their effectiveness. Made in Japan and manufactured with the high-quality standards you'd expect from TOMY Inc. LEGEND's bracket slot is CNC milled for increased precision in .018" or .022". The bracket features large undercuts for easy ligation and torque in the base with micro-etching to limit potential debonding.

Rhodium Archwires

Our Rhodium-treated line of archwires ensures a complete aesthetic effect. Regardless of the treatment stage, we have an archwire that meets your patient's needs. Archwires for the beginning of treatment such as INITIALLOY™ Rhodium shape memory archwires or BIO-ACTIVE™ Light progressive force archwires, in addition to BIO-ACTIVE™ or stainless steel archwires. Our wide range of archwires allows you to offer patients a global treatment without compromising on biomechanics.





EXPERIENCE mini metal



EXPERIENCE mini metal Rhodium

This EXPERIENCE mini bracket is rhodium-coated creating a completely matte finish which diffuses light and reduces reflection. The matte finish and reduced bracket size allows for a more discrete metal bracket. Orthodontists can propose aesthetic treatments without compromising with performance.

EXPERIENCE mini metal Rhodium, Type Roth



				P/N			
Tooth	Torque	Angulation	Rotation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	12°	5°	0°	24-1110-0010	24-1210-0010	24-2110-0010	24-2210-0010
U 2	8°	9°	0°	24-1120-0010	24-1220-0010	24-2120-0010	24-2220-0010
U 3/Hk	-2°	13°	4°m	24-113D-0010	24-123D-0010	24-213D-0010	24-223D-0010
U 4-5	-7°	0°	2°d	24-1140-0010	24-1240-0010	24-2140-0010	24-2240-0010
U 4-5/Hk distal	-7°	0°	2°d	24-114D-0010	24-124D-0010	24-214D-0010	24-224D-0010
Mandibular							
L 1-2	-1°	2°	0°	24-1410-0010	24-1310-0010	24-2410-0010	24-2310-0010
L 3/Hk	-11°	7°	2°m	24-143D-0010	24-133D-0010	24-243D-0010	24-233D-0010
L 4	-17°	-1°	4°d	24-1440-0010	24-1340-0010	24-2440-0010	24-2340-0010
L 4/Hk	-17°	-1°	4°d	24-144D-0010	24-134D-0010	24-244D-0010	24-234D-0010
L 5	-22°	-1°	4°d	24-1450-0010	24-1350-0010	24-2450-0010	24-2350-0010
L 5/Hk	-22°	-1°	4°d	24-145D-0010	24-135D-0010	24-245D-0010	24-235D-0010



EXPERIENCE mini metal Rhodium, Type MBT



					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	0.74	17°	4°	0°	24-1110-0020	24-1210-0020	24-2110-0020	24-2210-0020
U 2	1.06	10°	8°	0°	24-1120-0020	24-1220-0020	24-2120-0020	24-2220-0020
U 3/Hk	0.55	-7°	8°	0°	24-113D-0020	24-123D-0020	24-213D-0020	24-223D-0020
U 3/Hk/Opt	0.55	0°	8°	0°	24-113D-0021	24-123D-0021	24-213D-0021	24-223D-0021
U 4-5/Hk	0.70	-7°	0°	0°	24-114D-0020	24-124D-0020	24-214D-0020	24-224D-0020
U 4-5	0.70	-7°	0°	0°	24-1540-0020	24-1540-0020	24-2540-0020	24-2540-0020
U 5/Hk/(Opt)	0.90	-7°	0°	0°	24-115D-0020	24-125D-0020	24-215D-0020	24-225D-0020
U 5/(Opt)	0.90	-7°	0°	0°	24-1550-0020	24-1550-0020	24-2550-0020	24-2550-0020
Mandibular								
L 1-2	1.05	-6°	0°	0°	24-1610-0020	24-1610-0020	24-2610-0020	24-2610-0020
L 3/Hk	0.55	-6°	3°	0°	24-143D-0020	24-133D-0020	24-243D-0020	24-233D-0020
L 3/Hk/Opt	0.55	0°	3°	0°	24-143D-0021	24-133D-0021	24-243D-0021	24-233D-0021
L 4	0.55	-12°	2°	0°	24-1440-0020	24-1340-0020	24-2440-0020	24-2340-0020
L 4/Hk	0.55	-12°	2°	0°	24-144D-0020	24-134D-0020	24-244D-0020	24-234D-0020
L 5	0.55	-17°	2°	0°	24-1450-0020	24-1350-0020	24-2450-0020	24-2350-0020
L 5/Hk	0.55	-17°	2°	0°	24-145D-0020	24-135D-0020	24-245D-0020	24-235D-0020





EXPERIENCE mini metal Rhodium, Light Force **Passive**

			P/N	
Tooth	Torque	Angulation	.022"	
			R	L
Maxillary				
U 1	17	4	24-4110-0100	24-4210-0100
U 2	10	8	24-4120-0100	24-4220-0100
U 3/Hk	0	8	24-413D-0100	24-423D-0100
U 4-5	-7	0	24-4540-0100	24-4540-0100
U 4-5/Hk distal	-7	0	24-414D-0100	24-424D-0100
Mandibular				
L 1-2	-6	0	24-4610-0100	24-4610-0100
L 3/Hk	0	3	24-443D-0100	24-433D-0100
L 4	-12	2	24-4440-0100	24-4340-0100
L 4/Hk	-12	2	24-444D-0100	24-434D-0100
L 5	-17	2	24-4450-0100	24-4350-0100
L 5/Hk	-17	2	24-445D-0100	24-435D-0100

Instruments

To open EXPERIENCE mini metal Rhodium 



50-2130-H000

The universal EXPERIENCE instrument's double fork (handle only) facilitates clip opening and archwire insertion.

50-2131-0000 additional blades



Marketing EXPERIENCE mini metal and Rhodium



Typodonts


EXPERIENCE mini metal	P/N	EXPERIENCE mini metal RC	P/N
EXP. MM BRACKET MODEL	55-2100-0000		
TYPODONT EXP. MM 7-7	55-2101-0000	TYPODONT EXP. RC 7-7	55-2401-0000
TYPODONT EXP. MM 5-5	55-2102-0000	TYPODONT EXP. RC 5-5	55-2402-0000

Digital content

All that you need to create your own content (websites, waiting room videos,...)



User: **GCOLib**
Password: **3ortho7**



Patient brochure (x25)
99-21F0-1200
Brochure display stand
99-2100-5500



Posters 40 x 60 cm
paper type
99-24F1-16F0
wooden frame
99-24W1-16F0



Posters 40 x 60 cm
paper type
99-24F1-16F0
wooden frame
99-20W1-16F0



Posters 60 x 150 cm
99-11F0-16F0



EXPERIENCE metal



EXPERIENCE metal Rhodium

Today, EXPERIENCE metal Rhodium Coated joins the ever-growing product line of aesthetically treated brackets. The bracket is treated with a rhodium coating that in no way alters its characteristics.

EXPERIENCE metal Rhodium, Type Roth



					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.81	12°	5°	0°	19-1110-0010	19-1210-0010	19-2110-0010	19-2210-0010
U 2	1.07	8°	9°	0°	19-1120-0010	19-1220-0010	19-2120-0010	19-2220-0010
U 3/Hk	.46	-2°	13°	4°m	19-113D-0010	19-123D-0010	19-213D-0010	19-223D-0010
U 4-5	.46	-7°	0°	2°d	19-1140-0010	19-1240-0010	19-2140-0010	19-2240-0010
U 4-5/Hk d.	.46	-7°	0°	2°d	19-114D-0010	19-124D-0010	19-214D-0010	19-224D-0010
Mandibular								
L 1-2	1.17	-1°	2°	0°	19-1410-0010	19-1310-0010	19-2410-0010	19-2310-0010
L 3/Hk	.56	-11°	7°	2°m	19-143D-0010	19-133D-0010	19-243D-0010	19-233D-0010
L 4	.38	-17°	-1°	4°d	19-1440-0010	19-1340-0010	19-2440-0010	19-2340-0010
L 4/Hk	.38	-17°	-1°	4°d	19-144D-0010	19-134D-0010	19-244D-0010	19-234D-0010
L 5	.28	-22°	-1°	4°d	19-1450-0010	19-1350-0010	19-2450-0010	19-2350-0010
L 5/Hk	.28	-22°	-1°	4°d	19-145D-0010	19-135D-0010	19-245D-0010	19-235D-0010

Instruments

To open EXPERIENCE metal Rhodium brackets:



50-0030-0000

Open tool is for opening EXPERIENCE brackets either from the buccal face (hook side) or from the gingival edge (safety) using the hollow sphere.



50-2030-0000

M-tool features both a double forked end to facilitate wire insertion and an end with a hollow ball to safely open the bracket from the gingival edge

EXPERIENCE metal Rhodium, Type MBT



					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.81	17°	4°	0°	19-1110-0020	19-1210-0020	19-2110-0020	19-2210-0020
U 2	1.07	10°	8°	0°	19-1120-0020	19-1220-0020	19-2120-0020	19-2220-0020
U 3/Hk	.46	-7°	8°	0°	19-113D-0020	19-123D-0020	19-213D-0020	19-223D-0020
U 4-5	.46	-7°	0°	0°	19-1540-0020	19-1540-0020	19-2540-0020	19-2540-0020
U 4-5/Hk d.	.46	-7°	0°	0°	19-114D-0020	19-124D-0020	19-214D-0020	19-224D-0020
Mandibular								
L 1-2	1.17	-6°	0°	0°	19-1610-0020	19-1610-0020	19-2610-0020	19-2610-0020
L 3/Hk	.56	-6°	3°	0°	19-143D-0020	19-133D-0020	19-243D-0020	19-233D-0020
L 4	.33	-12°	2°	0°	19-1440-0020	19-1340-0020	19-2440-0020	19-2340-0020
L 4/Hk	.33	-12°	2°	0°	19-144D-0020	19-134D-0020	19-244D-0020	19-234D-0020
L 5	.33	-17°	2°	0°	19-1450-0020	19-1350-0020	19-2450-0020	19-2350-0020
L 5/Hk	.33	-17°	2°	0°	19-145D-0020	19-135D-0020	19-245D-0020	19-235D-0020



Kits EXPERIENCE metal Rhodium



Prescription	Upper	Lower	Hook on	P/N	
				.018"	.022"
Roth Type	5-5	5-5	3	19-1CC3-0010	19-2CC3-0010
Roth Type	5-5	5-5	3,4,5	19-1CC5-0010	19-2CC5-0010
MBT Type	5-5	5-5	3	19-1CC3-0020	19-2CC3-0020
MBT Type	5-5	5-5	3,4,5	19-1CC5-0020	19-2CC5-0020



Marketing EXPERIENCE metal Rhodium



Typodonts

EXPERIENCE metal Rhodium		P/N
5-5		55-1902-0000
7-7		55-1901-0000

Digital content

All that you need to create your own content (websites, waiting room videos,...)



User: **GCOLib**

Password: **3ortho7**



Patient brochure (x25)
99-10F0-1200
Brochure display stand
99-1000-5500



Posters 40 x 60 cm
Paper type
99-19F1-16M0
wooden frame
99-19W1-16M0

Posters 60 x 150 cm



99-19F0-1600

LEGEND

Aesthetic LEGEND mini / LEGEND medium



LEGEND™ mini Rhodium features the same characteristics as the standard bracket but with enhanced aesthetics. LEGEND™ mini is manufactured by metal injection (MIM) and its slot undergoes a CNC (Computer Numerical Controlled) process guaranteeing an exact slot size of .018" x .018" or .022" so that the bracket information is precisely expressed. Its anatomical mesh base ensures maximum bracket retention on the tooth.

LEGEND mini Rhodium, Type Roth

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.25	12°	5°	0°	38-1110-0010	38-1210-0010	38-2110-0010	38-2210-0010
U 2	.78	8°	9°	0°	38-1120-0010	38-1220-0010	38-2120-0010	38-2220-0010
U 3/Hk	.25	2°	10°	4°m	38-113D-0010	38-123D-0010	38-213D-0010	38-223D-0010
U 4	.37	-7°	0°	2°d	38-1140-0010	38-1240-0010	38-2140-0010	38-2240-0010
U 4/Hk	.37	-7°	0°	2°d	38-114M-0010	38-124M-0010	38-214M-0010	38-224M-0010
U 5	.48	-7°	0°	2°d	38-1150-0010	38-1250-0010	38-2150-0010	38-2250-0010
U 5/Hk	.48	-7°	0°	2°d	38-115M-0010	38-125M-0010	38-215M-0010	38-225M-0010
Mandibular								
L 1-2	.97	-1°	0°	0°	38-1610-0010	38-1610-0010	38-2610-0010	38-2610-0010
L 3/Hk	.25	-11°	7°	2°m	38-143D-0010	38-133D-0010	38-243D-0010	38-233D-0010
L 4	.28	-17°	0°	4°d	38-1440-0010	38-1340-0010	38-2440-0010	38-2340-0010
L 4/Hk	.28	-17°	0°	4°d	38-144D-0010	38-134D-0010	38-244D-0010	38-234D-0010
L 5	.33	-22°	0°	4°d	38-1450-0010	38-1350-0010	38-2450-0010	38-2350-0010
L 5/Hk	.33	-22°	0°	4°d	38-145D-0010	38-135D-0010	38-245D-0010	38-235D-0010



LEGEND mini Rhodium, Type MBT



				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	.25	17°	4°	38-1110-0020	38-1210-0020	38-2110-0020	38-2210-0020
U 2	.78	10°	8°	38-1120-0020	38-1220-0020	38-2120-0020	38-2220-0020
U 3	.25	-7°	8°	38-1130-0020	38-1230-0020	38-2130-0020	38-2230-0020
U 3/Hk	.25	-7°	8°	38-113D-0020	38-123D-0020	38-213D-0020	38-223D-0020
U 4	.37	-7°	0°	38-1540-0020	38-1540-0020	38-2540-0020	38-2540-0020
U 4/Hk	.37	-7°	0°	38-114D-0020	38-124D-0020	38-214D-0020	38-224D-0020
U 5	.48	-7°	0°	38-1550-0020	38-1550-0020	38-2550-0020	38-2550-0020
U 5/Hk	.48	-7°	0°	38-115D-0020	38-125D-0020	38-215D-0020	38-225D-0020
Mandibular							
L 1-2	.97	-6°	0°	38-1610-0020	38-1610-0020	38-2610-0020	38-2610-0020
L 3	.25	-6°	3°	38-1430-0020	38-1330-0020	38-2430-0020	38-2330-0020
L 3/Hk	.25	-6°	3°	38-143D-0020	38-133D-0020	38-243D-0020	38-233D-0020
L 4	.28	-12°	2°	38-1440-0020	38-1340-0020	38-2440-0020	38-2340-0020
L 4/Hk	.28	-12°	2°	38-144D-0020	38-134D-0020	38-244D-0020	38-234D-0020
L 5	.33	-17°	2°	38-1450-0020	38-1350-0020	38-2450-0020	38-2350-0020
L 5/Hk	.33	-17°	2°	38-145D-0020	38-135D-0020	38-245D-0020	38-235D-0020



LEGEND medium Rhodium, Type BiDimensionnal



				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	.25	12°	5°	39-1110-0034	39-1210-0034	—	—
U 2	.78	8°	9°	39-1120-0034	39-1220-0034	—	—
U 3/Hk	.25	0°	7°	—	—	39-213D-0040	39-223D-0040
U 4-5	.37	0°	0°	—	—	39-2540-0040	39-2540-0040
Mandibular							
L 1-2	.97	0°	0°	39-1610-0034	39-1610-0034	—	—
L 3/Hk	.30	0°	5°	—	—	39-243D-0040	39-233D-0040
L 4-5	.50	0°	0°	—	—	39-2640-0040	39-2640-0040

LEGEND medium Rhodium, Optional Brackets (V-Slot)

			P/N			
Tooth	Torque	Angulation	.018"		.022"	
			R	L	R	L
Maxillary						
U 1	22°	5°	—	—	39-2110-0028	39-2210-0028
U 1	17°	5°	—	—	39-2110-0029	39-2210-0029
U 1	-12°	5°	—	—	39-2110-0034	39-2210-0034
U 2	-14°	9°	—	—	39-2120-0028	39-2220-0028
U 2	-8°	9°	—	—	39-2120-0034	39-2220-0034
U 3/Hk	7°	5°	—	—	39-213D-0028	39-223D-0028
U 4-5	-7°	0°	—	—	39-2540-0034	39-2540-0034
U 4-5/Hk	-7°	0°	—	—	39-214M-0034	39-224M-0034
Mandibular						
L 1-2 (non V-Slot)	-5°	0°	39-1610-0011	39-1610-0011	—	—
L 1-2	0°	0°	—	—	39-2610-0034	39-2610-0034
L 1-2	-5°	0°	—	—	39-2610-0036	39-2610-0036
L 4-5	0°	0°	39-1640-0040	39-1640-0040	—	—
L 4	-11°	0°	39-1640-0034	39-1640-0034	39-2640-0034	39-2640-0034
L 4/Hk	-11°	0°	—	—	39-244D-0034	39-234D-0034
L 5	-17°	0°	39-1650-0034	39-1650-0034	39-2650-0034	39-2650-0034
L 5/Hk	-17°	0°	—	—	39-245D-0034	39-235D-0034



LEGEND Rhodium Kits

	Hook on	P/N	
		.018" x .025"	.022" x .028"
mini			
mini Roth Type	3	38-1CC3-0010	38-2CC3-0010
mini Roth Type	3,4,5	38-1CC5-0010	38-2CC5-0010
mini MBT Type	3	38-1CC3-0020	38-2CC3-0020
mini MBT Type	3,4,5	38-1CC5-0020	38-2CC5-0020
madium			
medium BiDimensionnal	3	39-2CC3-0034	—



Marketing LEGEND mini/medium Rhodium



Typodonts

LEGEND mini	P/N
LEGEND mini, 5-5	55-3802-0000
LEGEND mini, 7-7	55-3801-0000

Digital content

All that you need to create your own content (websites, waiting room videos,...)



User: **GCOLib**
Password: **3ortho7**



Patient brochure (x25)
99-38F0-1200
Brochure display stand
99-3800-5500



Poster 40 x 60 cm
Paper type
99-38F1-16F0
Wooden frame
99-38W1-16F0

Poster 60 x 150 cm



99-38F0-16F0




EXPERIENCE mini metal

EXPERIENCE mini metal

SL Product

The EXPERIENCE mini collection is a smaller version of the original EXPERIENCE metal bracket. By eliminating the vertical channel that the EXPERIENCE metal's clip travels through, an extremely low profile is achieved. Patients can now experience self-ligation with additional low profile benefits, including: reduced bracket size, increased patient comfort and enhanced aesthetics. The EXPERIENCE mini minimizes friction during initial leveling and aligning, while allowing for increased torque and rotation control during finishing. After the metal or ceramic injection process (MIM or CIM), the mold retracts during a cooling down phase. TOMY then incorporates an extra step to make the archwire slot consistently precise by milling the slot of each EXPERIENCE bracket by using Computer Numerical Controlled (CNC) to ensure that the slot measures exactly .018" or .022". All TOMY archwire slots express the exact torque and angulation built into each bracket providing a more predictable result.



Self Ligation Features

- Low-profile
- Reduced size
- Increased patient comfort
- Enhanced aesthetics

Advantage Rhodium

The matte finish and reduced bracket size allows for a more discrete metal bracket.

The EXPERIENCE collection is manufactured by TOMY Inc., a leading manufacturer of self-ligating brackets since the year 2000. Brackets in the collection are available in both standard and mini size, in metal, rhodium and ceramic material, and in a variety of prescription options.



EXPERIENCE mini metal, Type Roth®*

				P/N			
Tooth	Torque	Angulation	Rotation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	12°	5°	0°	21-1110-0010	21-1210-0010	21-2110-0010	21-2210-0010
U 2	8°	9°	0°	21-1120-0010	21-1220-0010	21-2120-0010	21-2220-0010
U 2/Hk	8°	9°	0°	21-112D-0010	21-122D-0010	21-212D-0010	21-222D-0010
U 3	-2°	13°	4°m	21-1130-0010	21-1230-0010	21-2130-0010	21-2230-0010
U 3/Hk	-2°	13°	4°m	21-113D-0010	21-123D-0010	21-213D-0010	21-223D-0010
U 3/(Optionnal)	-2°	10°	4°m	21-113D-0012	21-123D-0012	21-213D-0012	21-223D-0012
U 3/Passive	-2°	10°	4°m	—	—	21-4130-0010	21-4230-0010
U 3/Hk Passive	-2°	10°	4°m	—	—	21-413D-0010	21-423D-0010
U 4-5	-7°	0°	2°d	21-1140-0010	21-1240-0010	21-2140-0010	21-2240-0010
U 4-5/Hk	-7°	0°	2°d	21-114D-0010	21-124D-0010	21-214D-0010	21-224D-0010
U 4-5/Passive	-7°	0°	2°d	—	—	21-4140-0010	21-4240-0010
U 4-5/Hk Passive	-7°	0°	2°d	—	—	21-414D-0010	21-424D-0010
Mandibular							
L 1-2	-1°	2°	0°	21-1410-0010	21-1310-0010	21-2410-0010	21-2310-0010
L 1-2/Hk	-1°	2°	0°	—	—	21-232D-0010	21-242D-0010
L 3	-11°	7°	2°m	21-1430-0010	21-1330-0010	21-2430-0010	21-2330-0010
L 3/Hk	-11°	7°	2°m	21-143D-0010	21-133D-0010	21-243D-0010	21-233D-0010
L 3/Passive	-11°	7°	2°m	—	—	21-4430-0010	21-4330-0010
L 3/Hk Passive	-11°	7°	2°m	—	—	21-443D-0010	21-433D-0010
L 4	-17°	-1°	4°d	21-1440-0010	21-1340-0010	21-2440-0010	21-2340-0010
L 4/Hk	-17°	-1°	4°d	21-144D-0010	21-134D-0010	21-244D-0010	21-234D-0010
L 4/Passive	-17°	-1°	4°d	—	—	21-4440-0010	21-4340-0010
L 4/Hk Passive	-17°	-1°	4°d	—	—	21-444D-0010	21-434D-0010
L 5	-22°	-1°	4°d	21-1450-0010	21-1350-0010	21-2450-0010	21-2350-0010
L 5/Hk	-22°	-1°	4°d	21-145D-0010	21-135D-0010	21-245D-0010	21-235D-0010
L 5 Passive	-22°	-1°	4°d	—	—	21-4450-0010	21-4350-0010
L 5/Hk Passive	-22°	-1°	4°d	—	—	21-445D-0010	21-435D-0010



EXPERIENCE mini metal, Type MBT*

Tooth	I/O mm	Torque	Angulation	P/N .018"	
				Interactive	
				R	L
Maxillary					
U 1	0.74	17°	4°	21-1110-0020	21-1210-0020
U 2	1.06	10°	8°	21-1120-0020	21-1220-0020
U 3/Hk	0.55	-7°	8°	21-113D-0020	21-123D-0020
U 3/(Optional)	0.55	0°	8°	21-113D-0021	21-123D-0021
U 4-5	0.70	-7°	0°	21-1540-0020	21-1540-0020
U 4-5/Hk	0.70	-7°	0°	21-114D-0020	21-124D-0020
U 5/(Optional)	0.90	-7°	0°	21-1550-0020	21-1550-0020
U 5/Hk/(Optional)	0.90	-7°	0°	21-115D-0020	21-125D-0020
Mandibular					
L 1-2	1.05	-6	0	21-1610-0020	21-1610-0020
L 3/Hk	0.55	-6	3	21-143D-0020	21-133D-0020
L 3/(Optional)	0.55	0	3	21-143D-0021	21-133D-0021
L 4	0.55	-12	2	21-1440-0020	21-1340-0020
L 4/Hk	0.55	-12	2	21-144D-0020	21-134D-0020
L 5	0.55	-17	2	21-1450-0020	21-1350-0020
L 5/Hk	0.55	-17	2	21-145D-0020	21-135D-0020

Instruments

To open EXPERIENCE mini metal 



50-2130-H000

The universal EXPERIENCE instrument's double fork (handle only) facilitates clip opening and archwire insertion.

50-2131-0000 additional blades

EXPERIENCE mini metal, Type MBT

				P/N .022"			
Tooth	Torque	Angulation	Rotation	Interactive		Passive	
				R	L	R	L
Maxillary							
U 1	0.74	17°	4°	21-2110-0020	21-2210-0020	21-4110-0020	21-4210-0020
U 2	1.06	10°	8°	21-2120-0020	21-2220-0020	21-4120-0020	21-4220-0020
U 3	0.55	-7°	8°	21-2130-0020	21-2230-0020	21-4130-0020	21-4230-0020
U 3/Hk	0.55	-7°	8°	21-213D-0020	21-223D-0020	21-413D-0020	21-423D-0020
U 3/(Optionnal)	0.55	0°	8°	21-213D-0021	21-223D-0021	—	—
U 4-5	0.70	-7°	0°	21-2540-0020	21-2540-0020	21-4540-0020	21-4540-0020
U 4-5/Hk	0.70	-7°	0°	21-214D-0020	21-224D-0020	21-414D-0020	21-424D-0020
U 5/(Optionnal)	0.90	-7°	0°	21-2550-0020	21-2550-0020	21-4550-0020	21-4550-0020
U 5/Hk (Optionnal)	0.90	-7°	0°	21-215D-0020	21-225D-0020	21-415D-0020	21-425D-0020
Mandibular							
L 1-2	1.05	-6	0	21-2610-0020	21-2610-0020	21-4610-0020	21-4610-0020
L 3	0.55	-6	3	21-2430-0020	21-2330-0020	21-4430-0020	21-4330-0020
L 3/(Optionnal)	0.55	0	3	21-243D-0021	21-233D-0021	—	—
L 3/Hk	0.55	-6	3	21-243D-0020	21-233D-0020	21-443D-0020	21-433D-0020
L 4	0.55	-12	2	21-2440-0020	21-2340-0020	21-4440-0020	21-4340-0020
L 4/Hk	0.55	-12	2	21-244D-0020	21-234D-0020	21-444D-0020	21-434D-0020
L 5	0.55	-17	2	21-2450-0020	21-2350-0020	21-4450-0020	21-4350-0020
L 5/Hk	0.55	-17	2	21-245D-0020	21-235D-0020	21-445D-0020	21-435D-0020



EXPERIENCE mini metal, Extra Torque

				P/N			
Tooth	Torque	Angulation	Rotation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	18°	5°	0°	21-1110-0030	21-1210-0030	21-2110-0030	21-2210-0030
U 2	10°	8°	0°	21-1120-0030	21-1220-0030	21-2120-0030	21-2220-0030
U 2/Hk	10°	8°	0°	21-112D-0030	21-122D-0030	21-212D-0030	21-222D-0030
U 3	0°	8°	2°m	21-1130-0030	21-1230-0030	21-2130-0030	21-2230-0030
U 3/Hk	0°	8°	2°m	21-113D-0030	21-123D-0030	21-213D-0030	21-223D-0030
U 4-5	-10°	4°	2°d	21-1140-0030	21-1240-0030	21-2140-0030	21-2240-0030
U 4-5/Hk	-10°	4°	2°d	21-114M-0030	21-124M-0030	21-214M-0030	21-224M-0030
Mandibular							
L 1-2	1°	0°	0°	21-1610-0030	21-1610-0030	21-2610-0030	21-2610-0030
L 3	-3°	7°	2°m	21-1430-0030	21-1330-0030	21-2430-0030	21-2330-0030
L 3/Hk	-3°	7°	2°m	21-143D-0030	21-133D-0030	21-243D-0030	21-233D-0030
L4/(Optional)	0°	0°	0°	21-1540-0025	21-1540-0025	21-2540-0025	21-2540-0025
L 4/5	-7°	-1°	2°d	21-1440-0030	21-1340-0030	21-2440-0030	21-2340-0030
L 4/5/Hk	-7°	-1°	2°d	21-144D-0030	21-134D-0030	21-244D-0030	21-234D-0030



EXPERIENCE mini metal Kits

Prescription	Upper	Lower	Hook on	P/N	
				.018"	.022"
Type Roth/Interactive	5-5	5-5	—	21-1CC0-0010	21-2CC0-0010
Type Roth/Interactive	5-5	5-5	3	21-1CC3-0010	21-2CC3-0010
Type Roth/Interactive	5-5	5-5	3,4,5	21-1CC5-0010	21-2CC5-0010
Type MBT*/Interactive	5-5	5-5	3	21-1CC3-0020	21-2CC3-0020
Type MBT*/Interactive	5-5	5-5	3,4,5	21-1CC5-0020	21-2CC5-0020
Type MBT*/Passive	5-5	5-5	3	—	21-4CC3-0020
Type MBT*/Passive	5-5	5-5	3,4,5	—	21-4CC5-0020





EXPERIENCE ceramic

EXPERIENCE mini ceramic




Product



Aesthetic

This ceramic self-ligating twin bracket delivers outstanding aesthetics and performance. The bracket features a rhodium coated clip that blends into the ceramic body of the bracket creating a beautiful appearance. The base is a 100% mechanical lock ensuring both reliable bond strength and easy debonding.

Pair EXPERIENCE with our Initalloy , Bio-Active, and Bio-Edge thermal NiTi arch wires, for increased patient comfort and treatment efficiencies. Rhodium arch wires also available for a completely discrete orthodontic bracket system.



EXPERIENCE mini ceramic, Type Roth

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.81	12°	5°	0°	12-1110-0010	12-1210-0010	12-2110-0010	12-2210-0010
U 2	1.07	8°	9°	0°	12-1120-0010	12-1220-0010	12-2120-0010	12-2220-0010
U 3/Hk	.46	-2°	13°	4°m	12-113D-0010	12-123D-0010	12-213D-0010	12-223D-0010
U 4-5/Hk	.46	-7°	0°	2°d	12-114D-0010	12-124D-0010	12-214D-0010	12-224D-0010
Mandibular								
L 1-2	1.17	-1°	2°	0°	12-1410-0010	12-1310-0010	12-2410-0010	12-2310-0010
L 3/Hk	.56	-11°	7°	2°m	12-143D-0010	12-133D-0010	12-243D-0010	12-233D-0010
L 4/Hk	.38	-17°	0°	4°d	12-144D-0010	12-134D-0010	12-244D-0010	12-234D-0010
L 5/Hk	.28	-22°	0°	4°d	12-145D-0010	12-135D-0010	12-245D-0010	12-235D-0010





EXPERIENCE mini ceramic, Type MBT

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.81	17°	4°	0°	12-1110-0020	12-1210-0020	12-2110-0020	12-2210-0020
U 2	1.07	10°	8°	0°	12-1120-0020	12-1220-0020	12-2120-0020	12-2220-0020
U 3/Hk	.46	-7°	8°	0°	12-113D-0020	12-123D-0020	12-213D-0020	12-223D-0020
U 3/Hk	.46	0°	8°	0°	12-113D-0021	12-123D-0021	12-213D-0021	12-223D-0021
U 4-5/Hk	.46	-7°	0°	0°	12-114D-0020	12-124D-0020	12-214D-0020	12-224D-0020
Mandibular								
L 1-2	1.17	-6°	0°	0°	12-1610-0020	12-1610-0020	12-2610-0020	12-2610-0020
L 3/Hk	.56	-6°	3°	0°	12-143D-0020	12-133D-0020	12-243D-0020	12-233D-0020
L 3/Hk	.56	0°	3°	0°	12-143D-0021	12-133D-0021	12-243D-0021	12-233D-0021
L 4/Hk	.33	-12°	2°	0°	12-144D-0020	12-134D-0020	12-244D-0020	12-234D-0020
L 5/Hk	.33	-17°	2°	0°	12-145D-0020	12-135D-0020	12-245D-0020	12-235D-0020

Kits EXPERIENCE mini ceramic

Prescription	Upper	Lower	Hook on	P/N	
				.018"	.022"
Type Roth	5-5	5-5	3,4,5	12-1CC5-0010	12-2CC5-0010
Type MBT	5-5	5-5	3,4,5	12-1CC5-0020	12-2CC5-0020

Instruments

To open EXPERIENCE mini ceramic



50-1030-0000

C-Tool: To safely open EXPERIENCE ceramic brackets from the gingival edge.

Marketing EXPERIENCE mini ceramic



Typodonts

EXPERIENCE ceramic	P/N	EXPERIENCE ceramic	P/N
EXP. C BRACKET MODEL	55-1200-0000	TYPODONT EXP. C/M 5-5	55-1202-00S1
TYPODONT EXP. C 7-7	55-1201-0000	TYPODONT EXP. C 5-5	55-1202-0000
TYPODONT EXP. C/M 7-7	55-1201-00S1	TYPODONT EXP. C/M 7-7	55-1211-00S1
TYPODONT EXP. C/LME 7-7	55-1201-00S2		

Digital content

All that you need to create your own content (websites, waiting room videos,...)



User: **GCOLib**
 Password: **3ortho7**

Patient brochure (x25)
 99-12F0-1200
 Brochure display stand
 99-1200-5500



Poster 40 x 60 cm
 Paper type
 99-12F1-16F0
 Wooden frame
 99-12W1-16F0



Poster 60 x 150 cm
 99-12F0-16F0



EXPERIENCE ceramic

EXPERIENCE ceramic



Product



Aesthetic

This ceramic self-ligating twin bracket delivers outstanding aesthetics and performance. The bracket features a Rhodium clip that blends into the ceramic body of the bracket creating a beautiful appearance. The base is a 100% mechanical lock ensuring both reliable bond strength and easy debonding. Packed by 5

Pair EXPERIENCE ceramic with our Initalloy , Bio-Active, and Bio-Edge thermal NiTi arch wires, for increased patient comfort and treatment efficiency. Rhodium-coated arch wires also available for a completely discrete orthodontic bracket system (Refer to archwires section).



Smooth swept tie-wings


engineered to minimize occlusal interference

Multiple clip opening methods

for easy clip opening without clip deformation

Ceramic injection molding bracket

for uniformity, strength & precision




Milled slot



Triple chamfered slot

for easy wire engagement and to eliminate arch wire binding & notching

Torque in Base



Compound contoured

pad ensures an anatomically correct fit for each tooth

Mechanical lock

for maximum bond strength & the ability to reposition, if necessary



Bracket & Wire Combination

Pair EXPERIENCE ceramic with our Initalloy , BIO-ACTIVE, and BIO-EDGE thermal NiTi arch wires, for increased patient comfort and treatment efficiency. Rhodium-coated arch wires also available for a completely discrete orthodontic bracket system.


EXPERIENCE C debonding



EXPERIENCE ceramic, Type Roth

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.81	12°	5°	0°	11-1110-0010	11-1210-0010	11-2110-0010	11-2210-0010
U 2	1.07	8°	9°	0°	11-1120-0010	11-1220-0010	11-2120-0010	11-2220-0010
U 3	.46	-2°	13°	4°m	11-1130-0010	11-1230-0010	11-2130-0010	11-2230-0010
U 3/Hk	.46	-2°	13°	4°m	11-113D-0010	11-123D-0010	11-213D-0010	11-223D-0010
U 4-5	.46	-7°	0°	2°d	11-1140-0010	11-1240-0010	11-2140-0010	11-2240-0010
U 4-5/Hk	.46	-7°	0°	2°d	11-114D-0010	11-124D-0010	11-214D-0010	11-224D-0010
Mandibular								
L 1-2	1.17	-1°	2°	0°	11-1410-0010	11-1310-0010	11-2410-0010	11-2310-0010
L 3	.56	-11°	7°	2°m	11-1430-0010	11-1330-0010	11-2430-0010	11-2330-0010
L 3/Hk	.56	-11°	7°	2°m	11-143D-0010	11-133D-0010	11-243D-0010	11-233D-0010
L 4/(zirconium)	.38	-17°	0°	4°d	11-1440-Z010	11-1340-Z010	11-2440-Z010	11-2340-Z010
L 4/Hk/(zirconium)	.38	-17°	0°	4°d	11-144D-Z010	11-134D-Z010	11-244D-Z010	11-234D-Z010
L 5/(zirconium)	.28	-22°	0°	4°d	11-1450-Z010	11-1350-Z010	11-2450-Z010	11-2350-Z010
L 5/Hk/(zirconium)	.28	-22°	0°	4°d	11-145D-Z010	11-135D-Z010	11-245D-Z010	11-235D-Z010

Single kit Dispenser: 55-7025-0000





EXPERIENCE ceramic Type Roth .020" x .028"

Features an original slot size on upper and lower incisors: .020" x .028". Used in conjunction with .020"x .025" stainless steel archwires, the system controls the anterior torque and brings more rigidity to the buccal segments during space closure.

Tooth	I/O mm	Torque	Ang.	Rotation	P/N	
					R	L
Maxillary						
U 1	.81	12°	5°	0°	11-5110-0010	11-5210-0010
U 2	1.07	8°	9°	0°	11-5120-0010	11-5220-0010
U 3 .022" x .028" /Hk	.46	0°	8°	2°m	11-213D-0030	11-223D-0030
U 4/5 .022" x .028"	.46	-7°	0°	2°d	11-2140-0010	11-2240-0010
U 4/5 .022" x .028" /Hk	.46	-7°	0°	2°d	11-214D-0010	11-224D-0010
Mandibular						
L 1/2	1.17	0°	2°	0°	11-5410-0010	11-5310-0010
L 3 .022" x .028" /Hk	.56	-3°	7°	2°m	11-243D-0030	11-233D-0030
L 4 .022" x .028" /Hk/(zirconium)	.38	-17°	0°	4°d	11-244D-Z010	11-234D-Z010
L 5 .022" x .028" /Hk/(zirconium)	.28	-22°	0°	4°d	11-245D-Z010	11-235D-Z010

EXPERIENCE ceramic ACO

Tooth	I/O mm	Torque	Ang.	.022"x.028"	
				R	L
Maxillary					
U 1	.81	12°	5°	11-2110-0007	11-2210-0007
U 2	1.07	10°	9°	11-2120-0007	11-2220-0007
U 3/Hk	.46	-7°	10°	11-213D-0007	11-223D-0007
U 4/5	.46	-9°	0°	11-2540-0007	11-2540-0007
U 4/5/Hk	.46	-9°	0°	11-214D-0007	11-224D-0007
Mandibular					
L 1/2	1.17	-6°	0°	11-2610-0007	11-2610-0007
L 3/Hk	.56	-8°	3°	11-243D-0007	11-233D-0007
L 4	.38	-12°	0°	11-2440-0020	11-2340-0020
L 4/Hk	.38	-12°	0°	11-244D-0020	11-234D-0020
L 5	.38	-17°	0°	11-2450-0020	11-2350-0020
L 5/Hk	.38	-17°	0°	11-245D-0020	11-235D-0020

EXPERIENCE ceramic, Extra Torque

This prescription is based on the use of less than full size archwires due to increased torque on the maxillary incisors. Increased buccal root torque in the upper bicuspids prevents any lingual cusp interference.

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.81	18°	5°	0°	11-1110-0030	11-1210-0030	11-2110-0030	11-2210-0030
U 2	1.07	10°	8°	0°	11-1120-0030	11-1220-0030	11-2120-0030	11-2220-0030
U 3	.46	0°	8°	2°m	11-1130-0030	11-1230-0030	11-2130-0030	11-2230-0030
U 3/Hk	.46	0°	8°	2°m	11-113D-0030	11-123D-0030	11-213D-0030	11-223D-0030
U 4-5	.46	-10°	4°	2°d	11-1140-0030	11-1240-0030	11-2140-0030	11-2240-0030
U 4-5/Hk	.46	-10°	4°	2°d	11-114D-0030	11-124D-0030	11-214D-0030	11-224D-0030
Mandibular								
L 1-2	1.17	1°	0°	0°	11-1610-0030	11-1610-0030	11-2610-0030	11-2610-0030
L 3	.56	-3°	7°	2°m	11-1430-0030	11-1330-0030	11-2430-0030	11-2330-0030
L 3/Hk	.56	-3°	7°	2°m	11-143D-0030	11-133D-0030	11-243D-0030	11-233D-0030
L 4*/(Exp M)	.33	-7°	0°	2°d	20-1440-0030	20-1340-0030	20-2440-0030	20-2340-0030
L 4/Hk/(Exp M)	.33	-7°	0°	2°d	20-144D-0030	20-134D-0030	20-244D-0030	20-234D-0030
L 5*/(Exp M)	.33	-7°	0°	2°d	20-1450-0030	20-1350-0030	20-2450-0030	20-2350-0030
L 5/Hk/(Exp M)	.33	-7°	0°	2°d	20-145D-0030	20-135D-0030	20-245D-0030	20-235D-0030

* Since ceramic material is much harder than enamel, we recommend using EXPERIENCE metal brackets on mandibular bicuspids (L4, L5)



EXPERIENCE ceramic, Type MBT*

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.81	17°	4°	0°	11-1110-0020	11-1210-0020	11-2110-0020	11-2210-0020
U 2	1.07	10°	8°	0°	11-1120-0020	11-1220-0020	11-2120-0020	11-2220-0020
U 3/Hk	.46	-7°	8°	0°	11-113D-0020	11-123D-0020	11-213D-0020	11-223D-0020
U 3/Hk	.46	0°	8°	0°	11-113D-0021	11-123D-0021	11-213D-0021	11-223D-0021
U 4-5	.46	-7°	0°	0°	11-1540-0020	11-1540-0020	11-2540-0020	11-2540-0020
U 4-5/Hk	.46	-7°	0°	0°	11-114D-0020	11-124D-0020	11-214D-0020	11-224D-0020
U 5/(Optionnal)	.96	-7°	0°	0°	11-1550-0020	11-2550-0020	11-2550-0020	11-2550-0020
U 5/Hk/(Opt)	.96	-7°	0°	0°	11-115D-0020	11-125D-0020	11-215D-0020	11-225D-0020
Mandibular								
L 1-2	1.17	-6°	0°	0°	11-1610-0020	11-1610-0020	11-2610-0020	11-2610-0020
L 3/Hk	.56	-6°	3°	0°	11-143D-0020	11-133D-0020	11-243D-0020	11-233D-0020
L 3/Hk	.56	0°	3°	0°	11-143D-0021	11-133D-0021	11-243D-0021	11-233D-0021
L 4/	.33	-12°	0°	0°	11-1440-0020	11-1340-0020	11-2440-0020	11-2340-0020
L 4/Hk/	.33	-12°	0°	0°	11-144D-0020	11-134D-0020	11-244D-0020	11-234D-0020
L 5/	.33	-17°	0°	0°	11-1450-0020	11-1350-0020	11-2450-0020	11-2350-0020
L 5/Hk/	.33	-17°	0°	0°	11-145D-0020	11-135D-0020	11-245D-0020	11-235D-0020





Kits EXPERIENCE ceramic

Prescription	Upper	Lower	Hook on	P/N
				.020" x .028"
Type Roth .020" x .028"	5-5	3-3	3	11-5CE3-0010
Type Roth .020" x .028"	5-5	—	3	11-5C03-0010

Prescription	Upper	Lower	Hook on	P/N	
				.018"	.022"
Type MBT*	3-3	—	3	11-1E03-0020	11-2E03-0020
Type MBT*	3-3	3-3	3	11-1EE3-0020	11-2EE3-0020
Type MBT*	5-5	—	3	11-1C03-0020	11-2C03-0020
Type MBT*	5-5	—	3,4,5	11-1C05-0020	11-2C05-0020
Type MBT*	5-5	3-3	3	11-1CE3-0020	11-2CE3-0020
Type MBT*	5-5	3-3	3,4,5	11-1CE5-0020	11-2CE5-0020
Type MBT*	5-5	5-5	3	11-1CC3-0020	11-2CC3-0020
Type MBT*	5-5	5-5	3,4,5	11-1CC5-0020	11-2CC5-0020

Prescription	Upper	Lower	Hook on	P/N	
				.018"	.022"
Type Roth	3-3	—	3	11-1E03-0010	11-2E03-0010
Type Roth	3-3	3-3	3	11-1EE3-0010	11-2EE3-0010
Type Roth	5-5	—	3	11-1C03-0010	11-2C03-0010
Type Roth	5-5	—	3,4,5	11-1C05-0010	11-2C05-0010
Type Roth	5-5	3-3	3	11-1CE3-0010	11-2CE3-0010
Type Roth	5-5	3-3	3,4,5	11-1CE5-0010	11-2CE5-0010
Type Roth (L 4-5 zirconium)	5-5	5-5	3	11-1CC3-M010	11-2CC3-M010
Type Roth (L 4-5 zirconium)	5-5	5-5	3,4,5	11-1CC5-M010	11-2CC5-M010

Prescription	Upper	Lower	Hook on	P/N
				.020" x .028"
ACO	5-5	5-5	3	11-2CC3-M007
ACO	5-5	5-5	3,4,5	11-2CC5-M007



Prescription	Upper	Lower	Hook on	P/N	
				.018"	.022"
Extra Torque	3-3	—	3	11-1E03-0030	11-2E03-0030
Extra Torque	3-3	3-3	3	11-1EE3-0030	11-2EE3-0030
Extra Torque	5-5	—	3	11-1C03-0030	11-2C03-0030
Extra Torque	5-5	—	3,4,5	11-1C05-0030	11-2C05-0030
Extra Torque	5-5	3-3	3	11-1CE3-0030	11-2CE3-0030
Extra Torque	5-5	3-3	3,4,5	11-1CE5-0030	11-2CE5-0030

Optional Brackets

Tooth	Torque	Angulation	Rotation	P/N			
				.018"		.022"	
				R	L	R	L
U 1	7°	5°	0°	—	—	11-2110-0044	11-2210-0044
U 2	3°	9°	0°	—	—	11-2120-0044	11-2220-0044
U 3/Hk	7°	5°	0°	11-113D-0027	11-123D-0027	11-213D-0027	11-223D-0027
U 4 Univ	0°	0°	0°	11-1540-0025	11-1540-0025	11-2540-0025	11-2540-0025

Instruments

To open EXPERIENCE brackets:



50-1030-0000

C-Tool: Features both a double forked end to facilitate wire insertion and an end with a hollow ball to safely open the bracket from the gingival side.



50-0030-0000

Open Tool: Is a double ended instrument that features a hollow ball, which aides in opening EXPERIENCE brackets from either the buccal (hook) or gingival (safety) side.

Marketing EXPERIENCE ceramic



Typodonts

EXPERIENCE ceramic	P/N	EXPERIENCE ceramic	P/N
EXP. C BRACKET MODEL	55-1100-0000	TYPODONT EXP. C/M 5-5	55-1102-00S1
TYPODONT EXP. C 7-7	55-1101-0000	TYPODONT EXP. C 5-5	55-1102-0000
TYPODONT EXP. C/M 7-7	55-1101-00S1	TYPODONT EXP. C/M 7-7	55-1111-00S1
TYPODONT EXP. C/LME 7-7	55-1101-00S2		

Digital content

All that you need to create your own content (websites, waiting room videos,...)



User: **GCOLib**
 Password: **3ortho7**

Patient brochure (x25)
 99-10F0-1200
 Brochure display stand
 99-1000-5500



Poster 40 x 60 cm
 Paper type
 99-11F1-16F0
 Wooden frame
 99-11W1-16F0



Poster 60 x 150 cm
 99-11F0-16F0




EXPERIENCE metal

EXPERIENCE metal

SL Product

The EXPERIENCE collection of self-ligating orthodontic brackets offer doctors and patients a variety of options for their orthodontic treatment needs. EXPERIENCE brackets minimize friction during initial leveling and aligning and allow for increased torque and rotation control during finishing. Packed by 10.



Self Ligation Features

- Increased patient comfort
- Reduced chair time
- Fewer office visits necessary
- Shortened treatment time
- Improved patient hygiene
- Pleasing aesthetics



EXPERIENCE metal, Type Roth

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.81	12°	5°	0°	20-1110-0010	20-1210-0010	20-2110-0010	20-2210-0010
U 2	1.07	8°	9°	0°	20-1120-0010	20-1220-0010	20-2120-0010	20-2220-0010
U 2/Hk	1.07	8°	9°	0°	20-112D-0010	20-122D-0010	20-212D-0010	20-222D-0010
U 3	.46	-2°	13°	4°m	20-1130-0010	20-1230-0010	20-2130-0010	20-2230-0010
U 3/(Optional)	.46	-2°	10°	4°m	—	—	20-2130-0012	20-2230-0012
U 3/Hk	.46	-2°	13°	4°m	20-113D-0010	20-123D-0010	20-213D-0010	20-223D-0010
U 3/Hk	.46	-2°	10°	4°m	20-113D-0012	20-123D-0012	20-213D-0012	20-223D-0012
U 4-5	.46	-7°	0°	2°d	20-1140-0010	20-1240-0010	20-2140-0010	20-2240-0010
U 4-5/Hk d.	.46	-7°	0°	2°d	20-114D-0010	20-124D-0010	20-214D-0010	20-224D-0010
U 4-5/Hk m.	.46	-7°	0°	2°d	20-114M-0010	20-124M-0010	20-214M-0010	20-224M-0010
Mandibular								
L 1-2	1.17	-1°	2°	0°	20-1410-0010	20-1310-0010	20-2410-0010	20-2310-0010
L 2/Hk	1.17	-1°	2°	0°	—	—	20-242D-0010	20-232D-0010
L 3	.56	-11°	7°	2°m	20-1430-0010	20-1330-0010	20-2430-0010	20-2330-0010
L 3/Hk	.56	-11°	7°	2°m	20-143D-0010	20-133D-0010	20-243D-0010	20-233D-0010
L 4	.38	-17°	-1°	4°d	20-1440-0010	20-1340-0010	20-2440-0010	20-2340-0010
L 4/(b. Off.)	.38	-17°	-1°	4°d	20-1440-0013	20-1340-0013	20-2440-0013	20-2340-0013
L 4/Hk	.38	-17°	-1°	4°d	20-144D-0010	20-134D-0010	20-244D-0010	20-234D-0010
L 4/Hk/(b. Off.)	.38	-17°	-1°	4°d	—	—	20-244D-0013	20-234D-0013
L 5	.28	-22°	-1°	4°d	20-1450-0010	20-1350-0010	20-2450-0010	20-2350-0010
L 5/(b. Off.)	.28	-22°	-1°	4°d	20-1450-0013	20-1350-0013	20-2450-0013	20-2350-0013
L 5/Hk	.28	-22°	-1°	4°d	20-145D-0010	20-135D-0010	20-245D-0010	20-235D-0010
L 5/Hk/(b. Off.)	.28	-22°	-1°	4°d	—	—	20-245D-0013	20-235D-0013



EXPERIENCE metal, Type Roth .020" x .028"

This technique developed by Doctors Le Gall and Soulié, includes an original slot section of 020 «x .028» on the maxillary and mandibular incisors. The system, in conjunction with .020" X .025" steel archwires, controls the anterior torque and brings more rigidity to the lateral sectors during space closures.

Tooth	I/O mm	Torque	Angulation	Rotation	P/N	
					R	L
Maxillary						
U 1 .020"x.028"	.81	12°	5°	0°	20-5110-0010	20-5210-0010
U 2 .020"x.028"	1.07	8°	9°	0°	20-5120-0010	20-5220-0010
U 3 Hk .022"x.028"	.46	0°	8°	2°m	20-213D-0030	20-223D-0030
U 4/5 .022"x.028"	.46	-7°	0°	2°d	20-2140-0010	20-2240-0010
U 4/5 Hk .022"x.028"	.46	-7°	0°	2°d	20-214D-0010	20-224D-0010
Mandibular						
L 1/2 .020"x.028"	1.17	-1°	2°	0°	20-5410-0010	20-5310-0010
L 3 Hk .022"x.028"	.56	-3°	7°	2°m	20-243D-0030	20-233D-0030
L 4 Hk .022"x.028"	.38	-17°	-1°	4°d	20-244D-0010	20-234D-0010
L 5 Hk .022"x.028"	.28	-22°	-1°	4°d	20-245D-0010	20-235D-0010



EXPERIENCE metal, Extra Torque

This prescription is based on the use of less than full size archwires due to increased torque on the maxillary incisors. Increased buccal root torque in the upper bicuspids prevents any lingual cusp interference.

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.81	18°	5°	0°	20-1110-0030	20-1210-0030	20-2110-0030	20-2210-0030
U 2	1.07	10°	8°	0°	20-1120-0030	20-1220-0030	20-2120-0030	20-2220-0030
U 2/Hk	1.07	10°	8°	0°	20-112D-0030	20-122D-0030	20-212D-0030	20-222D-0030
U 3	.46	0°	8°	2°m	20-1130-0030	20-1230-0030	20-2130-0030	20-2230-0030
U 3/Hk	.46	0°	8°	2°m	20-113D-0030	20-123D-0030	20-213D-0030	20-223D-0030
U 4-5	.46	-10°	4°	2°d	20-1140-0030	20-1240-0030	20-2140-0030	20-2240-0030
U 4-5/Hk	.46	-10°	4°	2°d	20-114M-0030	20-124M-0030	20-214M-0030	20-224M-0030
Mandibular								
L 1-2	1.17	1°	0°	0°	20-1610-0030	20-1610-0030	20-2610-0030	20-2610-0030
L 3	.56	-3°	7°	2°m	20-1430-0030	20-1330-0030	20-2430-0030	20-2330-0030
L 3/Hk	.56	-3°	7°	2°m	20-143D-0030	20-133D-0030	20-243D-0030	20-233D-0030
L 4/5	.33	-7°	-1°	2°d	20-1440-0030	20-1340-0030	20-2440-0030	20-2340-0030
L 4/5/Hk	.33	-7°	-1°	2°d	20-144D-0030	20-134D-0030	20-244D-0030	20-234D-0030



EXPERIENCE metal, Type MBT*

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.81	17°	4°	0°	20-1110-0020	20-1210-0020	20-2110-0020	20-2210-0020
U 2	1.07	10°	8°	0°	20-1120-0020	20-1220-0020	20-2120-0020	20-2220-0020
U 3	.46	-7°	8°	0°	20-1130-0020	20-1230-0020	20-2130-0020	20-2230-0020
U 3/Hk	.46	-7°	8°	0°	20-113D-0020	20-123D-0020	20-213D-0020	20-223D-0020
U 3/Hk	.46	0°	8°	0°	20-113D-0021	20-123D-0021	20-213D-0021	20-223D-0021
U 4-5	.46	-7°	0°	0°	20-1540-0020	20-1540-0020	20-2540-0020	20-2540-0020
U 4-5/Hk	.46	-7°	0°	0°	20-114D-0020	20-124D-0020	20-214D-0020	20-224D-0020
U 5/(Optionnal)	.96	-7°	0°	0°	20-1550-0020	20-1550-0020	20-2550-0020	20-2550-0020
U 5/Hk/(Opt)	.96	-7°	0°	0°	20-115D-0020	20-125D-0020	20-215D-0020	20-225D-0020
Mandibular								
L 1-2	1.17	-6°	0°	0°	20-1610-0020	20-1610-0020	20-2610-0020	20-2610-0020
L 3	.56	-6°	3°	0°	20-1430-0020	20-1330-0020	20-2430-0020	20-2330-0020
L 3/Hk	.56	-6°	3°	0°	20-143D-0020	20-133D-0020	20-243D-0020	20-233D-0020
L 3/Hk	.56	0°	3°	0°	20-143D-0021	20-133D-0021	20-243D-0021	20-233D-0021
L 4	.33	-12°	2°	0°	20-1440-0020	20-1340-0020	20-2440-0020	20-2340-0020
L 4/Hk	.33	-12°	2°	0°	20-144D-0020	20-134D-0020	20-244D-0020	20-234D-0020
L 5	.33	-17°	2°	0°	20-1450-0020	20-1350-0020	20-2450-0020	20-2350-0020
L 5/Hk	.33	-17°	2°	0°	20-145D-0020	20-135D-0020	20-245D-0020	20-235D-0020

EXPERIENCE metal ACO

Tooth	Torque	Ang.	Rotation	.022"x.028"	
				R	L
Maxillary					
U 1	12°	5°	0°	20-2110-0007	20-2210-0007
U 2	10°	9°	0°	20-2120-0007	20-2220-0007
U 3/Hk	-7°	10°	2m	20-213D-0007	20-223D-0007
U 4/5	-9°	0°	0°	20-2540-0007	20-2540-0007
U 4/5/Hk	-9°	0°	0°	20-214D-0007	20-224D-0007
Mandibular					
L 1/2	-6°	0°	0°	20-2610-0007	20-2610-0007
L 3/Hk	-8°	3°	0°	20-243D-0007	20-233D-0007
L 4	-12°	2°	0°	20-2440-0007	20-2340-0007
L 4/Hk	-12°	2°	0°	20-244D-0007	20-234D-0007
L 5	-17°	-1°	0°	20-2450-0007	20-2350-0007
L 5/Hk	-17°	-1°	0°	20-245D-0007	20-235D-0007

EXPERIENCE metal, Type Andrews

Tooth	I/O mm	Torque	Angulation	Rotation	P/N .022"	
					R	L
Maxillary						
U 1	.81	7°	5°	0°	20-2110-0044	20-2210-0044
U 2	1.07	3°	9°	0°	20-2120-0044	20-2220-0044
U 3/Hk	.46	-7°	11°	0°	20-213D-0044	20-223D-0044
U 4/5	.46	-7°	0°	0°	20-2540-0044	20-2540-0044
Mandibular						
L 1/2	1.17	-6°	2°	0°	20-2410-0044	20-2310-0044
L 1/2	1.17	-1°	0°	0°	20-2610-0044	20-2610-0044
L 3/Hk	.56	-11°	5°	0°	20-243D-0044	20-233D-0044
L 4	.38	-17°	0°	0°	20-2640-0044	20-2640-0044
L 5	.28	-22°	0°	0°	20-2650-0044	20-2650-0044



EXPERIENCE metal (Optional)

Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.81	24°	5°	0°	—	—	20-2110-0017	20-2210-0017
U 2	1.07	16°	8°	0°	—	—	20-2120-0017	20-2220-0017
U 3/Hk	.46	7°	5°	0°	20-113D-0027	20-123D-0027	20-213D-0027	20-223D-0027
U 4	.46	0°	0°	0°	20-1540-0025	20-1540-0025	20-2540-0025	20-2540-0025

EXPERIENCE metal (Weldable)

Tooth	Torque	Ang.	Rotation	.018"		.022"	
				R	L	R	L
Maxillary							
U 4-5/Hk	-7°	0°	2d	22-114D-0027	22-124D-0027	22-214D-0027	22-224D-0027
Mandibular							
L 4/Hk	-17°	-1°	4d	22-144D-0027	22-134D-0027	22-244D-0027	22-234D-0027
L 5/Hk	-22°	-1°	4d	22-145D-0027	22-135D-0027	22-245D-0027	22-235D-0027



Kits EXPERIENCE metal

Kit EXPERIENCE metal .020" x .028"	OK	UK	Hook on	P/N .020" x .028"
Type Roth	5-5	5-5	3,4,5	20-5CC5-0010

Prescription	Upper	Lower	Hook on	P/N	
				.018"	.022"
Type Roth	5-5	5-5	—	20-1CC0-0010	20-2CC0-0010
Type Roth	5-5	5-5	3	20-1CC3-0010	20-2CC3-0010
Type Roth	5-5	5-5	3,4,5	20-1CC5-0010	20-2CC5-0010
Extra Torque	5-5	5-5	—	20-1CC0-0030	20-2CC0-0030
Extra Torque	5-5	5-5	3	20-1CC3-0030	20-2CC3-0030
Extra Torque	5-5	5-5	3,4,5	20-1CC5-0030	20-2CC5-0030
Type MBT*	5-5	5-5	—	20-1CC0-0020	20-2CC0-0020
Type MBT*	5-5	5-5	3	20-1CC3-0020	20-2CC3-0020
Type MBT*	5-5	5-5	3,4,5	20-1CC5-0020	20-2CC5-0020
ACO	5-5	5-5	3	—	20-2CC3-0007
ACO	5-5	5-5	3,4,5	—	20-2CC5-0007
Andrews Type	5-5	5-5	3	—	20-2CC3-0044

Instruments:

To open EXPERIENCE brackets:



50-2030-0000
M-tool features both a double forked end to facilitate wire insertion and an end with a hollow ball to safely open the bracket from the gingival edge.



50-0030-0000
Open tool is for opening EXPERIENCE brackets either from the buccal face (hook side) or from the gingival edge (safety) using the hollow sphere.



Marketing EXPERIENCE metal



Typodonts

EXPERIENCE metal	P/N	EXPERIENCE metal	P/N
EXM BRACKET MODEL 022	55-2000-0000	TYPODONT EXP. M 5-5	55-2002-0000
TYPODONT EXP.M 7-7	55-2001-0000	TYPODONT EXP.M/MM 5-5	55-2002-00S2
TYPODONT EXP. M/MM 7-7	55-2001-00S2		

Digital content

All that you need to create your own content (websites, waiting room videos,...)



User: **GCOLib**
Password: **3ortho7**



Patient brochure (x25)
99-10F0-1200
Brochure display stand
99-1000-5500



Poster 40 x 60 cm
Paper type
99-20F1-16M0
Wooden frame
99-20W1-16M0

Posters 60 x 150 cm



99-20F0-16M0






EXPERIENCE L

EXPERIENCE L

SL Product **HI** Aesthetic

EXPERIENCE L is one of the most sophisticated interactive lingual brackets available on the market. Its easy-to-access golden clip makes wire changes extremely accessible for practitioners, aiding to reduce treatment times and thus increasing patient satisfaction. Its small size limits speech interference and potential bonding failure. Packed by 5.




Rounded and polished tie-wings reduce occlusal interference


Golden spring clip enhances visibility. Full slot coverage and two point contact



Universal Comfortube
40-1770-0000



Micro sandblasted mesh base ensures superior retention



Interactive clip

Low profile for greater comfort

Anatomically correct base



EXPERIENCE L

				P/N	
Tooth	Torque	Angulation	Rotation	.018"	
				R	L
Maxillary					
U 1-2	60°	0°	0°	16-1510-0010	16-1510-0010
U 3	60°	0°	0°	16-1530-0010	16-1530-0010
U 3/Hk	60°	0°	0°	16-153U-0010	16-153U-0010
U 4-5	10°	0°	0°	16-1740-0010	16-1740-0010
U 4-5/Hk	10°	0°	0°	16-174U-0010	16-174U-0010
U 6-7/Hk	10°	0°	0°	16-116M-0010	16-126M-0010
U 7/Comfortube	0°	0°	0°	40-1770-0000	40-1770-0000
Mandibular					
L 1-2	50°	0°	0°	16-1610-0010	16-1610-0010
L 3	50°	0°	0°	16-1630-0010	16-1630-0010
L 3/Hk	50°	0°	0°	16-163U-0010	16-163U-0010
L 4-5	10°	0°	0°	16-1740-0010	16-1740-0010
L 4-5/Hk	10°	0°	0°	16-174U-0010	16-174U-0010
L 6-7/Hk	0°	0°	0°	16-146M-0010	16-136M-0010
L 7/Comfortube	0°	0°	0°	40-1770-0000	40-1770-0000

EXPERIENCE L Kits

Brackets Only		P/N
		.018"
U 7-7		16-1A00-0010
U/L 7-7		16-1AA0-0010



EXPERIENCE LSB

EXPERIENCE LSB (Small Base)




Product



Aesthetic

EXPERIENCE LSB Is a self-ligating lingual bracket similar to EXPERIENCE L, but with a smaller base. It is the tool of choice for aesthetic corrections for anterior alignment. Invisible, EXPERIENCE LSB is the perfect treatment option for discerning adult patients looking for an efficient cosmetic solution. Easy- to-bond through direct bonding on the lingual surface or indirectly via transfer trays. Packed by 5.



EXPERIENCE LSB


				P/N	
Tooth	Torque	Angulation	Rotation	.018"	
				R	L
Maxillary					
U 1-2-3	60°	0°	0°	17-1510-0010	17-1510-0010
U 3/Hk	60°	0°	0°	17-153U-0010	17-153U-0010
Mandibular					
L 1-2-3	50°	0°	0°	17-1610-0010	17-1610-0010
L 1-2-3/Narrow Base	50°	0°	0°	17-1610-0050	17-1610-0050
L 1-2-3/Narrow Base/Hk	50°	0°	0°	17-161U-0010	17-161U-0010
L 3/Hk	50°	0°	0°	17-163U-0010	17-163U-0010

EXPERIENCE LSB Kits

Brackets Only		P/N
		.018"
Kit EXPERIENCE LSB U 3-3		17-1E00-0010
Kit EXPERIENCE LSB L 3-3		17-10E0-0010
Kit EXPERIENCE LSB U/L 3-3		17-1EE0-0010



Initialloy and BIO-EDGE Lingual Archwires



Download actual size reference chart on www.gcorthodontics.eu

INITIALLOY Lingual



Force/Dimension	N1		N2	
	P/N		P/N	
	Maxillary	Mandibular	Maxillary	Mandibular
Light				
.012"	71-N1U1-0012	71-N1L1-0012	71-N1U2-0012	71-N1L2-0012
.014"	71-N1U1-0014	71-N1L1-0014	71-N1U2-0014	71-N1L2-0014
.016"	71-N1U1-0016	71-N1L1-0016	71-N1U2-0016	71-N1L2-0016

Force/Dimension	N3		N4	
	P/N		P/N	
	Maxillary	Mandibular	Maxillary	Mandibular
Light				
.012"	71-N1U3-0012	71-N1L3-0012	71-N1U4-0012	71-N1L4-0012
.014"	71-N1U3-0014	71-N1L3-0014	71-N1U4-0014	71-N1L4-0014
.016"	71-N1U3-0016	71-N1L3-0016	71-N1U4-0016	71-N1L4-0016

BIO-EDGE lingual

Force/Dimension	N1		N2	
	P/N		P/N	
	Maxillary	Mandibular	Maxillary	Mandibular
80 g				
.016"x.016"	72-N1U1-1616	72-N1L1-1616	72-N1U2-1616	72-N1L2-1616
.016"x.022"	72-N1U1-1622	72-N1L1-1622	72-N1U2-1622	72-N1L2-1622
100 g				
.018"x.018"	72-N1U1-1818	72-N1L1-1818	72-N1U2-1818	72-N1L2-1818
.018"x.025"	72-N1U1-1825	72-N1L1-1825	72-N1U2-1825	72-N1L2-1825

Force/Dimension	N3		N4	
	P/N		P/N	
	Maxillary	Mandibular	Maxillary	Mandibular
80 g				
.016"x.016"	72-N1U3-1616	72-N1L3-1616	72-N1U4-1616	72-N1L4-1616
.016"x.022"	72-N1U3-1622	72-N1L3-1622	72-N1U4-1622	72-N1L4-1622
100 g				
.018"x.018"	72-N1U3-1818	72-N1L3-1818	72-N1U4-1818	72-N1L4-1818
.018"x.025"	72-N1U3-1825	72-N1L3-1825	72-N1U4-1825	72-N1L4-1825



Marketing EXPERIENCE L/LSB



Typodonts

EXPERIENCE L	P/N	EXPERIENCE LSB	P/N
EXL BRACKET MODEL	55-1600-0000		
TYPODONT EXP. L 7-7	55-1601-0000	TYPODONT EXP. L SB 4-4	55-1703-0000

Digital content

All that you need to create your own content (websites, waiting room videos,...)



User: **GCOLib**
Password: **3ortho7**



Patient brochure (x 25)
99-16F0-1200
Brochure display stand
99-1600-5500





Chic.

Chic. mini and Chic.

HI Aesthetic

Chic is the answer for doctors who want an impressive ceramic bracket option for their patients without compromising the performance or strength of the bracket. Chic is manufactured by Ceramic Injection Molding (CIM) creating uniformity, strength, and a true mechanical base. Its translucency compliments the patient's tooth shade while offering optimum stain resistance.



Rhomboid bracket
for easy bracket placement

Triple chamfered slot
for easy wire engagement
and to eliminate arch wire
binding & notching

Ceramic Injection Molding
for uniformity, strength
& precision




Long axis line
for easy bracket place-
ment; easily removes at
first brushing

Translucent ceramic
for excellent aesthetics


CNC Milling Slot

Torque in base



**Excellent under tie-wing
area for easy ligation**

Molded mechanical base
for greater bracket retention and
predictable debonding



Debonding indent
at the
base of the bracket for
easier
debonding

Bracket combinations

You can combine Chic Ceramic brackets with LEGEND™ Rhodium brackets for a complete aesthetic result.



Chic debonding



Chic. mini

Chic. mini Type Roth

				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	0.80	12°	5°	13-1110-0010	13-1210-0010	13-2110-0010	13-2210-0010
U 2	32	8°	9°	13-1120-0010	13-1220-0010	13-2120-0010	13-2220-0010
U 3/Hk	0.73	-2°	13°	13-113D-0010	13-123D-0010	13-213D-0010	13-223D-0010
U 3/Hk	0.73	-2°	13°	13-113D-0011	13-123D-0011	13-213D-0011	13-223D-0011
U 4-5	0.77	-7°	0°	13-1540-0010	13-1540-0010	13-2540-0010	13-2540-0010
U 4-5/Hk	0.77	-7°	0°	13-114D-0010	13-124D-0010	13-214D-0010	13-224D-0010
Mandibular							
L 1-2	1.26	0°	0°	13-1610-0010	13-1610-0010	13-2610-0010	13-2610-0010
L 3/Hk	0.83	-11°	7°	13-133D-0010	13-143D-0010	13-233D-0010	13-243D-0010
L 3/Hk	0.83	-11°	7°	13-133D-0011	13-143D-0011	13-233D-0011	13-243D-0011
L 4	0.95	-17°	0°	13-1640-0010	13-1640-0010	13-2640-0010	13-2640-0010
L 4/Hk	0.95	-17°	0°	13-134D-0010	13-144D-0010	13-234D-0010	13-244D-0010
L 5	0.95	-22°	0°	13-1650-0010	13-1650-0010	13-2650-0010	13-2650-0010
L 5/Hk	0.95	-22°	0°	13-135D-0010	13-145D-0010	13-235D-0010	13-245D-0010

Available soon



Chic. mini Type MBT

				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	0.80	17°	4°	13-1110-0020	13-1210-0020	13-2110-0020	13-2210-0020
U 2	1.10	10°	8°	13-1120-0020	13-1220-0020	13-2120-0020	13-2220-0020
U 3/Hk	0.80	-7°	8°	13-113D-0020	13-123D-0020	13-213D-0020	13-223D-0020
U 3/Hk	0.80	0°	8°	13-113D-0021	13-123D-0021	13-213D-0021	13-223D-0021
U 4-5	0.80	-7°	0°	13-1540-0020	13-1540-0020	13-2540-0020	13-2540-0020
U 4-5/Hk	0.80	-7°	0°	13-114D-0020	13-124D-0020	13-214D-0020	13-224D-0020
Mandibular							
L 1-2	1.26	-6°	0°	13-1610-0020	13-1610-0020	13-2610-0020	13-2610-0020
L 3/Hk	1.26	-6°	3°	13-133D-0020	13-143D-0020	13-233D-0020	13-243D-0020
L 3/Hk	1.26	0°	3°	13-133D-0021	13-143D-0021	13-233D-0021	13-243D-0021
L 4	0.80	-12°	0°	13-1640-0020	13-1640-0020	13-2640-0020	13-2640-0020
L 4/Hk	0.80	-12°	0°	13-134D-0020	13-144D-0020	13-234D-0020	13-244D-0020
L 5	0.95	-17°	0°	13-1650-0020	13-1650-0020	13-2650-0020	13-2650-0020
L 5/Hk	0.95	-17°	0°	13-135D-0020	13-145D-0020	13-235D-0020	13-245D-0020

Chic. mini Kits

Kits	Hook on	P/N	
		.018"	.022"
Chic. mini U 3-3	3	13-1E03-0020	13-2E03-0020
Chic. mini U/L 3-3	3	13-1EE3-0020	13-2EE3-0020
Chic. mini U 5-5	3	13-1C03-0020	13-2C03-0020
Chic. mini U 5-5	3, 4, 5	13-1C05-0020	13-2C05-0020
Chic. mini U/L 5-5	3	13-1CC3-0020	13-2CC3-0020
Chic. mini U/L 5-5	3, 4, 5	13-1CC5-0020	13-2CC5-0020

Chic.

Chic., Type Roth

			P/N			
Tooth	Torque	Angulation	.018"		.022"	
			R	L	R	L
Maxillary						
U 1	12°	5°	14-1110-0010	14-1210-0010	14-2110-0010	14-2210-0010
U 2	8°	9°	14-1120-0010	14-1220-0010	14-2120-0010	14-2220-0010
U 3	-2°	13°	14-1130-0010	14-1230-0010	14-2130-0010	14-2230-0010
U 3/Hk	-2°	13°	14-113D-0010	14-123D-0010	14-213D-0010	14-223D-0010
U 4-5	-7°	0°	14-1540-0010	14-1540-0010	14-2540-0010	14-2540-0010
U 4-5/Hk	-7°	0°	14-114D-0010	14-124D-0010	14-214D-0010	14-224U-0010
Mandibular						
L 1-2	0°	0°	14-1610-0010	14-1610-0010	14-2610-0010	14-2610-0010
L 3	-11°	7°	14-1430-0010	14-1330-0010	14-2430-0010	14-2330-0010
L 3/Hk	-11°	7°	14-143D-0010	14-133D-0010	14-243D-0010	14-233D-0010
L 4	-17°	0°	14-1640-0010	14-1640-0010	14-2640-0010	14-2640-0010
L 4/Hk	-17°	0°	14-144D-0010	14-134D-0010	14-244D-0010	14-234D-0010
L 5	-22°	0°	14-1650-0010	14-1650-0010	14-2650-0010	14-2650-0010
L 5/Hk	-22°	0°	14-145D-0010	14-135D-0010	14-245D-0010	14-235D-0010



Chic., Type MBT*

				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	0.80	17°	4°	14-1110-0020	14-1210-0020	14-2110-0020	14-2210-0020
U 2	1.32	10°	8°	14-1120-0020	14-1220-0020	14-2120-0020	14-2220-0020
U 3/Hk	0.73	-7°	8°	14-113D-0020	14-123D-0020	14-213D-0020	14-223D-0020
U 3/Hk	0.73	0°	8°	14-113D-0021	14-123D-0021	14-213D-0021	14-223D-0021
U 4-5	0.77	-7°	0°	14-1540-0020	14-1540-0020	14-2540-0020	14-2540-0020
U 4-5/Hk	0.77	-7°	0°	14-114D-0020	14-124D-0020	14-214D-0020	14-224D-0020
Mandibular							
L 1-2	1.26	-6°	0°	14-1610-0020	14-1610-0020	14-2610-0020	14-2610-0020
L 3/Hk	0.83	-6°	3°	14-143D-0020	14-133D-0020	14-243D-0020	14-233D-0020
L 3/Hk	0.83	0°	3°	14-143D-0021	14-133D-0021	14-243D-0021	14-233D-0021
L 4	0.95	-12°	0°	14-1640-0020	14-1640-0020	14-2640-0020	14-2640-0020
L 4/Hk	0.95	-12°	0°	14-144D-0020	14-134D-0020	14-244D-0020	14-234D-0020
L 5	0.95	-17°	0°	14-1650-0020	14-1650-0020	14-2650-0020	14-2650-0020
L 5/Hk	0.95	-17°	0°	14-145D-0020	14-135D-0020	14-245D-0020	14-235D-0020

Kits Chic.



You can mix your kits with ceramic bracket on upper and metallic on lower. Please contact us.

Prescription	Upper	Lower	Hook on	P/N	P/N
				.018"	.022"
Type Roth	3-3	—	3	14-1E03-0010	14-2E03-0010
Type Roth	3-3	3-3	3	14-1EE3-0010	14-2EE3-0010
Type Roth	5-5	—	3	14-1C03-0010	14-2C03-0010
Type Roth	5-5	3-3	3	14-1CE3-0010	14-2CE3-0010
Type Roth	5-5	5-5	3	14-1CC3-0010	14-2CC3-0010
Type Roth	5-5	3-3	3,4,5	14-1CE5-0010	14-2CE5-0010
Type Roth	5-5	5-5	3,4,5	14-1CC5-0010	14-2CC5-0010
Type MBT	3-3	—	3	—	14-2E03-0020
Type MBT	5-5	—	3	14-1C03-0020	14-2C03-0020
Type MBT	5-5	3-3	3	—	14-2CE3-0020
Type MBT	5-5	5-5	3	14-1CC3-0020	14-2CC3-0020
Type MBT	5-5	3-3	3,4,5	—	14-2CE5-0020
Type MBT	5-5	5-5	3,4,5	14-1CC5-0020	14-2CC5-0020



Marketing Chic.



Typodonts

Chic.	P/N
TYPODONT CHIC 7-7	55-1401-0000
TYPODONT CHIC 5-5	55-1402-0000

Digital content

All that you need to create your own content (websites, waiting room videos,...)



User: **GCOLib**
Password: **3ortho7**



Patient brochure (x 25)
99-14F0-1200
Brochure display stand
99-1400-5500



Poster 40 x 60 cm
Paper type
99-14F1-16F0
Wooden frame
99-14W1-16F0



Poster 60 x 150 cm

99-14F0-16F0




Aimee Treated with Chic.



LEGEND

LEGEND mini / LEGEND medium

The LEGEND collection is a traditional twin, metal bracket system available in a medium and mini size. LEGEND medium is manufactured by a Metal Injection Molding (MIM) and Computer Numerical Controlled (CNC) precision milling process for a consistent and precise bracket that features a 100% accurate slot and anatomically correct bonding pads for maximum bond retention.



Bracket combinations

You can combine LEGEND™ mini/medium brackets with Chic Ceramic brackets for a complete aesthetic result.

The LEGEND collection is manufactured by TOMY Inc. in Yumoto, Japan. Orthodontists around the world have used and adored TOMY brackets since their first bracket system launched in December of 1961. As of today, TOMY has grown to be one of the most respected bracket manufacturers in the world. LEGEND is available in a standard and mini size, in metal and rhodium coated and in a variety of prescriptions.



LEGEND mini

LEGEND mini, Type Roth

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.25	12°	5°	0°	31-1110-0010	31-1210-0010	31-2110-0010	31-2210-0010
U 2	.78	8°	9°	0°	31-1120-0010	31-1220-0010	31-2120-0010	31-2220-0010
U 2/Hk	.78	8°	9°	0°	31-112D-0010	31-122D-0010	31-212D-0010	31-222D-0010
U 3	.25	2°	10°	4 °m	31-1130-0010	31-1230-0010	31-2130-0010	31-2230-0010
U 3/Hk	.25	2°	10°	4 °m	31-113D-0010	31-123D-0010	31-213D-0010	31-223D-0010
U 4	.37	-7°	0°	2°d	31-1140-0010	31-1240-0010	31-2140-0010	31-2240-0010
U 4/Hk	.37	-7°	0°	2°d	31-114M-0010	31-124M-0010	31-214M-0010	31-224M-0010
U 4/Hk,Off. Base	.37	-7°	0°	0°	—	—	31-214M-0013	31-224M-0013
U 4-5/Off. Base	.37	-7°	0°	0°	31-1540-0013	31-1540-0013	31-2540-0013	31-2540-0013
U 5	.48	-7°	0°	2°d	31-1150-0010	31-1250-0010	31-2150-0010	31-2250-0010
U 5/Hk	.48	-7°	0°	2°d	31-115M-0010	31-125M-0010	31-215M-0010	31-225M-0010
Mandibular								
L 1-2	.97	-1°	0°	0°	31-1610-0010	31-1610-0010	31-2610-0010	31-2610-0010
L 3	.25	-11°	7°	2°m	31-1430-0010	31-1330-0010	31-2430-0010	31-2330-0010
L 3/Hk	.25	-11°	7°	2°m	31-143D-0010	31-133D-0010	31-243D-0010	31-233D-0010
L 4	.28	-17°	0°	4°d	31-1440-0010	31-1340-0010	31-2440-0010	31-2340-0010
L 4/Off. Base	.28	-17°	0°	0°	31-1640-0013	31-1640-0013	31-2640-0013	31-2640-0013
L 4/Hk	.28	-17°	0°	4°d	31-144D-0010	31-134D-0010	31-244D-0010	31-234D-0010
L 4/Hk, Off. Base	.28	-17°	0°	0°	31-144D-0013	31-134D-0013	31-244D-0013	31-234D-0013
L 5	.33	-22°	0°	4°d	31-1450-0010	31-1350-0010	31-2450-0010	31-2350-0010
L 5/Off. Base	.33	-22°	0°	0°	31-1650-0013	31-1650-0013	31-2650-0013	31-2650-0013
L 5/Hk	.33	-22°	0°	4°d	31-145D-0010	31-135D-0010	31-245D-0010	31-235D-0010
L 5/Hk, Off. Base	.33	-22°	0°	0°	—	—	31-245D-0013	31-235D-0013



LEGEND mini, Type MBT*

				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	.25	17°	4°	31-1110-0020	31-1110-0020	31-2110-0020	31-2210-0020
U 2	.78	10°	8°	31-1120-0020	31-1220-0020	31-2120-0020	31-2220-0020
U 3	.25	-7°	8°	31-1130-0020	31-1230-0020	31-2130-0020	31-2230-0020
U 3/Hk	.25	0°	8°	31-113D-0021	31-123D-0021	31-213D-0021	31-223D-0021
U 3/Hk	.25	-7°	8°	31-113D-0020	31-123D-0020	31-213D-0020	31-223D-0020
U 4	.37	-7°	0°	31-1540-0020	31-1540-0020	31-2540-0020	31-2540-0020
U 4/Hk	.37	-7°	0°	31-114D-0020	31-124D-0020	31-214D-0020	31-224D-0020
U 5	.48	-7°	0°	31-1550-0020	31-1550-0020	31-2550-0020	31-2550-0020
U 5/Hk	.48	-7°	0°	31-115D-0020	31-125D-0020	31-215D-0020	31-225D-0020
Mandibular							
L 1-2	.97	-6°	0°	31-1610-0020	31-1610-0020	31-2610-0020	31-2610-0020
L 1-2/(Optional)	.97	-1°	2°	31-1410-0045	31-1310-0045	—	—
L 3	.25	-6°	3°	31-1430-0020	31-1330-0020	31-2430-0020	31-2330-0020
L 3/Hk	.25	0°	3°	31-143D-0021	31-133D-0021	31-243D-0021	31-233D-0021
L 3/Hk	.25	-6°	3°	31-143D-0020	31-133D-0020	31-243D-0020	31-233D-0020
L 4	.28	-12°	2°	31-1440-0020	31-1340-0020	31-2440-0020	31-2340-0020
L 4/Hk	.28	-12°	2°	31-144D-0020	31-134D-0020	31-244D-0020	31-234D-0020
L 4, Off. Base	.28	-12°	2°	31-1440-0073	31-1340-0073	31-2440-0073	31-2340-0073
L 4,/Hk, Off. Base	.28	-12°	2°	31-144D-0073	31-134D-0073	31-244D-0073	31-234D-0073
L 5	.33	-17°	2°	31-1450-0020	31-1350-0020	31-2450-0020	31-2350-0020
L 5/Hk	.33	-17°	2°	31-145D-0020	31-135D-0020	31-245D-0020	31-235D-0020
L 5 ,Off. Base	.33	-17°	2°	31-1450-0073	31-1350-0073	31-2450-0073	31-2350-0073
L 5/Hk, Off. Base	.33	-17°	2°	31-145D-0073	31-135D-0073	31-245D-0073	31-235D-0073

LEGEND mini, Type Planché

				P/N	
Tooth	Torque	Angulation	Rotation	.022"	
				R	L
Maxillary					
U 1	21°	3°	0°	31-2110-0023	31-2210-0023
U 1 /(Optional)	14°	5°	0°	31-2110-0042	31-2210-0042
U 2	13°	7°	0°	31-2120-0023	31-2220-0023
U 2/Hk	13°	7°	0°	31-212D-0023	31-222D-0023
U 3	3°	13°	0°	31-2130-0023	31-2230-0023
U 3/Hk	3°	13°	0°	31-213D-0023	31-223D-0023
U 3/Hk/(Optional)	0°	10°	0°	31-213D-0042	31-223D-0042
Mandibular					
L 1-2	-10°	4°	0°	31-2410-0023	31-2310-0023
L 1-2/(Optional)	-1°	2°	0°	31-2410-0042	31-2310-0042
L 3	-14°	3°	0°	32-2430-0023	32-2330-0023
L 3/Hk	-14°	3°	0°	32-243D-0023	32-233D-0023
L 3/Hk/(Optional)	-1°	2°	0°	32-243D-0042	32-233D-0042





LEGEND mini, V-Slot Type Roth

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.70	12°	5°	0°	31-1110-0034	31-1210-0034	31-2110-0034	31-2210-0034
U 2	.97	8°	9°	0°	31-1120-0034	31-1220-0034	31-2120-0034	31-2220-0034
U 3	.56	-2°	7°	0°	31-1130-0034	31-1230-0034	31-2130-0034	31-2230-0034
U 3/Hk	.56	-2°	7°	0°	31-113D-0034	31-123D-0034	31-213D-0034	31-223D-0034
U 4-5	.56	-7°	0°	0°	31-1540-0034	31-1540-0034	31-2540-0034	31-2540-0034
U 4-5/B. Off.	.56	-7°	0°	0°	31-1540-0035	31-1540-0035	31-2540-0035	31-2540-0035
U 4-5/Hk	.56	-7°	0°	0°	31-114M-0034	31-124M-0034	31-214M-0034	31-224M-0034
Mandibular								
L 1-2	.97	0°	0°	0°	31-1610-0034	31-1610-0034	31-2610-0034	31-2610-0034
L 3	.56	-5°	7°	0°	31-1430-0034	31-1330-0034	31-2430-0034	31-2330-0034
L 3/Hk	.56	-5°	7°	0°	31-143D-0034	31-133D-0034	31-243D-0034	31-233D-0034
L 4	.56	-11°	0°	0°	31-1640-0034	31-1640-0034	31-2640-0034	31-2640-0034
L 4/Hk	.56	-11°	0°	0°	31-144D-0034	31-134D-0034	31-244D-0034	31-234D-0034
L 4/B. Off.	.56	-11°	0°	0°	31-1640-0035	31-1640-0035	31-2640-0035	31-2640-0035
L 4/Hk, B. Off.	.56	-11°	0°	0°	31-144D-0035	31-134D-0035	31-244D-0035	31-234D-0035
L 5	.56	-17°	0°	0°	31-1650-0034	31-1650-0034	31-2650-0034	31-2650-0034
L 5/Hk	.56	-17°	0°	0°	31-145D-0034	31-135D-0034	31-245D-0034	31-235D-0034
L 5/B. Off.	.56	-17°	0°	0°	31-1650-0035	31-1650-0035	31-2650-0035	31-2650-0035
L 5/Hk, B. Off.	.56	-17°	0°	0°	31-145D-0035	31-135D-0035	31-245D-0035	31-235D-0035

LEGEND mini, V-Slot BiDimensional

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.70	12°	5°	0°	31-1110-0034	31-1210-0034	—	—
U 2	.97	8°	9°	0°	31-1120-0034	31-1220-0034	—	—
U 3	.56	0°	7°	0°	—	—	31-2130-0040	31-2230-0040
U 3/Hk	.56	0°	7°	0°	—	—	31-213D-0040	31-223D-0040
U 4-5	.56	0°	0°	0°	—	—	31-2540-0040	31-2540-0040
U 4-5/Hk	.56	0°	0°	0°	—	—	31-215M-0040	31-225M-0040
Mandibular								
L 1-2	.97	0°	0°	0°	31-1610-0034	31-1610-0034	—	—
L 3	.56	0°	5°	0°	—	—	31-2430-0040	31-2330-0040
L 3/Hk	.56	0°	5°	0°	—	—	31-243D-0040	31-233D-0040
L 4-5	.56	0°	0°	0°	—	—	31-2640-0040	31-2640-0040
L 4-5/Hk	.56	0°	0°	0°	—	—	31-244D-0040	31-234D-0040



LEGEND mini, Bio-Progressive

					P/N	
Tooth	I/O mm	Torque	Ang.	Rotation	.018"	
					R	L
Maxillary						
U 1	.25	22°	5°	0°	31-1110-0027	31-1210-0027
U 2	.25	13°	9°	0°	31-1120-0011	31-1220-0011
U 3/Hk	.25	7°	5°	0°	31-113D-0027	31-123D-0027
U 4-5	.40	0°	0°	0°	31-1540-0025	31-1540-0025
Mandibular						
L 1-2	.97	-1°	0°	0°	31-1610-0010	31-1610-0010
L 3/Hk	.25	7°	5°	0°	31-143D-0027	31-133D-0027
L 4-5	.40	0°	0°	0°	31-1640-0025	31-1640-0025

Optional BIO Brackets

					P/N	
Tooth	I/O mm	Torque	Ang.	Rotation	.018"	
					R	L
Maxillary Type Roth						
U 4	.37	-7°	0°	2°d	31-1140-0010	31-1240-0010
U 4/Hk	.37	-7°	0°	2°d	31-114M-0010	31-124M-0010
U 5	.48	-7°	0°	2°d	31-1150-0010	31-1250-0010
U 5/Hk	.48	-7°	0°	2°d	31-115M-0010	31-125M-0010
Mandibular Type MBT						
L 4	.28	-12°	2°	0°	31-1440-0020	31-1340-0020
L 4/Hk	.28	-12°	2°	0°	31-144D-0020	31-134D-0020
L 5	.33	-17°	2°	0°	31-1450-0020	31-1350-0020
L 5/Hk	.33	-17°	2°	0°	31-145D-0020	31-135D-0020

LEGEND mini, Type Alexander

				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1/twin	.25	14°	5°	31-1110-0031	31-1210-0031	31-2110-0031	31-2210-0031
U 2/twin	.78	7°	9°	31-1120-0031	31-1220-0031	31-2120-0031	31-2220-0031
U 2/Hk	.78	8°	9°	31-112D-0010	31-122D-0010	31-212D-0010	31-222D-0010
U 3/Lewis (sw)	.35	-3°	10°	31-1130-0031	31-1230-0031	31-2130-0031	31-2230-0031
U 3/Hk (sw)	.35	-3°	10°	31-113U-0031	31-123U-0031	31-213U-0031	31-223U-0031
U 4/Lewis (sw)	.37	-7°	0°	31-1540-0031	31-1540-0031	31-2540-0031	31-2540-0031
U 4/Hk (sw)	.37	-7°	0°	31-154U-0031	31-154U-0031	31-254U-0031	31-254U-0031
U 5/Lewis (sw)	.48	-7°	0°	31-1550-0031	31-1550-0031	31-2550-0031	31-2550-0031
U 5/Hk (sw)	.48	-7°	0°	31-155U-0031	31-155U-0031	31-255U-0031	31-255U-0031
U 4-5/B. Off.	.43	-7°	0°	31-1540-0032	31-1540-0032	31-2540-0032	31-2540-0032
U 4-5/Hk, Off. Base	.43	-7°	0°	31-154U-0032	31-154U-0032	31-254U-0032	31-254U-0032
Mandibular							
L 1-2/Lewis (sw)	.97	-5°	0°	31-1610-0031	31-1610-0031	31-2610-0031	31-2610-0031
L 1-2/Hk (sw)	.97	-5°	0°	31-161U-0031	31-161U-0031	31-261U-0031	31-261U-0031
L 1-2/Hk (sw)	.97	-1°	0°	31-161U-0033	31-161U-0033	—	—
L 1-2 (sw)	.97	-5°	0°	31-1610-0024	31-1610-0024	—	—
L 1-2 (sw)	.97	-1°	0°	31-1610-0033	31-1610-0033	31-2610-0033	31-2610-0033
L 2/Hk	.97	-5°	6°	31-132U-0046	31-142U-0046	—	—
L 2/Hk (sw)	.97	-1°	6°	31-142U-0031	31-132U-0031	—	—
L 3/Lewis (sw)	.25	-7°	6°	31-1430-0031	31-1330-0031	31-2430-0031	31-2330-0031
L 3/Hk (sw)	.25	-7°	6°	31-143U-0031	31-133U-0031	31-243U-0031	31-233U-0031
L 3 (sw)	.25	0°	6°	31-1430-0033	31-1330-0033	—	—
L 4/Lewis (sw)	.28	-11°	0°	31-1640-0031	31-1640-0031	31-2640-0031	31-2640-0031
L 4/Off. Base	.28	-11°	0°	31-1640-0032	31-1640-0032	31-2640-0032	31-2640-0032
L 4/Hk (sw)	.28	-11°	0°	31-164U-0031	31-164U-0031	31-264U-0031	31-264U-0031
L 4/Hk/Off. Base	.28	-11°	0°	31-164U-0032	31-164U-0032	31-264U-0032	31-264U-0032
L 5/Lewis (sw)	.33	-17°	0°	31-1650-0031	31-1650-0031	31-2650-0031	31-2650-0031
L 5/Off. Base	.33	-17°	0°	31-1650-0032	31-1650-0032	31-2650-0032	31-2650-0032
L 5/Hk (sw)	.33	-17°	0°	31-165U-0031	31-165U-0031	31-265U-0031	31-265U-0031
L 5/Hk, Off. Base	.33	-17°	0°	31-165U-0032	31-165U-0032	31-265U-0032	31-265U-0032



LEGEND mini Options

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.25	17°	5°	0°	31-1110-0011	31-1210-0011	31-2110-0011	31-2210-0011
U 2	.25	13°	9°	0°	31-1120-0011	31-1220-0011	31-2120-0011	31-2220-0011
U 3/Hk	.25	0°	7°	4°m	31-113D-0011	31-123D-0011	31-213D-0011	31-223D-0011
U 3/Hk	.25	-7°	10°	0	—	—	31-213D-0015	31-223D-0015
U 4/Univ.	.28	-7°	0°	0	31-1540-0015	31-1540-0015	31-2540-0015	31-2540-0015
Mandibular								
L 1	.97	-5°	0°	0°	31-1610-0011	31-1610-0011	31-2610-0011	31-2610-0011
L 1-2	.97	-10°	0°	0°	31-1610-0037	31-1610-0037	31-2610-0037	31-2610-0037
L 1-2	.97	-1°	2°	0°	31-1410-0045	31-1310-0045	—	—
L 4	.28	-11°	0°	0°	31-1640-0039	31-1640-0039	—	—
L 4/Hk	.28	-11°	0°	0°	—	—	31-244D-0039	31-244D-0039
L 4/Univ.	.28	-17°	0°	0°	31-1640-0015	31-1640-0015	31-2640-0015	31-2640-0015
L 5	.33	-22	0°	0°	31-1650-0015	31-1650-0015	31-2650-0015	31-2650-0015

LEGEND mini Kits



Prescription	Upper	Lower	Hook on	P/N	
				.018"	.022"
Type Roth	5-5	5-5	—	31-1CC0-0010	31-2CC0-0010
Type Roth	5-5	5-5	3	31-1CC3-0010	31-2CC3-0010
Type Roth	5-5	5-5	3,4,5	31-1CC5-0010	31-2CC5-0010
Type MBT*	5-5	5-5	—	31-1CC0-0020	31-2CC0-0020
Type MBT*	5-5	5-5	3	31-1CC3-0020	31-2CC3-0020
Type MBT*	5-5	5-5	3,4,5	31-1CC5-0020	31-2CC5-0020


LEGEND mini, Weldable Type Roth

				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 4-5	.37	-7°	0°	34-1540-0010	34-1540-0010	34-2540-0010	34-2540-0010
Mandibular							
L 5	.33	-22°	0°	—	—	34-2650-0010	34-2650-0010

Type MBT

				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 4-5	.37	-7°	0°	34-1540-0010	34-1540-0010	34-2540-0010	34-2540-0010

Single kit Dispenser: 55-7025-0000





LEDEND medium

LEGEND medium Type Roth

				P/N			
Tooth	I/O mm	Torque	Ang.	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	.25	12°	5°	32-1110-0010	32-1210-0010	32-2110-0010	32-2210-0010
U 1	.25	17°	5°	—	—	32-2110-0011	32-2210-0011
U 2	.78	8°	9°	32-1120-0010	32-1220-0010	32-2120-0010	32-2220-0010
U 2/Hk	.78	8°	9°	32-112D-0010	32-122D-0010	32-212D-0010	32-222D-0010
U 3	.25	2°	10°	32-1130-0010	32-1230-0010	32-2130-0010	32-2230-0010
U 3/Hk	.25	2°	10°	32-113D-0010	32-123D-0010	32-213D-0010	32-223D-0010
U 4	.37	-7°	0°	32-1540-0010	32-1540-0010	32-2540-0010	32-2540-0010
U4/Univ.	.37	-7°	0°	32-1540-0011	32-1540-0011	—	—
U 4/Hk	.37	-7°	0°	32-114M-0010	32-124M-0010	32-214M-0010	32-224M-0010
U 4/Hk/Base Off.	.37	-7°	0°	—	—	32-214M-0013	32-224M-0013
U 4-5/B. Off.	.37	-7°	0°	32-1540-0013	32-1540-0013	32-2540-0013	32-2540-0013
U 5	.48	-7°	0°	32-1550-0010	32-1550-0010	32-2550-0010	32-2550-0010
U 5/Hk	.48	-7°	0°	32-115M-0010	32-125M-0010	32-215M-0010	32-225M-0010
U 5/Hk/Base Off.	.48	-7°	0°	—	—	32-215M-0013	32-225M-0013
Mandibular							
L 1	.97	-5°	0°	32-1610-0011	32-1610-0011	32-2610-0011	32-2610-0011
L 1-2	.97	-1°	0°	32-1610-0010	32-1610-0010	32-2610-0010	32-2610-0010
L 1-2/Hk	.97	-1°	0°	—	—	32-241D-0010	32-231D-0010
L 3	.25	-11°	7°	32-1430-0010	32-1330-0010	32-2430-0010	32-2330-0010
L 3/Hk	.25	-11°	7°	32-143D-0010	32-133D-0010	32-243D-0010	32-233D-0010
L 4	.28	-17°	0°	32-1640-0010	32-1640-0010	32-2640-0010	32-2640-0010
L 4/Hk	.28	-17°	0°	32-144D-0010	32-134D-0010	32-244D-0010	32-234D-0010
L 4/B. Off.	.28	-17°	0°	32-1640-0013	32-1640-0013	32-2640-0013	32-2640-0013
L 4/Hk, B. Off.	.28	-17°	0°	32-144D-0013	32-134D-0013	32-244D-0013	32-234D-0013
L 5	.33	-22°	0°	32-1650-0010	32-1650-0010	32-2650-0010	32-2650-0010
L 5/Hk	.33	-22°	0°	32-145D-0010	32-135D-0010	32-245D-0010	32-235D-0010
L 5/B. Off.	.33	-22°	0°	32-1650-0013	32-1650-0013	32-2650-0013	32-2650-0013
L 5/Hk, B. Off.	.33	-22°	0°	32-145D-0013	32-135D-0013	32-245D-0013	32-235D-0013

LEGEND medium Extra Torque

					P/N			
Tooth	I/O mm	Torque	Ang.	Rotation	.018"		.022"	
					R	L	R	L
Maxillary								
U 1	.25	18°	5°	0°	32-1110-0030	32-1210-0030	32-2110-0030	32-2210-0030
U 2	.78	10°	8°	0°	32-1120-0030	32-1220-0030	32-2120-0030	32-2220-0030
U 3	.25	0°	8°	2°m	32-1130-0030	32-1230-0030	32-2130-0030	32-2230-0030
U 3/Hk	.25	0°	8°	2°m	32-113D-0030	32-123D-0030	32-213D-0030	32-223D-0030
U 4-5	.42	-10°	4°	2°d	32-1140-0030	32-1240-0030	32-2140-0030	32-2240-0030
U 4-5/Hk	.42	-10°	4°	2°d	32-114M-0030	32-124M-0030	32-214M-0030	32-224M-0030
Mandibular								
L 1-2	.97	1°	0°	0°	32-1610-0030	32-1610-0030	32-2610-0030	32-2610-0030
L 3	.25	-3°	7°	2°m	32-1430-0030	32-1330-0030	32-2430-0030	32-2330-0030
L 3/Hk	.25	-3°	7°	2°m	32-143D-0030	32-133D-0030	32-243D-0030	32-233D-0030
L 4-5	.30	-7°	0°	2°d	32-1440-0030	32-1340-0030	32-2440-0030	32-2340-0030
L 4-5/Hk	.30	-7°	0°	2°d	32-144D-0030	32-134D-0030	32-244D-0030	32-234D-0030

Brackets Option

				P/N	
Tooth	Torque	Angulation	Rotation	.018"	
				R	L
Maxillary Andrews Type					
U 1	7°	5°	0°	32-1110-0015	32-1210-0015
U 2	9°	9°	0°	32-1120-0015	32-1220-0015



LEGEND medium Type MBT*

				P/N			
Tooth	I/O mm	Torque	Ang.	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	.25	17°	4°	32-1110-0020	32-1210-0020	32-2110-0020	32-2210-0020
U 2	.78	10°	8°	32-1120-0020	32-1220-0020	32-2120-0020	32-2220-0020
U 3	.25	-7°	8°	32-1130-0020	32-1230-0020	32-2130-0020	32-2230-0020
U 3/Hk	.25	-7°	8°	32-113D-0020	32-123D-0020	32-213D-0020	32-223D-0020
U 3/Hk(Optional)	.25	0°	8°	32-113D-0021	32-123D-0021	32-213D-0021	32-223D-0021
U 4	.37	-7°	0°	32-1540-0020	32-1540-0020	32-2540-0020	32-2540-0020
U 4/Hk	.37	-7°	0°	32-114M-0020	32-124M-0020	32-214M-0020	32-224M-0020
U 5	.48	-7°	0°	32-1550-0020	32-1550-0020	32-2550-0020	32-2550-0020
U 5/Hk	.48	-7°	0°	32-115M-0020	32-125M-0020	32-215M-0020	32-225M-0020
Mandibular							
L 1-2	.97	-6°	0°	32-1610-0020	32-1610-0020	32-2610-0020	32-2610-0020
L 3	.30	-6°	3°	32-1430-0020	32-1330-0020	32-2430-0020	32-2330-0020
L 3/Hk	.30	-6°	3°	32-143D-0020	32-133D-0020	32-243D-0020	32-233D-0020
L 3/Hk(Optional)	.30	0°	8°	32-143D-0021	32-133D-0021	32-243D-0021	32-133D-0021
L 4	.50	-12°	2°	32-1440-0020	32-1340-0020	32-2440-0020	32-2340-0020
L 4/Hk	.50	-12°	2°	32-144D-0020	32-134D-0020	32-244D-0020	32-234D-0020
L 4/Offset Base	.50	-12°	2°	32-1440-0073	32-1340-0073	32-2440-0073	32-2340-0073
L 4/Hk/Offset Base	.50	-12°	2°	32-144D-0073	32-134D-0073	32-244D-0073	32-234D-0073
L 5	.50	-17°	2°	32-1450-0020	32-1350-0020	32-2450-0020	32-2350-0020
L 5/Hk	.50	-17°	2°	32-145D-0020	32-135D-0020	32-245D-0020	32-235D-0020
L 5/Offset Base	.50	-17°	2°	32-1450-0073	32-1350-0073	32-2450-0073	32-2350-0073
L 5/Hk/Offset Base	.50	-17°	2°	32-145D-0073	32-135D-0073	32-245D-0073	32-235D-0073

LEGEND medium Bio-Progressive

				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	.25	22°	5°	32-1110-0027	32-1210-0027	32-2110-0027	32-2210-0027
U 2	.78	14°	9°	32-1120-0027	32-1220-0027	32-2120-0027	32-2220-0027
U 3	.25	7°	5°	32-1130-0027	32-1230-0027	32-2130-0027	32-2230-0027
U 3/Hk	.37	7°	5°	32-113D-0027	32-123D-0027	32-213D-0027	32-223D-0027
U 4-5	.48	0°	0°	32-1540-0027	32-1540-0027	—	—
U 4-5/extra Torque	.48	-7°	0°	32-1540-0029	32-1540-0029	—	—
U 4-5/Hk	.48	0°	0°	32-114M-0027	32-124M-0027	—	—
Mandibular							
L 1-2	.97	-1°	0°	32-1610-0010	32-1610-0010	32-2610-0010	32-2610-0010
L 3	.25	7°	5°	32-1430-0027	32-1330-0027	32-2430-0027	32-2330-0027
L 3/Hk	.25	7°	5°	32-143D-0027	32-133D-0027	32-243D-0027	32-233D-0027
L 4-5	.28	0°	0°	32-1640-0027	32-1640-0027	—	—
L 4-5/Hk	.28	0°	0°	32-144D-0027	32-134D-0027	—	—
L 4/extra Torque	.36	-11°	0°	32-1640-0029	32-1640-0029	—	—
L 5/extra Torque	.36	-17°	0°	32-1650-0029	32-1650-0029	—	—

LEGEND medium Bio-Progressive V-Slot

				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	.41	22°	5°	32-1110-0028	32-1210-0028	32-2110-0028	32-2210-0028
U 2	.93	14°	9°	32-1120-0028	32-1220-0028	32-2120-0028	32-2220-0028
U 3/Hk	.36	7°	5°	32-113D-0028	32-123D-0028	32-213D-0028	32-223D-0028
U 4-5/univ.	.43	0°	0°	32-1540-0040	32-1540-0040	32-2540-0040	32-2540-0040
Mandibular							
L 1-2	1.09	0°	0°	32-1610-0034	32-1610-0034	32-2610-0034	32-2610-0034
L 3/Hk	.36	7°	5°	32-143D-0028	32-133D-0028	32-243D-0028	32-233D-0028
L 4/univ.	.36	-11°	0°	32-1640-0029	32-1640-0029	—	—
L 5/univ.	.36	-17°	0°	32-1650-0029	32-1650-0029	—	—



LEGEND medium V-Slot/BiDimensionnal Type

				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	.41	12°	5°	32-1110-0034	32-1210-0034	32-2110-0034	32-2210-0034
U 2	.93	8°	9°	32-1120-0034	32-1220-0034	32-2120-0034	32-2220-0034
U 3	.36	0°	7°	32-1130-0040	32-1230-0040	—	—
U 3	.36	-2°	7°	32-1130-0034	32-1230-0034	32-2130-0034	32-2230-0034
U 3/Hk	.36	0°	7°	32-113D-0040	32-123D-0040	32-213D-0040	32-223D-0040
U 3/Hk	.36	-2°	7°	32-113D-0034	32-123D-0034	32-213D-0034	32-223D-0034
U 4/Hk	.43	0°	0°	—	—	32-214M-0040	32-224M-0040
U 4-5	.43	0°	0°	32-1540-0040	32-1540-0040	32-2540-0040	32-2540-0040
U 4-5	.43	-7°	0°	32-1540-0034	32-1540-0034	32-2540-0034	32-2540-0034
U 4-5/Hk	.43	-7°	0°	32-114M-0034	32-124M-0034	32-214M-0034	32-224M-0034
U 4-5/Hk	.43	0°	0°	—	—	32-214M-0040	32-224M-0040
U 4-5/B. Off.	.43	-7°	0°	32-1540-0035	32-1540-0035	32-2540-0035	32-2540-0035
Mandibular							
L 1-2	1.09	0°	0°	32-1610-0034	32-1610-0034	32-2610-0034	32-2610-0034
L 3	.36	-5°	7°	32-1430-0034	32-1330-0034	32-2430-0034	32-2330-0034
L 3/Hk	.36	-5°	7°	32-143D-0034	32-133D-0034	32-243D-0034	32-233D-0034
L 3/Hk	.36	0°	5°	—	—	32-243D-0040	32-233D-0040
L 4-5	.36	0°	0°	32-1640-0040	32-1640-0040	32-2640-0040	32-2640-0040
L 4	.36	-11°	0°	32-1640-0034	32-1640-0034	32-2640-0034	32-2640-0034
L 4/B. Off.	.36	-11°	0°	32-1640-0035	32-1640-0035	32-2640-0035	32-2640-0035
L 4/Hk	.36	-11°	0°	32-144D-0034	32-134D-0034	32-244D-0034	32-234D-0034
L 4/Hk	.36	0°	0°	—	—	32-244D-0040	32-234D-0040
L 4-5/B. Off.	.36	0°	0°	32-1640-0041	32-1640-0041	32-2640-0041	32-2640-0041
L 5	.36	-17°	0°	32-1650-0034	32-1650-0034	32-2650-0034	32-2650-0034
L 5/Hk	.36	-17°	0°	32-145D-0034	32-135D-0034	32-245D-0034	32-235D-0034
L 5/B. Off.	.36	-17°	0°	32-1650-0035	32-1650-0035	32-2650-0035	32-2650-0035

LEGEND medium Hasund

				P/N	
Tooth	I/O mm	Torque	Angulation	.018"	
				R	L
Maxillary					
U 1	1.10	20°	3°	32-1110-0022	32-1210-0022
U 2	1.10	14°	9°	32-1120-0022	32-1220-0022
U 3/Hk	.40	-2°	6°	32-113D-0022	32-123D-0022
U 4-5	.70	-10°	2°	32-1140-0022	32-1240-0022
Mandibular					
L 1-2	1.10	0°	0°	32-1610-0022	32-1610-0022
L 3/Hk	.40	0°	5°	32-143D-0022	32-133D-0022
L 4	.40	-10°	2°	32-1440-0022	32-1340-0022
L 5	.40	-15°	2°	32-1450-0022	32-1350-0022



LEGEND medium Kits

Prescription	Upper	Lower	Hook on	P/N	
				.018"	.022"
Roth Type	5-5	5-5	—	32-1CC0-0010	32-2CC0-0010
Roth Type	5-5	5-5	3	32-1CC3-0010	32-2CC3-0010
Roth Type	5-5	5-5	3,4,5	32-1CC5-0010	32-2CC5-0010
Extra-Torque	5-5	5-5	3	32-1CC3-0030	32-2CC3-0030
Extra-Torque	5-5	5-5	3,4,5	32-1CC5-0030	32-2CC5-0030
MBT Type	5-5	5-5	—	32-1CC0-0020	32-2CC0-0020
MBT Type	5-5	5-5	3	32-1CC3-0020	32-2CC3-0020
MBT Type	5-5	5-5	3,4,5	32-1CC5-0020	32-2CC5-0020
Bio-Progressive	5-5	5-5	3	32-1CC3-0027	32-2CC3-0027
Bio-Progressive	5-5	5-5	3,4,5	32-1CC5-0027	32-2CC5-0027



Weldable LEGEND medium Type Roth

			P/N			
Tooth	Torque	Angulation	.018"		.022"	
			R	L	R	L
Maxillary						
U 4-5	-7°	0°	33-1540-0010	33-1540-0010	33-2540-0010	33-2540-0010
U 4-5/Hk	-7°	0°	33-114M-0010	33-124M-0010	33-214M-0010	33-224M-0010
U 4-5	0°	0°	—	—	37-2510-0071	37-2510-0071
Mandibular						
L 4	-17°	0°	33-1640-0010	33-1640-0010	33-2640-0010	33-2640-0010
L 4/Hk	-17°	0°	33-144D-0010	33-134D-0010	33-244D-0010	33-234D-0010
L 5	-22°	0°	33-1650-0010	33-1650-0010	33-2650-0010	33-2650-0010
L 5/Hk	-22°	0°	33-145D-0010	33-135D-0010	33-245D-0010	33-235D-0010

Type MBT

			P/N			
Tooth	Torque	Angulation	.018"		.022"	
			R	L	R	L
Maxillary						
U 4-5	-7°	0°	33-1540-0010	33-1540-0010	33-2540-0010	33-2540-0010

LEGEND medium V-Slot

				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U4-5/Univ.	.37	-7°	0°	33-1540-0034	33-1540-0034	33-2540-0034	33-2540-0034
Mandibular							
L 4/Univ.	.36	-11°	0°	33-1640-0034	33-1640-0034	33-2640-0034	33-2640-0034
L 5/Univ.	.36	-17°	0°	33-1650-0034	33-1650-0034	33-2650-0034	33-2650-0034

Marketing LEGEND mini/medium



Typodonts

LEGEND mini	P/N	LEGEND medium	P/N
LEGEND mini 7-7	55-3101-0000	LEGEND med 7-7	55-3201-0000
LEGEND mini 5-5	55-3102-0000	LEGEND med 5-5	55-3202-0000

Digital content

All that you need to create your own content (websites, waiting room videos,...)



User: **GCOLib**
 Password: **3ortho7**



Patient brochure (x25)
 99-14F0-1200
 Brochure display stand
 99-1400-5500



Poster 40 x 60 cm
 Paper type
 99-31F1-16M0
 Wooden frame
 99-31W1-16M0




Poster 60 x 150 cm

99-32F0-16M0



AXCESS

AXCESS, also manufactured by Tomy® in Japan, is an affordable bracket created from MIM (Metal Injection Molded) technology. All information (3 dimensions) is built into the bracket. Torque in base system. A laser-milled anatomical base guarantees retention as reliable as found in traditional meshes.



AXCESS Type Roth

				P/N			
Tooth	I/O mm	Torque	Angulation	.018"		.022"	
				R	L	R	L
Maxillary							
U 1	.73	12°	5°	30-1110-0010	30-1210-0010	30-2110-0010	30-2210-0010
U 2	1.19	8°	9°	30-1120-0010	30-1220-0010	30-2120-0010	30-2220-0010
U 3/Hk	.56	-2°	13°	30-113D-0010	30-123D-0010	30-213D-0010	30-223D-0010
U 3/Hk Barbosa Type	.56	0°	13°	—	—	30-213D-0014	30-223D-0014
U 4-5	.56	-7°	0°	30-1540-0010	30-1540-0010	30-2540-0010	30-2540-0010
U 4-5/Hk	.56	-7°	0°	30-114M-0010	30-124M-0010	30-214M-0010	30-224M-0010
Mandibular							
L 1-2	1.19	-1°	0°	30-1610-0010	30-1610-0010	30-2610-0010	30-2610-0010
L 3/Hk	.43	-11°	7°	30-143D-0010	30-133D-0010	30-243D-0010	30-233D-0010
L 3/Hk Barbosa Type	.43	-11°	7°	30-143D-0014	30-133D-0014	30-243D-0014	30-233D-0014
L 4 Offset base	.40	-17°	0°	30-1640-0013	30-1640-0013	30-2640-0013	30-2640-0013
L 4/Hk Offset base	.40	-17°	0°	30-144D-0010	30-134D-0010	30-244D-0010	30-234D-0010
L 5 Offset base	.38	-22°	0°	30-1650-0013	30-1650-0013	30-2650-0013	30-2650-0013
L 5/Hk Offset base	.38	-22°	0°	30-145D-0010	30-135D-0010	30-245D-0010	30-235D-0010

AXCESS Type Roth Kits



Prescription	Upper	Lower	Hook on	P/N	
				.018"	.022"
Roth Type	5-5	5-5	3	30-1CC3-0010	30-2CC3-0010
Roth Type	5-5	5-5	3,4,5	30-1CC5-0010	30-2CC5-0010



AXCESS Type MBT*

Tooth	I/O mm	Torque	Angulation	022"	
				R	L
Maxillary					
U 1	.73	17°	4°	30-2110-0020	30-2210-0020
U 2	1.19	10°	8°	30-2120-0020	30-2220-0020
U 3	.56	-7°	8°	30-2130-0020	30-2230-0020
U 3/Hk	.56	-7°	8°	30-213D-0020	30-223D-0020
U 4/Hk	.56	-7°	0°	30-214D-0020	30-224D-0020
U 5 (Optionnal)	.67	-7°	0°	30-2550-0020	30-2550-0020
U 5/Hk (Optionnal)	.67	-7°	0°	30-215D-0020	30-225D-0020
U 4-5	.56	-7°	0°	30-2540-0020	30-2540-0020
Mandibular					
L 1-2	1.19	-6°	0°	30-2610-0020	30-2610-0020
L 3	.43	-6°	3°	30-2430-0020	30-2330-0020
L 3/Hk	.43	-6°	3°	30-243D-0020	30-233D-0020
L 4	.40	-12°	2°	30-2440-0020	30-2340-0020
L 4/Hk	.40	-12°	2°	30-244D-0020	30-234D-0020
L 5	.38	-17°	2°	30-2450-0020	30-2350-0020
L 5/Hk	.38	-17°	2°	30-245D-0020	30-2345D-0020

Kits AXCESS Type MBT*



Prescription	Upper	Lower	Hook on	P/N
				.022"
MBT Type	5-5	5-5	3	30-2CC3-0020
MBT Type	5-5	5-5	3,4,5	30-2CC5-0020



06

LG 02
Gang 02 Reihe 048 Ebene 06
41-2350-3395
BI 100-011 503003381 10
100 11700

LG 02
Gang 02 Reihe 049 Ebene 06
41-2350-3395
BI 100-011 503003381 10
100 11700

LG 02
Gang 02 Reihe 050 Ebene 06
41-2350-3395
BI 100-011 503003381 10
100 11700

LG 02
Reihe 047 Ebene 05
41-2350-3395
BI 100-011 503003381 10
100 11700

LG 02
Gang 02 Reihe 048 Ebene 05
41-2350-3395
BI 100-011 503003381 10
100 11700

LG 02
Gang 02 Reihe 049 Ebene 05
41-2350-3395
BI 100-011 503003381 10
100 11700

LG 02
Gang 02 Reihe 050 Ebene 05
41-2350-3395
BI 100-011 503003381 10
100 11700

LG 02
Gang 02 Reihe 047 Ebene 04
41-2350-3395
BI 100-011 503003381 10
100 11700


LG 02
Gang 02 Reihe 048 Ebene 04
41-2350-3395
BI 100-011 503003381 10
100 11700

Gang



Legacy & Legacy mini

Based on Dr. Roth's philosophy, this bracket is the most successful programmed straight wire bracket. In addition to in/out (1st dimension), torque, tip and overcrowding are programmed into the cuspid and bicuspid brackets to correct the effects of parasitic rotations due to positioning mechanics.



Legacy mini Type Roth

					P/N	
Tooth	I/O mm	Torque	Ang.	Rotation	.022"	
					R	L
Maxillary						
U 1	.25	12°	5°	0°	27-2110-0010	27-2210-0010
U 2	.78	8°	9°	0°	27-2120-0010	27-2220-0010
U 3	.25	-2°	13°	4°m	27-2130-0010	27-2230-0010
U 3/Hk	.25	-2°	13°	4°m	27-213D-0010	27-223D-0010
U 3/Hk Spéciale	.25	-2°	9°	4°m	27-213D-0012	27-223D-0012
U 4	.37	-7°	0°	2°d	27-2140-0010	27-2240-0010
U 4/Hk	.37	-7°	0°	2°d	27-214M-0010	27-224M-0010
Mandibular						
L 1-2	.97	-1°	2°	0°	27-2410-0010	27-2310-0010
L 1-2/Spécial Torque	.97	-5°	2°	0°	27-2410-0011	27-2310-0011
L 3	.25	-11°	7°	2°m	27-2430-0010	27-2330-0010
L 3/Hk	.25	-11°	7°	2°m	27-243D-0010	27-233D-0010
L 4/B. Off.	.28	-17°	-1°	4°d	27-2440-0013	27-2340-0013
L 4/Hk	.28	-17°	-1°	4°d	27-244D-0010	27-234D-0010
L 4/Hk, B. Off.	.28	-17°	-1°	4°d	27-244D-0013	27-234D-0013
L 5/B. Off.	.33	-22°	-1°	4°d	27-2450-0013	27-2350-0013
L 5/Hk	.33	-22°	-1°	4°d	27-245D-0010	27-235D-0010
L 5/Hk, B. Off.	.33	-22°	-1°	4°d	27-245D-0013	27-235D-0013



Legacy Type Roth

					P/N	
					.022"	
Tooth	I/O mm	Torque	Ang.	Rotation	R	L
Maxillary						
U 1	.25	12°	5°	0°	28-2110-0010	28-2210-0010
U 1/xT	.25	17°	5°	0°	28-2110-0011	28-2210-0011
U 2	.78	8°	9°	0°	28-2120-0010	28-2220-0010
U 2/xT	.78	10°	9°	0°	28-2120-0011	28-2220-0011
U 2/Hk	.78	8°	9°	0°	28-212D-0010	28-222D-0010
U 3	.25	-2°	13°	4°m	28-2130-0010	28-2230-0010
U 3/Hk	.25	-2°	13°	4°m	28-213D-0010	28-223D-0010
U 3	.25	3°	13°	4°m	28-2130-0011	28-2230-0011
U 3/Hk	.25	3°	13°	4°m	28-213D-0011	28-223D-0011
U 3	.25	-2°	9°	4°m	28-2130-0012	28-2230-0012
U 3/Hk	.25	-2°	9°	4°m	28-213D-0012	28-223D-0012
U 4-5	.37	-7°	0°	2°d	28-2140-0010	28-2240-0010
U 4/Hk	.37	-7°	0°	2°d	28-214D-0010	28-224D-0010
U 4/Hk m.	.37	-7°	0°	2°d	28-214M-0010	28-224M-0010
Mandibular						
L 1-2	.97	-1°	2°	0°	28-2410-0010	28-2310-0010
L 3	.25	-11°	7°	2°m	28-2430-0010	28-2330-0010
L 3/Hk	.25	-11°	7°	2°m	28-243D-0010	28-233D-0010
L 3/Hk/xT	.25	0°	5°	2°m	28-243D-0011	28-233D-0011
L 4	.28	-17°	-1°	4°d	28-2440-0010	28-2340-0010
L 4/Hk	.28	-17°	-1°	4°d	28-244D-0010	28-234D-0010
L 5	.33	-22°	-1°	4°d	28-2450-0010	28-2350-0010
L 5/Hk	.33	-22°	-1°	4°d	28-245D-0010	28-235D-0010

Standard Edgewise

Twin Edgewise

		Width	P/N	
		mm	.018"	.022"
	Upper Centrals			
	Double extra-wide	4.0	29-1510-0062	29-2510-0062
	Double wide	3.2	29-1510-0059	29-2510-0059
	Upper Laterals			
	Double wide	3.2	—	29-2520-0059
	Double medium	2.6	29-1520-0053	29-2520-0053
	Upper and Lower Cuspids			
	Double wide	3.2	29-1730-0059	29-2730-0059
	Double medium	2.6	29-1730-0053	29-2730-0053
	Medium low profile	2.6	29-1630-0054	—
	Upper and Lower Cuspids Hook on			
	Wide, hook, UR/LL	3.2	29-153D-0059	29-253D-0059
	Wide, hook, UL/LR	3.2	29-163D-0059	29-263D-0059
	Upper Bicuspids			
	Offset wing, wide	3.2	29-1540-0061	—
	Offset wing, medium	2.6	29-1540-0057	29-2540-0057
	Offset wing, narrow	2.1	—	29-2540-0052
	Narrow	2.1	—	29-2740-0050
	Medium	2.6	29-1740-0053	29-2740-0053
	Upper/Lower Molars			
	Extra-wide	4.0	29-1760-0062	29-2760-0062
	Wide	3.2	29-1760-0059	29-2760-0059
	Lower Anteriors			
	Double, low profile, narrow	2.1	29-1610-0051	29-2610-0051
	Double, low profile, medium	2.6	29-1610-0055	29-2610-0055
	Double, standard, narrow	2.1	29-1610-0050	29-2610-0050
	Double, standard, medium	2.6	—	29-2610-0053
	Lower Bicuspids			
	Low profile medium	2.6	29-1640-0055	29-2640-0055
	Low profile medium, kidney-shaped	2.6	—	29-2640-0058
	Low profile narrow	2.1	—	29-2640-0051






Twin Edgewise

		Width		P/N	
		mm		.018"	.022"
	Bicuspid				
	U 4-5	Medium		37-1540-0071	—
	U/L 4-5	Medium		37-1730-0053	37-2730-0053
	U/L 4-5	Wide		—	37-2510-0059
	U/L 4-5 V-Slot	Medium		—	37-2510-0071

Single Edgewise (Tweed)

		Width		P/N	
		mm		.022"	
	Centrals				
	Extra-wide	2.6		26-2510-0062	
	Wide	2.0		26-2510-0059	
	Laterals				
	Extra-Wide	2.6		26-2520-0062	
	Wide	2.0		26-2520-0059	
	Cuspid				
	Extra-Wide	2.6		26-2730-0062	
	Wide	2.0		26-2730-0059	
	Bicuspid				
	Wide, low profile	2.0		26-2640-0060	
	Wide, standard	2.0		26-2740-0059	
	Lower Anteriors				
	Trapezoid	1.3		26-2610-0051	
	Narrow, standard	1.3		26-2610-0050	
	Wide, low profile	2.0		26-2610-0060	
	Extra-wide, standard	2.6		26-2610-0062	





Catalog N°6

Buccal Tubes



Experts in Orthodontics
GC Orthodontics Europe GmbH
www.gcorthodontics.eu

Buccal Tubes

Tubes LEGEND LP (Low Profile)	119
EXPERIENCE Self-Ligating Buccal Tubes	121
LEGEND LE Tubes (Large Entrance)	123
AXCESS Tubes	124
Maxillary Single Tubes	127
Convertible.....	127
Non-Convertible.....	128
Maxillary Double Tubes.....	133
1 st Molar (convertible).....	133
No HG	133
With HG.....	134
Maxillary Triple Tubes 1 st Molar	139
Mandibular Single Tube 1 st Molar	142
Convertible.....	142
Single Tube Non-Convertible 2 nd Molar	144
Mandibular Double Tubes 1 st Molar	147
Convertible with Tube Bumper	147
Convertible.....	148
Non-Convertible.....	150
Bondable Lingual Attachments.....	151
Weldable Lingual Attachments	152



Tubes LEGEND LP (Low Profile)

Single Tube, Roth Type

Teeth	Torque	Angulation	R/L	P/N	
				.018"x.025"	.022"x.028"
Maxillary					
U6	-14°	14°	R	40-1160-0114	40-2160-0114
			L	40-1260-0114	40-2260-0114
U7	-14°	14°	R	40-1170-0114	40-2170-0114
			L	40-1270-0114	40-2270-0114
Mandibular					
L6	-25°	4°	R	40-1460-0114	40-2460-0114
			L	40-1360-0114	40-2360-0114
L7	-24°	6°	R	40-1470-0114	40-2470-0114
			L	40-1370-0114	40-2370-0114

Single Tube, LP ACO

Teeth	Torque	Offset	Angulation	R/L	P/N	
					.018"x.025"	.022"x.028"
Maxillary						
U6	-14°	10°	0°	R	—	40-2160-0106
				L	—	40-2260-0106
U7	-20°	10°	0°	R	40-1170-0120	40-2170-0120
				L	40-1270-0120	40-2270-0120
U7 (short length)	-20°	10°	0°	R	—	40-2170-0007
				L	—	40-2270-0007
Mandibular						
L6	-25°	0°	-1°	R	—	40-2460-0007
				L	—	40-2360-0007
L7	-20°	0°	0°	R	40-1470-0120	40-2470-0120
				L	40-1370-0120	40-2370-0120
L7 (short length)	-20°	0°	-1°	R	—	40-2470-0007
				L	—	40-2370-0007



Single Tube Type MBT*

Teeth	Torque	Angulation	R/L	P/N	
				.018"x.025"	.022"x.028"
Maxillary					
U 6	-14°	10°	R	40-1160-0106	40-2160-0106
			L	40-1260-0106	40-2260-0106
U 6	-14°	0°	R	40-1160-0107	40-2160-0107
			L	40-1260-0107	40-2260-0107
U 7	-14°	10°	R	40-1170-0106	40-2170-0106
			L	40-1270-0106	40-2270-0106
U 7	-14°	0°	R	40-1170-0107	40-2170-0107
			L	40-1270-0107	40-2270-0107
Mandibular					
L6	-20°	0°	R	40-1460-0106	40-2460-0106
			L	40-1360-0106	40-2360-0106
L7	-10°	0°	R	40-1470-0106	40-2470-0106
			L	40-1370-0106	40-2370-0106



Single Tube GET

Teeth	Torque	Angulation	R/L	.022"x.028"
Maxillary				
U 6	-20°	10°D	R	40-2160-0510
			L	40-2260-0510
	-20°	0°	R	40-2160-0511
			L	40-2260-0511
U 7	-25°	6°D	R	40-2170-0510
			L	40-2270-0510
	-25°	0°	R	40-2170-0511
			L	40-2270-0511



EXPERIENCE Self-Ligating Buccal Tubes

Complementing EXPERIENCE appliances on first molars, this tube features all the benefits of EXPERIENCE brackets:

- Easy-to-open active clip from the buccal side that's easy-to-close by using just a fingertip
- Very large micro-sandblasted base that covers the entire buccal surface of the molar
- Low profile for increased patient comfort and no bond failure
- Available in type Roth and type MBT* prescriptions
- type MBT* is available in standard or small base (SB) size



Self-Ligating Single Tube Type Roth

Dimensions	Torque	Rotation	R/L	P/N	
				Bondable	Bondable SB
Maxillary					
.018"x.025"	-10°	14°D	R	20-1160-0010	—
			L	20-1260-0010	—
.022"x.028"	-10°	14°D	R	20-2160-0010	20-2160-S010
			L	20-2260-0010	20-2260-S010

Self-Ligating Single Tube Type MBT*

Dimensions	Torque	Rotation	R/L	P/N		
				Bondable	Bondable SB	P/N
Maxillary						
.018"x.025"	-14°	10°D	R	20-1160-0020	20-1160-S020	22-1160-0020
			L	20-1260-0020	20-1260-S020	22-1260-0020
.022"x.028"	-14°	10°D	R	20-2160-0020	20-2160-S020	22-2160-0020
			L	20-2260-0020	20-2260-S020	22-2260-0020

Self-Ligating Double Tube Extra Torque

Dimensions	Torque	Rotation	R/L	P/N
				Bondable
Maxillary				
.018"x.025"	-20°	20°	R	20-1160-0030
			L	20-1260-0030
.022"x.028"	-20°	20°	R	20-2160-0030
			L	20-2260-0030

EXPERIENCE Self-Ligating Buccal Tubes

Self-Ligating Single Tube Type Roth

Dimensions	Torque	Rotation	R/L	P/N	
				Bondable	Bondable SB
Mandibular					
.018"x.025"	-25°	4°D	R	20-1460-0010	—
			L	20-1360-0010	—
.022"x.028"	-25°	4°D	R	20-2460-0010	20-2460-S010
			L	20-2360-0010	20-2360-S010

Self-Ligating Single Tube Type MBT*

P/N						
Dimensions	Torque	Rotation	R/L	Bondable	Bondable SB	P/N Weldable
Mandibular						
.018"x.025"	-20°	0°	R	20-1460-0020	20-1460-S020	22-1460-0020
			L	20-1360-0020	20-1360-S020	22-1360-0020
.022"x.028"	-20°	0°	R	20-2460-0020	20-2460-S020	22-2460-0020
			L	20-2360-0020	20-2360-S020	22-2360-0020

Self-Ligating Single Tube Extra Torque

Con. Ligating Rings - 1450 Extra Torque				
Dimensions	Torque	Rotation	R/L	P/N Bondable
Mandibular				
.022" x .028"	-14°	4°	R	20-2460-0032
			L	20-2360-0032

Self-Ligating Double Tube Extra Torque

Non-Ligating Bondable Plus Extra Torque				
Dimensions	Torque	Rotation	R/L	P/N Bondable
Mandibular				
.018"x.025"	-10°	4°	R	20-1460-0030
			L	20-1360-0030
.022"x.028"	-10°	4°	R	20-2460-0030
			L	20-2360-0030



LEGEND LE Tubes (Large Entrance)

Second Molar Bondable

Non-convertible single tubes for second molars, the funnel entry of these tubes facilitates access to second molars and its anatomical base fits the teeth perfectly making positioning easy.



Type Roth non-convertible

51

Dimensions	Torque	Rotation	P/N	
			R	L
Maxillary				
.018"x.025"	-14°	14°D	40-1170-0099	40-1270-0099
.022"x.028"	-14°	14°D	40-2170-0099	40-2270-0099

Type Andrews non-convertible

51

Dimensions	Torque	Rotation	P/N	
			R	L
Maxillary				
.018"x.025"	-9°	7°D	40-1170-0100	40-1270-0100
.022"x.028"	-9°	7°D	40-2170-0100	40-2270-0100

Type Roth non-convertible

Dimensions	Torque	Rotation	P/N	
			R	L
Mandibular				
.018"x.025"	-30°	6°D	40-1470-0099	40-1370-0099
.022"x.028"	-30°	6°D	40-2470-0099	40-2370-0099

Type Andrews non-convertible

Dimensions		Torque	Rotation	P/N	
				R	L
Mandibular					
.018"x.025"		-25°	0°	40-1470-0100	40-1370-0100
.022"x.028"		-25°	0°	40-2470-0100	40-2370-0100

Type MBT* non-convertible

P/N				
Dimensions	Torque	Rotation	R	L
Mandibular				
.018"x.025"	-10°	0°	40-1470-0101	40-1370-0101
.022"x.028"	-10°	0°	40-2470-0101	40-2370-0101

AXCESS Tubes

These entry point buccal tubes are manufactured in one-piece using MIM (Metal Injection Molded) technology. AXCESS tubes are available in bondable and weldable versions.



Double Non-Convertible HG .045" 1st Molar

Dimensions	Torque	Rotation	R/L	P/N Weldable
Maxillary				
.018"x.025"	-10°	6°D	R	41-1160-0023
			L	41-1260-0023
.018"x.025"	0°	6°D	R	41-1160-0024
			L	41-1260-0024
.022"x.028"	-10°	6°D	R	41-2160-0023
			L	41-2260-0023
.022"x.028"	0°	6°D	R	41-2160-0024
			L	41-2260-0024

Single Non-Convertible 1st Molar

Dimensions	Torque	Rotation	R/L	P/N	
				Weldable	Bondable
Maxillary					
.018"x.025"	-10°	6°D	R	—	40-1160-0025
			L	—	40-1260-0025
.018"x.025"	0°	6°D	R	41-1160-0026	40-1160-0026
			L	41-1260-0026	40-1260-0026
.022"x.028"	-10°	6°D	R	41-2160-0025	40-2160-0025
			L	41-2260-0025	40-2260-0025
.022"x.028"	0°	6°D	R	—	40-2160-0026
			L	—	40-2260-0026



Single Non-Convertible 2nd Molar

Dimensions	Torque	Rotation	R/L	P/N	
				Weldable	Bondable
Maxillary					
.018"x.025"	-10°	6°D	R	—	40-1170-0088
			L	—	40-1270-0088
.018"x.025"	0°	0°	R	—	40-1170-0090
			L	—	40-1270-0090
.018"x.025"	-10°	0°	R	—	40-1170-0091
			L	—	40-1270-0091
.018"x.025"	-10°	6°D	R	—	40-1170-0025
			L	—	40-1270-0025
.022"x.028"	-10°	6°D	R	41-2170-0025	40-2170-0025
			L	41-2270-0025	40-2270-0025
.022"x.028"	-10°	6°D	R	—	40-2170-0088
			L	—	40-2270-0088
.022"x.028"	0°	0°	R	—	40-2170-0090
			L	—	40-2270-0090
.022"x.028"	-10°	0°	R	—	40-2170-0091
			L	—	40-2270-0091

AXCESS Tubes

Single Non-Convertible 1st Molar

Dimensions	Torque	Rotation	R/L	P/N	
				Weldable	Bondable
Mandibular					
.022"x.028"	-25°	6°D	R	41-2460-0025	40-2460-0025
			L	41-2360-0025	40-2360-0025
.018"x.025"	-25°	6°D	R	41-1460-0025	40-1460-0025
			L	41-1360-0025	40-1360-0025
.022"x.028"	0°	6°D	R	41-2460-0026	40-2460-0026
			L	41-2360-0026	40-2360-0026
.018"x.025"	0°	6°D	R	41-1460-0026	40-1460-0026
			L	41-1360-0026	40-1360-0026

Single Non-Convertible 2nd Molar

Dimensions	Torque	Rotation	R/L	P/N	
				Weldable	Bondable
Mandibular					
.018"x.025"	-25°	6°D	R	—	40-1470-0025
			L	—	40-1370-0025
.018"x.025"	0°	0°	R	—	40-1470-0090
			L	—	40-1370-0090
.018"x.025"	-25°	0°	R	—	40-1470-0091
			L	—	40-1370-0091
.022"x.028"	-25°	6°D	R	41-2470-0025	40-2470-0025
			L	41-2370-0025	40-2370-0025
.022"x.028"	-25°	6°D	R	—	40-2470-0089
			L	—	40-2370-0089
.022"x.028"	0°	0°	R	—	40-2470-0090
			L	—	40-2370-0090
.022"x.028"	-25°	6°D	R	—	40-2470-0091
			L	—	40-2370-0091



Maxillary Single Tubes Convertible



Dimensions	Torque	Rotation	Length mm	R/L	P/N	
					Weldable	Bondable
Type Roth, 1 st Molar						
.018"x.025"	-10°	14°D	4.0	R	41-1160-0012	40-1160-0012
				L	41-1260-0012	40-1260-0012
.018"x.025"	-14°	14°D	4.0	R	41-1160-0061	40-1160-0061
				L	41-1260-0061	40-1260-0061
.022"x.028"	-10°	14°D	4.0	R	41-2160-0012	40-2160-0012
				L	41-2260-0012	40-2260-0012
.022"x.028"	-14°	14°D	4.0	R	41-2160-0061	40-2160-0061
				L	41-2260-0061	40-2260-0061



Dimensions	Torque	Rotation	Length mm	R/L	P/N	
					Weldable	Bondable
Type MBT*, 1 st Molar						
.018"x.025"	-14°	10°D	3.8	R	41-1160-0022	40-1160-0022
				L	41-1260-0022	40-1260-0022
.018"x.025"	-14°	10°D	4.2	R	41-1160-0110	40-1160-0110
				L	41-1260-0110	40-1260-0110
.022"x.028"	-14°	10°D	3.8	R	41-2160-0022	40-2160-0022
				L	41-2260-0022	40-2260-0022
.022"x.028"	-14°	10°D	4.2	R	41-2160-0110	40-2160-0110
				L	41-2260-0110	40-2260-0110



Dimensions	Torque	Rotation	Length mm	R/L	P/N	
					Weldable	Bondable
Type Andrews, 1 st Molar						
.018"x.025"	-10°	7°D	3.6	R	41-1160-0034	40-1160-0034
				L	41-1260-0034	40-1260-0034
.022"x.028"	-10°	7°D	3.6	R	41-2160-0034	40-2160-0034
				L	41-2260-0034	40-2260-0034

Non-Convertible



Dimensions	Torque	Rotation	Length mm	R/L	P/N Bondable
GET, 1 st Molar					
.022"x.028"	-20°	10°D	4.0	R	40-2160-0510
				L	40-2260-0510
.022"x.028"	-20°	0°	4.0	R	40-2160-0511
				L	40-2260-0511
GET, 2 nd Molar					
.022"x.028"	-20°	0°	4.0	R	40-2170-0120
				L	40-2270-0120



Dimensions	Torque	Rotation	Length mm	R/L	P/N
					Bondable
Type Roth Distal Extension, 2 nd Molar					
.018"x.025"	-14°	14°D	4.0	R	40-1170-0013
				L	40-1270-0013
.022"x.028"	-14°	14°D	4.0	R	40-2170-0013
				L	40-2270-0013



Dimensions	Torque	Rotation	Length mm	R/L	P/N	
					Weldable	Bondable
Type Roth Distal Extension, 2 nd Molar						
.022"x.028"	-10°	14°D	3.0	R	41-2170-0039	40-2170-0039
				L	41-2270-0039	40-2270-0039



Dimensions	Torque	Rotation	Length mm	R/L	P/N	
					Weldable	Bondable
Type Roth, 2 nd Molar						
.018"x.025"	-14°	14°D	4.2	R	—	40-1170-0014
				L	—	40-1270-0014
.022"x.028"	-14°	14°D	4.2	R	41-2170-0014	40-2170-0014
				L	41-2270-0014	40-2270-0014



Dimensions	Torque	Rotation	Length mm	R/L	P/N	
					Weldable	Bondable
Type Roth, 2 nd Molar						
.018"x.025"	-14°	0°	4.0	R	—	40-1170-0063
				L	—	40-1270-0063
.022"x.028"	-14°	0°	4.0	R	41-2170-0063	40-2170-0063
				L	41-2270-0063	40-2270-0063



Dimensions	Torque	Rotation	Length mm	R/L	P/N	
					Weldable	Bondable
Type Roth, 2 nd Molar						
.018"x.025"	-14°	14°D	4.0	R	41-1170-0012	40-1170-0012
				L	41-1270-0012	40-1270-0012
.022"x.028"	-14°	14°D	4.0	R	41-2170-0012	40-2170-0012
				L	41-2270-0012	40-2270-0012



Dimensions	Torque	Rotation	Length mm	R/L	P/N	
					Weldable	Bondable
Extra Torque, 2 nd Molar						
.018"x.025"	-20°	20°D	4.0	R	41-1170-0032	40-1170-0032
				L	41-1270-0032	40-1270-0032
.022"x.028"	-20°	20°D	4.0	R	41-2170-0032	40-2170-0032
				L	41-2270-0032	40-2270-0032



Dimensions	Torque	Rotation	Length mm	R/L	P/N	
					Weldable	Bondable
Type MBT*, 2 nd Molar						
.018"x.025"	-14°	10°D	4.2	R	—	40-1170-0022
				L	—	40-1270-0022
.022"x.028"	-14°	10°D	4.2	R	41-2170-0022	40-2170-0022
				L	41-2270-0022	40-2270-0022





Dimensions	Torque	Rotation	Length mm	R/L	P/N Weldable
Type Alexander Distal Extension, 2 nd Molar					
.022"x.028"	-10°	7°D	4.0	R	41-2170-0075
				L	41-2270-0075



Dimensions	Torque	Rotation	Length mm	R/L	P/N Weldable	P/N Bondable
Type Andrews, 2 nd Molar						
.018"x.025"	-10°	7°D	4.0	R	41-1170-0034	40-1170-0034
				L	41-1270-0034	40-1270-0034
.022"x.028"	-10°	7°D	4.0	R	41-2170-0034	40-2170-0034
				L	41-2270-0034	40-2270-0034



Dimensions	Torque	Rotation	Length mm	R/L	P/N Weldable	P/N Bondable
Type Andrews, 2 nd Molar						
.018"x.025"	-10°	7°D	3.0	R	41-1170-0048	40-1170-0048
				L	41-1270-0048	40-1270-0048
.022"x.028"	-10°	7°D	3.0	R	41-2170-0048	40-2170-0048
				L	41-2270-0048	40-2270-0048



Dimensions	Torque	Rotation	Length mm	R/L	P/N Bondable
Type Andrews Wide Base, 2 nd Molar					
.018"x.025"	-10°	7°D	3.0	R	40-1170-0049
				L	40-1270-0049
.022"x.028"	-10°	7°D	3.0	R	40-2170-0049
				L	40-2270-0049



Dimensions	Torque	Rotation	Length mm	R/L	P/N
					Bondable
Type Andrews Wide Entry, 1 st Molar					
.022"x.028"	-10°	7°D	5.5	R	40-2160-0035
				L	40-2260-0035



Dimensions	Torque	Rotation	Length mm	R/L	P/N	
					Weldable	Bondable
Type Andrews Wide Entry, 2 nd Molar (Peucat)						
.018"x.025"	-10°	7°D	3.5	R	41-1170-0018	40-1170-0018
				L	41-1270-0018	40-1270-0018
.022"x.028"	-10°	7°D	3.5	R	41-2170-0018	40-2170-0018
				L	41-2270-0018	40-2270-0018



Dimensions	Torque	Rotation	Length mm	R/L	P/N Weldable
Type Planché, 2 nd Molar					
.022"x.028"	-20°	14°D	4.2	R	41-2170-0071
				L	41-2270-0071



Dimensions	Torque	Rotation	Length mm	R/L	P/N Bondable
Type Polar, 2 nd Molar					
.018"x.025"	-25°	6°D	4.0	R	40-1170-0029
				L	40-1270-0029



Dimensions	Torque	Rotation	Length mm	R/L	P/N	
					Without Hook	With Hook
Mini Eruption Tube, 2 nd Molar						
.018"x.025"	-10°	0°D	2.0	R	40-1170-0112	40-1170-0019
				L	40-1270-0112	40-1270-0019
.022"x.028"	-10°	0°D	2.0	R	40-2170-0112	40-2170-0019
				L	40-2270-0112	40-2270-0019



Maxillary Double Tubes

1st Molar (convertible)

No HG



Dimensions	Torque	Rotation Slot & Aux.	R/L	P/N	
				Weldable	Bondable
Type Roth Convertible					
.018"x.025" / .018"x.025"	-14°	14°D	R	41-1160-0011	40-1160-0011
			L	41-1260-0011	40-1260-0011
.022"x.028" / .018"x.025"	-14°	14°D	R	41-2160-0011	40-2160-0011
			L	41-2260-0011	40-2260-0011



Dimensions	Torque	Rotation Slot	R/L	P/N	
				Weldable	Bondable
Type Roth Convertible					
.018"x.025" / .018"x.025"	-14°	14°D	R	41-1160-0055	40-1160-0055
			L	41-1260-0055	40-1260-0055
.022"x.028" / .022"x.028"	-14°	14°D	R	41-2160-0055	40-2160-0055
			L	41-2260-0055	40-2260-0055



Dimensions	Torque	Rotation Slot	R/L	P/N	
				Weldable	Bondable
Type MBT* Convertible					
.018"x.025"	-14°	10°D	R	41-1160-0104	40-1160-0104
			L	41-1260-0104	40-1260-0104
.022"x.028"	-14°	10°D	R	41-2160-0104	40-2160-0104
			L	41-2260-0104	40-2260-0104



Dimensions	Torque	Rotation Slot	R/L	P/N	
				Weldable	Bondable
Type MBT* Convertible					
.018"x.025"	-14°	0°D	R	41-1160-0105	40-1160-0105
			L	41-1260-0105	40-1260-0105
.022"x.028"	-14°	0°D	R	41-2160-0105	40-2160-0105
			L	41-2260-0105	40-2260-0105



Dimensions	Torque	Rotation Slot	R/L	P/N	
				Weldable	Bondable
Extra Torque Convertible					
.018"x.025"	-20°	20°D	R	41-1160-0030	40-1160-0030
			L	41-1260-0030	40-1260-0030
.022"x.028"	-20°	20°D	R	41-2160-0030	40-2160-0030
			L	41-2260-0030	40-2260-0030



Dimensions	Torque	Rotation Slot	R/L	P/N Bondable
Extra Torque Convertible Large Base				
.022"x.028"	-20°	20°D	R	40-2160-0031
			L	40-2260-0031

With HG



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Roth Convertible - HG .045"/Gingival					
.018"x.025"	-14°	14°D	14°D	R	41-1160-0054
				L	41-1260-0054
.022"x.028"	-14°	14°D	14°D	R	41-2160-0054
				L	41-2260-0054



Dimensions	Torque	Rot. Slot	Rotation HG	R/L	P/N Weldable
Type MBT* Convertible - HG .045"/Occlusal					
.018"x.025"	-14°	10°D	0°	R	41-1160-0021
				L	41-1260-0021
.022"x.028"	-14°	10°D	0°	R	41-2160-0021
				L	41-2260-0021



Dimensions	Torque	Rot. Slot	Rotation HG	R/L	P/N Weldable	Bondable
Type MBT* Convertible - HG .045"/Gingival						
.018"x.025"	-14°	10°D	10°D	R	—	40-1160-0020
				L	—	40-1260-0020
.022"x.028"	-14°	10°D	10°D	R	41-2160-0020	40-2160-0020
				L	41-2260-0020	40-2160-0020



Dimensions	Torque	Rot. Slot	Rotation HG	R/L	P/N Weldable
Type BiDimensional HG Convertible .051"/Occlusal					
.022"x.028"	0°	6°D	0°	R	41-2160-0080
				L	41-2260-0080
.022"x.028"	0°	6°	6°D	R	41-2160-0082
				L	41-2260-0082



Dimensions	Torque	Rot. Slot	Rotation HG	R/L	P/N Weldable
Type BiDimensional HG Convertible .051"/Occlusal					
.022"x.028"	0°	14°D	7°D	R	41-2160-0083
				L	41-2260-0083



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Alexander Convertible - HG .045"/Occlusal					
.018"x.025"	-10°	14°D	7°D	R	41-1160-0073
				L	41-1260-0073
.022"x.028"	-10°	14°D	7°D	R	41-2160-0073
				L	41-2260-0073



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable	Bondable
Type Andrews Convertible - HG .045"/Occlusal						
.018"x.025"	-10°	7°	7°D	R	41-1160-0079	40-1160-0079
				L	41-1260-0079	40-1260-0079
.022"x.028"	-10°	7°	7°D	R	41-2160-0079	40-2160-0079
				L	41-2260-0079	40-2260-0079



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Andrews Convertible - HG .051"/Occlusal					
.022"x.028"	-10°	6°	0°	R	41-2160-0087
				L	41-2260-0087



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Andrews Convertible - HG .045"/Gingival					
.018"x.025"	-10°	7°D	7°D	R	41-1160-0033
				L	41-1260-0033
.022"x.028"	-10°	7°D	7°D	R	41-2160-0033
				L	41-2260-0033



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Andrews Non-Convertible - HG .045"/Occlusal					
.018"x.025"	-10°	6°D	0°	R	41-1160-0086
				L	41-1260-0086
.022"x.028"	-10°	6°D	0°	R	41-2160-0086
				L	41-2260-0086



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Edgewise Convertible - HG .045"/Occlusal					
.018"x.025"	0°	0°	0°	R	41-1160-0077
				L	41-1260-0077
.022"x.028"	0°	0°	0°	R	41-2160-0077
				L	41-2260-0077



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Edgewise Non-Convertible - HG .045"/Occlusal					
.018"x.025"	0°	0°	0°	R	41-1160-0084
				L	41-1260-0084
.022"x.028"	0°	0°	0°	R	41-2160-0084
				L	41-2260-0084



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Edgewise convertible - HG .045"/Occlusal					
.018"x.025"	0°	6°D	6°D	R	41-1160-0081
				L	41-1260-0081
.022"x.028"	0°	6°D	6°D	R	41-2160-0081
				L	41-2260-0081



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Edgewise Non-Convertible - HG .045"/Occlusal					
.022"x.028"	0°	6°D	0°	R	41-2160-0085
				L	41-2260-0085



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Planché Convertible - HG .045"/Gingival					
.022"x.028"	-14°	14°D	0°	R	41-2160-0070
				L	41-2260-0070



Maxillary Triple Tubes 1st Molar



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
GET - HG .045"/Occlusal					
.022"x.028"	-20°	10°D	0°	R	41-2160-0500
				L	41-2260-0500
.022"x.028"	-20°	0°	0°	R	41-2160-0501
				L	41-2260-0501



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Roth Convertible - HG .045"/Occlusal					
.018"x.025"/ .018"x.025"	-14°	14°D	14°D	R	41-1160-0010
				L	41-1260-0010
.022"x.028"/ .018"x.025"	-14°	14°D	14°D	R	41-2160-0010
				L	41-2260-0010
Type Roth Convertible - HG .045"/Occlusal					
.022"x.028"/ .022"x.028"	-14°	14°D	14°D	R	41-2160-0050
				L	41-2260-0050



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Roth Convertible - HG .045"/Occlusal					
.018"x.025"	-14°	0°	0°	R	41-1160-0051
				L	41-1260-0051
.022"x.028"	-14°	0°	0°	R	41-2160-0051
				L	41-2260-0051



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Roth Convertible - HG .051"/Occlusal					
.022"x.028"	-14°	14°D	14°D	R	41-2160-0052
				L	41-2260-0052
.022"x.028"	-14°	0°	0°	R	41-2160-0053
				L	41-2260-0053



Dimensions	Torque	Rotation Slot	Rotation Slot & Aux.	R/L	P/N Weldable
Type MBT* Convertible - HG .045"/Occlusal					
.018"x.025"	-14°	10°	.018"x.025"	R	41-1160-0111
				L	41-1260-0111
.022"x.028"	-14°	10°	.018"x.025"	R	41-2160-0111
				L	41-2260-0111



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Bio-Progressive Convertible - HG .045"/Gingival					
.018"x.025"	0°	15°D	15°D	R	41-1160-0042
				L	41-1260-0042
.018"x.025"	0°	0°	0°	R	41-1160-0041
				L	41-1260-0041
.022"x.028"	0°	0°	0°	R	41-2160-0041
				L	41-2260-0041



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Bio-Progressive Non-Convertible - HG .045"/Occlusal					
.018"x.025"	0°	0°	0°	R	41-1160-0040
				L	41-1260-0040
.022"x.028"	0°	0°	0°	R	41-2160-0040
				L	41-2260-0040



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
CType Cetlin Convertible - HG .045"/Occlusal					
.022"x.028"	-14°	14°D	7°R	R	41-2160-0036
				L	41-2260-0036



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Edgewise Convertible - HG .045"/Occlusal					
.018"x.025"	0°	6°D	0°	R	41-1160-0065
				L	41-1260-0065
.022"x.028"	0°	6°D	0°	R	41-2160-0065
				L	41-2260-0065



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Polar Convertible - HG .045"/Gingival					
.018"x.025"	-20°	10°D	0°	R	41-1160-0027
				L	41-1260-0027



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Hilgers Convertible - HG .045"/Occlusal					
.018"x.025"	-10°	15°D	0°	R	41-1160-0046
				L	41-1260-0046
.022"x.028"	-10°	15°D	0°	R	41-2160-0046
				L	41-2260-0046



Dimensions	Torque	Rotation Slot	Rotation HG	R/L	P/N Weldable
Type Melsen Convertible - HG .045"/Occlusal					
.018"x.025"	-10°	8°D	0°	R	41-1160-0068
				L	41-1260-0068
.022"x.028"	-10°	8°D	0°	R	41-2160-0068
				L	41-2260-0068

Mandibular Single Tube 1st Molar Convertible



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N	
						Weldable	Bondable
Type Roth							
.018"x.025"	-25°	0°	4°D	4.0	R	41-1460-0012	40-1460-0012
					L	41-1360-0012	40-1360-0012
.018"x.025"	-30°	0°	4°D	4.0	R	41-1460-0062	40-1460-0062
					L	41-1360-0062	40-1360-0062
.022"x.028"	-25°	0°	4°D	4.0	R	41-2460-0012	40-2460-0012
					L	41-2360-0012	40-2360-0012
.022"x.028"	-30°	0°	4°D	4.0	R	41-2460-0062	40-2460-0062
					L	41-2360-0062	40-2360-0062



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N	
						Weldable	Bondable
Type MBT*							
.018"x.025"	-20°	0°	0°	3.8	R	41-1460-0119	40-1460-0119
					L	41-1360-0119	40-1360-0119
.018"x.025"	-10°	0°	0°	4.0	R	41-1460-0076	40-1460-0076
					L	41-1360-0076	40-1360-0076
.022"x.028"	-20°	0°	0°	3.8	R	41-2460-0119	40-2460-0119
					L	41-2360-0119	40-2360-0119
.022"x.028"	-10°	0°	0°	4.0	R	41-2460-0076	40-2460-0076
					L	41-2360-0076	40-2360-0076



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N	
						Weldable	Bondable
Type Alexander							
.018"x.025"	-22°	-6°	5°D	3.8	R	41-1460-0074	—
					L	41-1360-0074	—
.022"x.028"	-22°	-6°	5°D	3.8	R	41-2460-0074	40-2460-0074
					L	41-2360-0074	40-2360-0074



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N	
						Weldable	Bondable
Type Andrews							
.018"x.025"	-25°	0°	0°	3.6	R	41-1460-0034	40-1460-0034
					L	41-1360-0034	40-1360-0034
.022"x.028"	-25°	0°	0°	3.6	R	41-2460-0034	40-2460-0034
					L	41-2360-0034	40-2360-0034



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N Weldable
Type Planché						
.022"x.028"	-22°	0°	6°D	4.0	R	41-2460-0071
					L	41-2360-0071
.022"x.028"	-25°	-6°	6°D	4.0	R	41-2460-0072
					L	41-2360-0072
.022"x.028"	-27°	-10°	5°D	4.0	R	41-2460-0108
					L	41-2360-0108



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N Bondable
Edgewise						
.022"x.028"	0°	0°	6°D	4.0	R	40-2460-0092
					L	40-2360-0092



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N	
						Weldable	Bondable
Edgewise							
.018"x.025"	0°	0°	0°	4.0	R	41-1460-0093	40-1460-0093
					L	41-1360-0093	40-1360-0093
.022"x.028"	0°	0°	0°	4.0	R	41-2460-0093	40-2460-0093
					L	41-2360-0093	40-2360-0093



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N Bondable
Type Polar						
.018"x.025"	-22°	0°	4°D	4.0	R	40-2460-0029
					L	40-2360-0029

Single Tube Non-Convertible 2nd Molar



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N	
						Weldable	Bondable
Type Roth							
.018"x.025"	-25°	0°	6°D	4.0	R	41-1470-0012	40-1470-0012
					L	41-1370-0012	40-1370-0012
.018"x.025"	-30°	-1°	4°D	4.0	R	41-1470-0064	40-1470-0064
					L	41-1370-0064	40-1370-0064
.022"x.028"	-25°	0°	6°D	4.0	R	41-2470-0012	40-2470-0012
					L	41-2370-0012	40-2370-0012
.022"x.028"	-30°	-1°	4°D	4.0	R	41-2470-0064	40-2470-0064
					L	41-2370-0064	40-2370-0064



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N Weldable
Type MBT*						
.018"x.025"	-10°	0°	0°	3.2	R	41-1470-0022
					L	41-1370-0022
.022"x.028"	-10°	0°	0°	3.2	R	41-2470-0022
					L	41-2370-0022



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N Bondable
Type Alexander						
.022"x.028"	-27°	-10°	6°D		R	40-2470-0074
					L	40-2370-0074



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N Bondable
Type Andrews						
.018"x.025"	-25°	0°	0°	4.0	R	40-1470-0034
					L	40-1370-0034
.018"x.025"	-25°	0°	4°D	3.0	R	40-1470-0049
					L	40-1370-0049
.022"x.028"	-25°	0°	0°	4.0	R	40-2470-0034
					L	40-2370-0034
.022"x.028"	-25°	0°	4°D	3.0	R	40-2470-0049
					L	40-2370-0049



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N Weldable	P/N Bondable
Type Andrews Wide Entry (Peucat)							
.018"x.025"	-25°	0°	4°D	3.5	R	41-1470-0018	40-1470-0018
					L	41-1370-0018	40-1370-0018
.022"x.028"	-25°	0°	4°D	3.5	R	41-2470-0018	40-2470-0018
					L	41-2370-0018	40-2370-0018



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N Bondable
Type Polar						
.018"x.025"	-25°	5°	7°D	4	R	40-1470-0029
					L	40-1370-0029



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N Weldable	Bondable
Edgewise							
.018"x.025"	0°	0°	0°	4.6	R	—	40-1470-0094
					L	—	40-1370-0094
.018"x.025"	0°	0°	0°	4.0	R	41-1470-0095	40-1470-0095
					L	41-1370-0095	40-1370-0095
.018"x.025"	0°	0°	6°D	4.0	R	—	40-1470-0096
					L	—	40-1370-0096
.022"x.028"	0°	0°	0°	4.6	R	41-2470-0094	40-2470-0094
					L	41-2370-0094	40-2370-0094
.022"x.028"	0°	0°	0°	4.0	R	41-2470-0095	40-2470-0095
					L	41-2370-0095	40-2370-0095
.022"x.028"	0°	0°	6°D	4.0	R	41-2470-0096	40-2470-0096
					L	41-2370-0096	40-2370-0096



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N Weldable	Bondable
Edgewise							
.018"x.025"	0°	0°	6°D	3.2	R	—	40-1470-0097
					L	—	40-1370-0097
.018"x.025"	0°	0°	0°	3.2	R	—	40-1470-0098
					L	—	40-1370-0098
.022"x.028"	0°	0°	6°D	3.2	R	41-2470-0097	40-2470-0097
					L	41-2370-0097	40-2370-0097
.022"x.028"	0°	0°	0°	3.2	R	41-2470-0098	40-2470-0098
					L	41-2370-0098	40-2370-0098



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N Bondable
Small						
.018"x.025"	-25°	0°	4°D	3.0	R	40-1470-0048
					L	40-1370-0048
.022"x.028"	-25°	0°	4°D	3.0	R	40-2470-0048
					L	40-2370-0048



Dimensions	Torque	Ang.	Rot.	Length mm	R/L	P/N	
						Without Hook	With Hook
Mini Eruption Tube for 2 nd Molar							
.018"x.025"	-25°	0°	0°	2.0	R	40-1470-0112	40-1470-0019
					L	40-1370-0112	40-1370-0019
.022"x.028"	-25°	0°	0°	2.0	R	40-2470-0112	40-2470-0019
					L	40-2370-0112	40-2370-0019

Mandibular Double Tubes 1st Molar Convertible with Tube Bumper



Dimensions	Torque Slot	Ang. Tube	Rot. Slot	Rot. Aux.	R/L	P/N Weldable
	Type BiDimensional .051"/Gingival					
.022"x.028"	0°	0°	0°	0°	R	41-2460-0067
					L	41-2360-0067



Dimensions	Torque & Aux.	Ang. Tube	Rot. Slot	Rot. Aux.	R/L	P/N Weldable
Type Cetlin .045"/Gingival						
.018"x.025"	-25°	0°	4°D	5M	R	41-1460-0037
					L	41-1360-0037
.022"x.028"	-25°	0°	4°D	5M	R	41-2460-0037
					L	41-2360-0037

Convertible



Dimensions	Torque	Ang. Tube	Rot. Slot	Rot. Aux.	R/L	P/N	
						Weldable	Bondable
Type Roth							
.018"x.025"	-25°	0°	4°D	0°	R	41-1460-0011	40-1460-0011
					L	41-1360-0011	40-1360-0011
.022"x.028"	-25°	0°	4°D	0°	R	41-2460-0011	40-2460-0011
					L	41-2360-0011	40-2360-0011



Dimensions	Torque	Ang. Tube	Rot. Slot	Rot. Aux.	R/L	P/N	
						Weldable	Bondable
Type Roth Occlusal Hook							
.022"x.028"	-30°	-1°	4°D	0°	R	41-2460-0058	40-2460-0058
					L	41-2360-0058	40-2360-0058



Dimensions	Torque	Ang. Tube	Rot. Slot	Rot. Aux.	R/L	P/N	
						Weldable	Bondable
Type Roth Gingival Hook							
.018"x.025"	-30°	-1°	4°D	0°	R	41-1460-0060	—
					L	41-1360-0060	—
.022"x.028"	-30°	-1°	4°D	0°	R	41-2460-0060	40-2460-0060
					L	41-2360-0060	40-2360-0060



Dimensions	Torque	Ang. Tube	Rot. Slot	Rot. Aux.	R/L	P/N	
						Weldable	Bondable
Extra Torque							
.018"x.025"	-10°	0°	4°D	0°	R	41-1460-0070	—
					L	41-1360-0070	—
.022"x.028"	-10°	0°	4°D	0°	R	41-2460-0070	40-2460-0070
					L	41-2360-0070	40-2360-0070



Dimensions	Torque Slot & Aux.	Ang. Tube	Rot. Slot & Aux.	Rot. Aux.	R/L	P/N Bondable
Extra Torque Wide Base						
.018"x.025"	-10°	0°	4°D	0°	R	40-1460-0031
					L	40-1360-0031
.022"x.028"	-10°	0°	4°D	0°	R	40-2460-0031
					L	40-2360-0031



Dimensions	Torque Slot	Torque Aux.	Rot. Slot	Rot. Aux.	R/L	P/N Weldable	P/N Bondable
Type Bio-Progressive							
.018"x.025"	0°	0°	0°	0°	UNI	41-1660-0045	40-1660-0045
.022"x.028"	0°	0°	0°	0°	UNI	41-2660-0045	40-2660-0045



Dimensions	Torque Slot	Torque Aux.	Rot. Slot	Rot. Aux.	R/L	P/N Weldable
Type Polar						
.018"x.025"	-25°	0°	4°D	0°	R	41-1460-0028
					L	41-1360-0028



Dimensions	Torque Slot	Torque Aux.	Rot. Slot	Rot. Aux.	R/L	P/N Weldable
Type Hilgers						
.018"x.025"	-27°	0°	12°D	0°	R	41-1460-0047
					L	41-1360-0047
.022"x.028"	-27°	0°	12°D	0°	R	41-2460-0047
					L	41-2360-0047



Dimensions	Torque Slot	Torque Aux.	Rot. Slot	Rot. Aux.	R/L	P/N Weldable
Type Melsen						
.018"x.025"	-27°	0°	8°D	0°	R	41-1460-0069
					L	41-1360-0069
.022"x.028"	-27°	0°	8°D	0°	R	41-2460-0069
					L	41-2360-0069



Dimensions	Torque Slot	Torque Aux.	Rot. Slot	Rot. Aux.	R/L	P/N Weldable
Type Bio-Progressive						
.022"x.028"	-20°	0°	10°	-5°	R	41-2460-0103
					L	41-2360-0103

Non-Convertible



Dimensions	Torque	Ang. tube	Rot. Slot	Rot. Aux.	R/L	P/N Weldable
Type Roth						
.022"x.028"	-30°	-1°	4°D	0°	R	41-2460-0059
					L	41-2360-0059
.022"x.028"	-30°	0°	4°D	0°	R	41-2460-0109
					L	41-2360-0109




Dimensions	Torque Slot	Torque Aux.	Rot. Slot	Rot. Aux.	R/L	P/N Weldable	Bondable
Type Bio-Progressive							
.018"x.025"	0°	0°	0°	0°	UNI	41-1660-0044	40-1660-0044
.022"x.028"	0°	0°	0°	0°	UNI	41-2660-0044	40-2660-0044



Bondable Lingual Attachments

Bondable Buttons			P/N
		Flat base	42-0020-0000
		Curved base	42-0010-0000
		Curved base Rhodium	42-0010-RH00

Bondable Cleats			P/N
		Flat base	42-0060-0000
		Curved base	42-0050-0000
		Eyelet	42-0070-0000

Surgical buttons			P/N
		Curved base	42-0030-0000
		Flat base	42-0040-0000



Gold Chain by 5			P/N
		Round base	42-3150-0000
		Rectangular base	42-3160-0000

Ceramic Button Freddy™			P/N
		Curved base	44-1010-0000

Weldable Lingual Attachments

Lingual Buttons		P/N
	Small Flat	43-0310-0000
	Medium Flat	43-0320-0000
	Medium curved	43-0300-0000


Cleat Lingual		P/N
	Small	43-0210-0000
	Medium	43-0220-0000
	Large	43-0230-0000
	Large Optional	43-0240-0000


Lingual Hooks		P/N
 	Molar	43-0390-0000
 	Ball	43-0380-0000



Lingual Sheets		P/N
	Standard	43-0250-0000
	Cetlin left 8° offset, V-Stop, Hook	43-027L-0000
	Cetlin right 8° offset, V-Stop, Hook	43-027R-0000
	With left Hook, V-Stop	43-028L-0000
	With right Hook, V-Stop	43-028R-0000
	Without V stop	43-0260-0000
	With rotation wings and stops, Upper left and lower right	43-042L-0000
	With rotation wings and stops, Upper right and lower left	43-042R-0000
	Curved Without V-Stops	43-0430-0000

Seating Lugs		P/N
	Flat	43-0340-0000
	Curved	43-0350-0000





Catalog N°6

Bands



Experts in Orthodontics
GC Orthodontics Europe GmbH
www.gcorthodontics.eu

Bagues


Band Coding.....	157
Sure-Snap Molar Bands.....	160
A-Fit Molar Bands.....	161
Sure-Snap Bicuspids Bands.....	162

Bands


Two types of high-quality molar bands are available. Both bands are manufactured by TOMY® in Japan.

Band Coding

Sure-Snap Molar Bands: How are product numbers (P/Ns) created?






A-Fit Molar Bands: How are product numbers (P/Ns) created?





Sure-Snap Bicuspid Bands: How are product numbers (P/Ns) created?



Sure-Snap Molar Bands

Sure-Snap Molar Bands are made from a special alloy creating a band that offers at the same time solidity and elasticity. The difference in thickness between occlusal and gingival edges creates bands that are:

- Resistant to the pressure of the band-pusher (occlusal edge)
- Elastic enough to fit over the contour of the tooth without deformation (gingival edge)

Sure-Snap features a unique anatomical form for each type of molar, an easy-to-read permanent identification and an electroeroded interior for increased bond strength.

These easy-to-fit bands are available in 32 sizes for first molars and 30 sizes for second molars.

Sure-Snap First Molar Kits – Distribution by Quadrant (UR,UL,LR,LL)

Size	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Starter											1	2	2	2	2	2	2	2	2	2	2	2	2									
Intro	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	3	3	3	3	2	2	2	2	2	1	1	1	1	1	1	1	1
Standard	1	1	1	1	2	2	2	3	4	4	4	5	5	6	6	6	6	6	6	5	5	4	3	2	2	2	1	1	1	1	1	1
Master	1	1	1	2	2	2	4	4	6	6	8	10	10	12	14	16	16	16	14	12	10	8	6	4	4	2	2	2	2	1	1	1

Sure-Snap Second Molar Kits – Distribution by Quadrant (UR,UL,LR,LL)

Size	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Starter											1	2	2	2	2	2	2	2	2	2	2	2	2							
Intro	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	3	3	3	3	2	2	2	2	2	2	1	1	1	1	1
Standard	1	1	1	2	2	2	2	3	4	4	4	5	5	6	6	6	6	6	6	5	5	4	3	2	2	2	2	1	1	1
Master	1	1	1	2	2	2	4	4	6	6	8	10	10	12	14	16	16	16	16	12	10	8	6	4	4	2	2	2	2	1

Upper First Molars, Bands Only

Starter Kit: 50 Assorted Bands, 13 Sizes

Intro Kit: 100 Assorted Bands, 32 Sizes

Standard Kit: 200 Assorted Bands, 32 Sizes

Master Kit: 400 Assorted Bands, 32 Sizes

Upper Second Molars, Bands Only

Starter Kit: 50 Assorted Bands, 13 Sizes

Intro Kit: 100 Assorted Bands, 30 Sizes

Standard Kit: 200 Assorted Bands, 30 Sizes

Master Kit: 400 Assorted Bands, 30 Sizes

Lower First Molars, Bands Only

Starter Kit: 50 Assorted Bands, 13 Sizes

Intro Kit: 100 Assorted Bands, 32 Sizes

Standard Kit: 200 Assorted Bands, 32 Sizes

Master Kit: 400 Assorted Bands, 32 Sizes

Lower Second Molars, Bands Only

Starter Kit: 50 Assorted Bands, 13 Sizes

Intro Kit: 100 Assorted Bands, 30 Sizes

Standard Kit: 200 Assorted Bands, 30 Sizes

Master Kit: 400 Assorted Bands, 30 Sizes



A-Fit Molar Bands

The A-Fit band features all the qualities of Sure-Snap. The difference is a higher crown height and a larger choice of sizes in the higher numbers. See page 109 for A-Fit Bands identification.

A-Fit First Molar Kits – Distribution by Quadrant (UR,UL,LR,LL)

Size	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
Starter									1	2	2	2	2	2	2	2	2	2	2	2	2													
Intro	1	1	1	1	1	1	2	2	2	2	2	3	3	3	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Standard	1	1	1	2	4	4	4	5	6	6	6	6	6	6	5	5	4	4	3	3	2	2	2	2	1	1	1	1	1	1	1	1	1	1
Master	2	2	2	6	8	8	8	10	12	12	12	12	12	12	10	10	8	8	6	6	4	4	4	2	2	2	2	2	2	2	2	2	2	2

A-Fit Second Molar Kits – Distribution by Quadrant (UR,UL,LR,LL)

Size	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Starter											1	2	2	2	2	2	2	2	2	2	2	2	2									
Intro	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	3	3	3	3	2	2	2	2	1	1	1	1	1	1	1
Standard	1	1	1	1	2	2	2	3	4	4	4	5	5	6	6	6	6	6	5	5	4	3	2	2	2	1	1	1	1	1	1	1
Master	1	1	1	2	2	2	4	4	6	6	8	10	10	12	14	16	16	16	14	12	10	8	6	4	4	2	2	2	2	1	1	1

Upper First Molars, Bands Only

Starter Kit: 50 Assorted Bands, 13 Sizes

Intro Kit: 100 Assorted Bands, 34 Sizes

Standard Kit: 200 Assorted Bands, 34 Sizes

Master Kit: 400 Assorted Bands, 34 Sizes

Upper Second Molars, Bands Only

Starter Kit: 50 Assorted Bands, 13 Sizes

Intro Kit: 100 Assorted Bands, 32 Sizes

Standard Kit: 200 Assorted Bands, 32 Sizes

Master Kit: 400 Assorted Bands, 32 Sizes

Lower First Molars, Bands Only

Starter Kit: 50 Assorted Bands, 13 Sizes

Intro Kit: 100 Assorted Bands, 34 Sizes

Standard Kit: 200 Assorted Bands, 34 Sizes

Master Kit: 400 Assorted Bands, 34 Sizes

Lower Second Molars, Bands Only

Starter Kit: 50 Assorted Bands, 13 Sizes

Intro Kit: 100 Assorted Bands, 32 Sizes

Standard Kit: 200 Assorted Bands, 32 Sizes

Master Kit: 400 Assorted Bands, 32 Sizes

Sure-Snap Bicuspid Bands

Manufacturing quality is identical for these bands and for our molar bands.

Band seating is done through a rocking movement, alternating mesial and distal pressures. Available in three anatomical forms:

- First Maxillary Bicuspid (32 Sizes)
- First Mandibular Bicuspid (25 Sizes)
- Second Mandibular Bicuspid (27 Sizes)

Thanks to their easy seating, you will not hesitate to use Sure-Snap Bicuspid Bands instead of brackets for severe rotations or in case of bond failures.

Sure-Snap Upper Bicuspid Kits – Distribution

Size	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Starter						2	2	2	2	2	2	2	2	2	2	4	4	4	2	2	2	2	2	2	2	2						
Intro	2	2	2	2	2	2	2	2	2	2	4	4	4	4	6	6	6	6	6	4	4	4	4	2	2	2	2	2	2	2	2	2
Standard	2	2	2	2	2	4	6	6	6	6	6	8	8	10	12	14	14	14	12	10	8	8	6	6	6	4	4	4	2	2	2	2
Master	4	4	4	6	6	10	10	14	14	16	16	16	18	18	20	22	22	22	20	18	16	16	14	14	12	12	8	8	8	4	4	4

Sure-Snap First Lower Bicuspid Kits - Distribution

Size	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Starter			2	4	4	4	4	4	4	4	4	4	4	4	4										
Intro	2	2	2	2	2	2	4	4	4	4	4	6	6	8	8	8	8	4	4	4	4	2	2	2	2
Standard	2	2	2	2	4	4	8	8	8	8	10	12	12	18	18	18	18	10	8	8	8	4	4	2	2
Master	4	4	4	6	6	8	8	14	14	18	18	24	24	36	36	36	36	24	24	16	16	8	8	4	4

Sure-Snap Second Lower Bicuspid Kits - Distribution

Size	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Starter						1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	1
Intro						2	2	2	2	2	2	2	4	4	4	6	6	8	8	8	6	6	4	4	4	2	2	2	2	2	2	2
Standard						2	2	2	4	4	6	6	6	8	10	12	14	16	16	16	14	12	10	8	6	6	6	4	4	2	2	2
Master						2	4	4	6	8	10	12	12	16	20	26	28	34	34	34	28	26	20	16	14	12	10	8	6	4	4	2

Upper Bicuspid, Bands Only

Starter Kit: 50 Assorted Bands, 22 Sizes

Intro Kit: 100 Assorted Bands, 32 Sizes

Standard Kit: 200 Assorted Bands, 32 Sizes

Master Kit: 400 Assorted Bands, 32 Sizes

First Lower Bicuspid, Bands Only

Starter Kit: 50 Assorted Bands, 13 Sizes

Intro Kit: 100 Assorted Bands, 25 Sizes

Standard Kit: 200 Assorted Bands, 25 Sizes

Master Kit: 400 Assorted Bands, 25 Sizes

Second Lower Bicuspid, Bands Only

Starter Kit: 50 Assorted Bands, 27 Sizes

Intro Kit: 100 Assorted Bands, 27 Sizes

Standard Kit: 200 Assorted Bands, 27 Sizes

Master Kit: 400 Assorted Bands, 27 Sizes



Catalog N°6

Archwires and Accessories



Experts in Orthodontics
GC Orthodontics Europe GmbH
www.gcorthodontics.eu

Archwires and Accessories

Different Archforms	166
INITIALLOY	168
BIO-EDGE	170
BIO-ACTIVE and BIO-ACTIVE light	172
INITIALLOY and BIO-ACTIVE Aesthetic Archwires	174
Stainless Steel Aesthetic Archwires	176
INITIALLOY and BIO-EDGE Lingual Archwires	177
Albaflex Aesthetic Archwires	179
Superelastic NiTi Archwires	180
NiTi in spool	181
Reverse	181
Deep Bite Opener CTA.....	181
Titanium-Molybdenum archwires (Beta Titanium).....	182
Monostranded Stainless Steel Archwires	184
Multistranded Stainless Steel Archwires.....	186
Bioalloy Wire	187
Intraoral Auxiliaries.....	188
INITIALLOY Springs.....	188
INITIALLOY Stop Wound™ Open Springs	188
INITIALLOY Open Springs.....	188
NiTi Open Spring (in Spool)	189
INITIALLOY Closed Springs.....	189
Stainless Steel Springs	189
Intraoral Auxiliaries.....	190
Lip Bumpers.....	190
Palatal Bars.....	191
Extra-oral Auxiliaires.....	192
Facebows	192
Hooks and Stops for Archwires	193
Metal Ligatures and Kobayashi	194
Accessories for V-Slot Brackets	195
Quadhelix.....	196



INITIALLOY

The true motor of an orthodontic appliance, archwires must meet both treatment requirements and patient comfort demands. For years, Tomy Inc. has been recognized as the most demanding NiTi manufacturer regarding the biological response of its alloys. From the superelasticity of INITIALLOY archwires to the shape memory of BIO-EDGE and BIO-ACTIVE, our archwires exert light and continuous forces, well adapted to every treatment phase.

Beta Titanium (TMA®)

Titanium-Molybdenum (TMA®)* is probably the orthodontic alloy (containing no nickel) requiring the most rigorous manufacturing process. Made in the USA, our Beta Titanium is the finishing archwire of choice. Available in straight length or in preformed archwires, it can be shaped without breakage.

Stainless Steel

Available in three tempers (Soft, Regular, Hard), in straight length or in preformed archwires.


Archforms are symbolized by the pictograms below:

- A** Medium Form
- B** Large Form
- C** Ovoid Form (Brader)
- D** Universal Form

Arch Dimensions are illustrated by the following pictograms:

- Round
- Square
- Rectangular


How are P/Ns created?



Different Archforms

Four archforms are available in our wires range. Forms A and B come from Dr. Redh's chart (USA), whereas forms C and D are more ogival. Form D is universal. It is specially adapted to self-ligating systems and allows the archwire to fully express its shape.

Form **A** Medium size



Form **B** Large size





Form **C** Ovoid (Brader)



Maxillary



Mandibular

Form **D** 



Universal

INITIALLOY

NITIALLOY superelastic archwires exert the lightest forces on the market place. In association with self-ligating appliances, they bring comfort to the patient and efficiency to the practitioner.



INITIALLOY Round Archwires

Some archwires are available with a central V-Bend (or "dimple"), indicated by a letter "D" in the P/N.

A P/N				B P/N	
Force	Dimension	Maxillary	Mandibular	Maxillary	Mandibular
Light	.014"	71-A1U0-0014	71-A1L0-0014	—	—
	.016"	71-A1U0-0016	71-A1L0-0016	—	—
	.018"	71-A1U0-0018	71-A1L0-0018	—	—
Medium	.012"	71-A2U0-0012	71-A2L0-0012	—	—
	.014"	71-A2U0-0014	71-A2L0-0014	71-B2U0-0014	71-B2L0-0014
	.014" "Dimple"	71-A2UD-0014	71-A2LD-0014	71-B2UD-0014	71-B2LD-0014
	.016"	71-A2U0-0016	71-A2L0-0016	71-B2U0-0016	71-B2L0-0016
	.016" "Dimple"	71-A2UD-0016	71-A2LD-0016	71-B2UD-0016	71-B2LD-0016
	.018"	71-A2U0-0018	71-A2L0-0018	71-B2U0-0018	71-B2L0-0018
	.018" "Dimple"	71-A2UD-0018	71-A2LD-0018	71-B2UD-0018	71-B2LD-0018
	.020"	71-A2U0-0020	71-A2L0-0020	—	—
Heavy	.014"	71-A3U0-0014	71-A3L0-0014	—	—
	.016"	71-A3U0-0016	71-A3L0-0016	—	—
	.018"	71-A3U0-0018	71-A3L0-0018	—	—



P/N



Force	Dimension	Maxillary	Mandibular
Light	.014"	71-C1U0-0014	71-C1L0-0014
	.016"	71-C1U0-0016	71-C1L0-0016
	.018"	71-C1U0-0018	71-C1L0-0018
Medium	.014"	71-C2U0-0014	71-C2L0-0014
	.014" "Dimple"	71-C2UD-0014	71-C2LD-0014
	.016"	71-C2U0-0016	71-C2L0-0016
	.016" "Dimple"	71-C2UD-0016	71-C2LD-0016
	.018"	71-C2U0-0018	71-C2L0-0018
	.018" "Dimple"	71-C2UD-0018	71-C2LD-0018
Heavy	.016"	71-C3U0-0016	71-C3L0-0016

Initialloy-Length Round



10 pcs in length of 17.78 cm

Force	Dimension	P/N
Medium	.012"	71-L200-0012



3 points Bending chart.

BIO-EDGE

BIO-EDGE is a shape memory archwire. You can choose between several force levels for the same dimension. According to the treatment's evolution, this possibility of choice increases efficiency in your daily practice. In order to use shape memory at its best, cool the archwire before its insertion.



BIO-EDGE Square and Rectangular Archwires

Some archwires are available with a central V-Bend (or «dimple»), indicated by a letter “D” in the P/N.

A		B		
P/N		P/N		
Force/Dimension	Maxillary	Mandibular	Maxillary	Mandibular
80 g				
.016"x.016"	72-A1U0-1616	72-A1L0-1616	—	—
.016"x.022"	72-A1U0-1622	72-A1L0-1622	—	—
100 g				
.020"x.020"	72-A1U0-2020	72-A1L0-2020	—	—
160 g				
.016"x.016"	72-A2U0-1616	72-A2L0-1616	—	—
.016"x.016" "Dimple"	72-A2UD-1616	72-A2LD-1616	72-B2UD-1616	72-B2LD-1616
.016"x.022"	72-A2U0-1622	72-A2L0-1622	72-B2U0-1622	72-B2L0-1622
.016"x.022" "Dimple"	72-A2UD-1622	72-A2LD-1622	72-B2UD-1622	72-B2LD-1622
200 g				
.017"x.025"	72-A2U0-1725	72-A2L0-1725	—	—
.017"x.025" "Dimple"	72-A2UD-1725	72-A2LD-1725	72-B2UD-1725	72-B2LD-1725
.018"x.018"	72-A2U0-1818	72-A2L0-1818	—	—
.018"x.025"	72-A2U0-1825	72-A2L0-1825	72-B2U0-1825	72-B2L0-1825
.019"x.025"	72-A2U0-1925	72-A2L0-1925	—	—
.020"x.020"	72-A2U0-2020	72-A2L0-2020	—	—
.021"x.028"	72-A2U0-2128	72-A2L0-2128	—	—
240 g				
.016"x.022"	72-A3U0-1622	72-A3L0-1622	—	—
300 g				
.018"x.025"	72-A3U0-1825	72-A3L0-1825	—	—




P/N



P/N

Force/Dimension	Maxillary	Mandibular	Universelles
80 g			
.016"x.016"	72-C1U0-1616	72-C1L0-1616	—
.016"x.022"	72-C1U0-1622	72-C1L0-1622	—
100 g			
.017"x.025"	72-C1U0-1725	72-C1L0-1725	—
.018"x.018"	72-C1U0-1818	72-C1L0-1818	—
.018"x.025"	72-C1U0-1825	72-C1L0-1825	—
.020"x.020"	72-C1U0-2020	72-C1L0-2020	—
160 g			
.014"x.025"	—	—	72-D200-1425
.016"x.016"	72-C2U0-1616	72-C2L0-1616	—
.016"x.016" "Dimple"	72-C2UD-1616	72-C2LD-1616	—
.016"x.022"	72-C2U0-1622	72-C2L0-1622	72-D200-1622
.016"x.022" "Dimple"	72-C2UD-1622	72-C2LD-1622	—
200 g			
.017"x.025"	72-C2U0-1725	72-C2L0-1725	—
.017"x.025" "Dimple"	72-C2UD-1725	72-C2LD-1725	—
.018"x.018"	72-C2U0-1818	72-C2L0-1818	—
.018"x.025"	72-C2U0-1825	72-C2L0-1825	72-D200-1825
.020"x.020"	72-C2U0-2020	72-C2L0-2020	72-D200-2020
240 g			
.016"x.022"	72-C3U0-1622	72-C3L0-1622	—





BIO-ACTIVE and BIO-ACTIVE™ light



BIO-ACTIVE is a shape memory archwire exerting progressive forces from the midline to the posterior region. Optimal force is adapted to the anatomy of the specific tooth to be moved. Force ranges include:

- Arches .016»x.016» and .016"x.022"
from 80 g on incisors up to 240 g on molars
- Arcs .018»x.018» jusqu'à .021"x.028"
de 100 g sur les incisives jusqu'à 300 g sur les molaires
- Arches .018"x.018" and .020"x.020"
from 50 g on incisors up to 250 g on molars in its light version



BIO-ACTIVE Square and Rectangular Archwires

Some archwires are available with a central V-Bend (or "dimple"). Indicated by a letter "D" in the P/N.

A			B	
P/N			P/N	
Dimension	Maxillary	Mandibular	Maxillary	Mandibular
.016"x.016"	70-A0U0-1616	70-A0L0-1616	—	—
.016"x.022"	70-A0U0-1622	70-A0L0-1622	—	—
.016"x.022" "Dimple"	70-A0UD-1622	70-A0LD-1622	70-B0UD-1622	70-B0LD-1622
.018"x.018"	70-A0U0-1818	70-A0L0-1818	70-B0U0-1818	70-B0L0-1818
.018"x.018" "Dimple"	70-A0UD-1818	70-A0LD-1818	70-B0UD-1818	70-B0LD-1818
.018"x.025"	70-A0U0-1825	70-A0L0-1825	—	—
.019"x.025"	70-A0U0-1925	70-A0L0-1925	70-B0U0-1925	70-B0L0-1925
.020"x.020"	70-A0U0-2020	70-A0L0-2020	70-B0U0-2020	70-B0L0-2020
.020"x.020" "Dimple"	70-A0UD-2020	70-A0LD-2020	70-B0UD-2020	70-B0LD-2020
.020"x.025"	70-A0U0-2025	70-A0L0-2025	70-B0U0-2025	70-B0L0-2025



C		
P/N		
Dimension	Maxillary	Mandibular
.016"x.016"	70-C0U0-1616	70-C0L0-1616
.016"x.022"	70-C0U0-1622	70-C0L0-1622
.016"x.022" "Dimple"	70-C0UD-1622	70-C0LD-1622
.018"x.018"	70-C0U0-1818	70-C0L0-1818
.018"x.018" "Dimple"	70-C0UD-1818	70-C0LD-1818
.018"x.025"	70-C0U0-1825	70-C0L0-1825
.019"x.025"	70-C0U0-1925	70-C0L0-1925
.020"x.020"	70-C0U0-2020	70-C0L0-2020
.020"x.020" "Dimple"	70-C0UD-2020	70-C0LD-2020
.020"x.025"	70-C0U0-2025	70-C0L0-2025
.021"x.028"	70-C0U0-2128	70-C0L0-2128

D BioZone	
P/N	
Dimension	Universal
.014"x.025"	70-D000-1425
.016"x.022"	70-D000-1622
.018"x.025"	70-D000-1825
.020"x.020"	70-D000-2020

M (Small A)		
P/N		
Dimension	Maxillary	Mandibular
.018"x.018"	70-M0U0-1818	70-M0L0-1818
.018"x.025"	70-M0U0-1825	70-M0L0-1825
.020"x.020"	70-M0U0-2020	70-M0L0-2020

BIO-ACTIVE™ **light**

A		C		D BioZone	
P/N		P/N		P/N	
Dimension	Maxillary	Mandibular	Maxillary	Mandibular	Universal
.013"	—	—	—	—	70-D100-0013
.014"	—	—	—	—	70-D100-0014
.016"	—	—	—	—	70-D100-0016
.018"x.018"	70-A1U0-1818	70-A1L0-1818	70-C1U0-1818	70-C1L0-1818	70-D100-1818
.020"x.020"	70-A1U0-2020	70-A1L0-2020	70-C1U0-2020	70-C1L0-2020	70-D100-2020

INITIALLOY and BIO-ACTIVE Aesthetic Archwires

Using the same rhodium-coating as found on EXPERIENCE ceramic clips, these highly aesthetic archwires feature unrivaled properties making ceramic appliances less visible.



Rh Rhodium

INITIALLOY Aesthetic Light Forces

76-A1U0-0014 76-A1L0-0014 76-B1U0-0014 76-B1L0-0014 76-C1U0-0014 76-C1L0-0014						
A		B		C		
P/N		P/N		P/N		
Dimension	Maxillary	Mandibular	Maxillary	Mandibular	Maxillary	Mandibular
.014"	76-A1U0-0014	76-A1L0-0014	76-B1U0-0014	76-B1L0-0014	76-C1U0-0014	76-C1L0-0014
.016"	76-A1U0-0016	76-A1L0-0016	76-B1U0-0016	76-B1L0-0016	76-C1U0-0016	76-C1L0-0016
.018"	76-A1U0-0018	76-A1L0-0018	76-B1U0-0018	76-B1L0-0018	76-C1U0-0018	76-C1L0-0018

INITIALLOY Aesthetic Archwires

A			B	
P/N			P/N	
Dimension / Force : Medium	Maxillary	Mandibular	Maxillary	Mandibular
.012"	76-A2U0-0012	76-A2L0-0012	—	—
.014"	76-A2U0-0014	76-A2L0-0014	76-B2U0-0014	76-B2L0-0014
.016"	76-A2U0-0016	76-A2L0-0016	76-B2U0-0016	76-B2L0-0016
.018"	76-A2U0-0018	76-A2L0-0018	76-B2U0-0018	76-B2L0-0018

C			D BioZone
P/N			P/N
Dimension / Force : Medium	Maxillary	Mandibular	Universel
.014"	76-C2U0-0014	76-C2L0-0014	—
.016"	76-C2U0-0016	76-C2L0-0016	76-D20D-0016*
.018"	76-C2U0-0018	76-C2L0-0018	—

* Dimple



BIO-ACTIVE Aesthetic Archwires

A B C						
P/N		P/N		P/N		
Dimension	Maxillary	Mandibular	Maxillary	Mandibular	Maxillary	Mandibular
.016"x.022"	74-A0U0-1622	74-A0L0-1622	74-B0U0-1622	74-B0L0-1622	74-C0U0-1622	74-C0L0-1622
.018"x.018"	74-A0U0-1818	74-A0L0-1818	74-B0U0-1818	74-B0L0-1818	74-C0U0-1818	74-C0L0-1818
.019"x.025"	74-A0U0-1925	74-A0L0-1925	74-B0U0-1925	74-B0L0-1925	74-C0U0-1925	74-C0L0-1925
.020"x.020"	74-A0U0-2020	74-A0L0-2020	74-B0U0-2020	74-B0L0-2020	74-C0U0-2020	74-C0L0-2020

D BioZone	
P/N	
Dimension	Universal
.014"x.025"	74-D000-1425
.016"x.022"	74-D000-1622
.018"x.025"	74-D000-1825



Aesthetic BIO-ACTIVETM (light)

A C D BioZone					
P/N		P/N		P/N	
Dimension	Maxillary	Mandibular	Maxillary	Mandibular	Universal
.013"	—	—	—	—	74-D100-0013
.014"	—	—	—	—	74-D100-0014
.0146"	—	—	—	—	74-D100-0016
.016"x.022"	—	—	—	—	74-D00D-1725*
.017"x.025"	—	—	—	—	74-D00D-1725*
.018"x.018"	74-A1U0-1818	74-A1L0-1818	74-C1U0-1818	74-C1L0-1818	74-D100-1818
.020"x.020"	74-A1U0-2020	74-A1L0-2020	74-C1U0-2020	74-C1L0-2020	74-D100-2020

* Dimple

Stainless Steel Aesthetic Archwires




A		
P/N		
Dimension / Force: Medium	Maxillary	Mandibular
.014"	79-A2U0-0014	79-A2L0-0014
.016"	79-A2U0-0016	79-A2L0-0016
.016"x.016"	79-A2U0-1616	79-A2L0-1616
.016"x.022"	79-A2U0-1622	79-A2L0-1622
.017"x.025"	79-A2U0-1725	79-A2L0-1725
.019"x.025"	79-A2U0-1925	79-A2L0-1925

Archiwres boxes stand: 55-7009-0000





INITIALLOY and BIO-EDGE Lingual Archwires



Download in real size



INITIALLOY Lingual

Force/Dimension	N1		N3	
	P/N		P/N	
	Maxillary	Mandibular	Maxillary	Mandibular
Light				
.012"	71-N1U1-0012	71-N1L1-0012	71-N1U2-0012	71-N1L2-0012
.014"	71-N1U1-0014	71-N1L1-0014	71-N1U2-0014	71-N1L2-0014
.016"	71-N1U1-0016	71-N1L1-0016	71-N1U2-0016	71-N1L2-0016

Force/Dimension	N3		N4	
	P/N		P/N	
	Maxillary	Mandibular	Maxillary	Mandibular
Light				
.012"	71-N1U3-0012	71-N1L3-0012	71-N1U4-0012	71-N1L4-0012
.014"	71-N1U3-0014	71-N1L3-0014	71-N1U4-0014	71-N1L4-0014
.016"	71-N1U3-0016	71-N1L3-0016	71-N1U4-0016	71-N1L4-0016

BIO-EDGE Lingual

N1		N3		
P/N		P/N		
Force/Dimension	Maxillary	Mandibular	Maxillary	Mandibular
80 g				
.016"x.016"	72-N1U1-1616	72-N1L1-1616	72-N1U2-1616	72-N1L2-1616
.016"x.022"	72-N1U1-1622	72-N1L1-1622	72-N1U2-1622	72-N1L2-1622
100 g				
.018"x.018"	72-N1U1-1818	72-N1L1-1818	72-N1U2-1818	72-N1L2-1818
.018"x.025"	72-N1U1-1825	72-N1L1-1825	72-N1U2-1825	72-N1L2-1825

N3		N4		
P/N		P/N		
Force/Dimension	Maxillary	Mandibular	Maxillary	Mandibular
80 g				
.016"x.016"	72-N1U3-1616	72-N1L3-1616	72-N1U4-1616	72-N1L4-1616
.016"x.022"	72-N1U3-1622	72-N1L3-1622	72-N1U4-1622	72-N1L4-1622
100 g				
.018"x.018"	72-N1U3-1818	72-N1L3-1818	72-N1U4-1818	72-N1L4-1818
.018"x.025"	72-N1U3-1825	72-N1L3-1825	72-N1U4-1825	72-N1L4-1825



Albaflex Aesthetic Archwires

NiTi Ivory-Coloured Albaflex Archwires

The ivory-coloured Albaflex coating provides a discreet solution for NiTi archwires, while preserving their mechanical properties.



Dimension	P/N	
	Maxillary	Mandibular
.017"	77-C0UC-0017	77-C0LC-0017
.020"	77-C0UC-0020	77-C0LC-0020
.017"x.017"	77-C0UC-1717	77-C0LC-1717
.020"x.020"	77-C0UC-2020	77-C0LC-2020

Stainless Steel Ivory-Coloured Albaflex Archwires

The ivory-coloured coating Albaflex provides a discreet solution for stainless steel archwires, while preserving their mechanical properties.



Dimension	P/N	
	Maxillary	Mandibular
.017"x.017"	78-C0UC-1717	78-C0LC-1717
.020"x.020"	78-C0UC-1725	78-C0LC-1725
.017"x.025"	78-C0UC-2020	78-C0LC-2020

ALBAFLEX Ivory Spacer

The ivory-coloured coating Albaflex provides a discreet solution for stainless steel archwires, while preserving their mechanical properties.



P/N	
.036" tube de 3, 180 mm	55-0200-0040

Superelastic NiTi Archwires



Dimension	A		C	
	P/N		P/N	
Dimension	Maxillary	Mandibular	Maxillary	Mandibular
.012"	77-A0U0-0012	77-A0L0-0012	77-C0U0-0012	77-C0L0-0012
.014"	77-A0U0-0014	77-A0L0-0014	77-C0U0-0014	77-C0L0-0014
.016"	77-A0U0-0016	77-A0L0-0016	77-C0U0-0016	77-C0L0-0016
.018"	77-A0U0-0018	77-A0L0-0018	77-C0U0-0018	77-C0L0-0018
.020"	77-A0U0-0020	77-A0L0-0020	77-C0U0-0020	77-C0L0-0020
.016"x.016"	77-A0U0-1616	77-A0L0-1616	77-C0U0-1616	77-C0L0-1616
.016"x.022"	77-A0U0-1622	77-A0L0-1622	77-C0U0-1622	77-C0L0-1622
.017"x.025"	77-A0U0-1725	77-A0L0-1725	77-C0U0-1725	77-C0L0-1725
.018"x.018"	—	—	77-C0U0-1818	77-C0L0-1818
.018"x.025"	77-A0U0-1825	77-A0L0-1825	77-C0U0-1825	77-C0L0-1825
.019"x.025"	77-A0U0-1925	77-A0L0-1925	77-C0U0-1925	77-C0L0-1925
.020"x.020"	77-A0U0-2020	77-A0L0-2020	77-C0U0-2020	77-C0L0-2020
.021"x.025"	77-A0U0-2125	77-A0L0-2125	77-C0U0-2125	77-C0L0-2125

Superelastic NiTi Archwires with V-Bend



Dimension	A		C	
	P/N		P/N	
Dimension	Maxillary	Mandibular	Maxillary	Mandibular
.012"	77-A0UD-0012	77-A0LD-0012	77-C0UD-0012	77-C0LD-0012
.014"	77-A0UD-0014	77-A0LD-0014	77-C0UD-0014	77-C0LD-0014
.016"	77-A0UD-0016	77-A0LD-0016	77-C0UD-0016	77-C0LD-0016
.018"	77-A0UD-0018	77-A0LD-0018	77-C0UD-0018	77-C0LD-0018
.020"	77-A0UD-0020	77-A0LD-0020	77-C0UD-0020	77-C0LD-0020
.016"x.016"	77-A0UD-1616	77-A0LD-1616	77-C0UD-1616	77-C0LD-1616
.016"x.022"	77-A0UD-1622	77-A0LD-1622	77-C0UD-1622	77-C0LD-1622



Superelastic NiTi Archwires with Stops



D

Dimension	P/N
.013"	77-D00S-0013
.014"	77-D00S-0014
.016"	77-D00S-0016
.018"	77-D00S-0018

NiTi in spool

(15'- 4,60 m)



Dimension	P/N
.012"	77-S000-0012
.014"	77-S000-0014
.016"	77-S000-0016

Reverse



Dimension	P/N	
	Maxillary	Mandibular
.016"	77-G0U0-0016	77-G0L0-0016
.018"	77-G0U0-0018	77-G0L0-0018
.016"x.022"	77-G0U0-1622	77-G0L0-1622
.017"x.025"	77-G0U0-1725	77-G0L0-1725
.018"x.025"	77-G0U0-1825	77-G0L0-1825
.019"x.025"	77-G0U0-1925	77-G0L0-1925

Deep Bite Opener CTA

A real NiTi-made utility arch, it is the tool of choice for vertical corrections. Front segment 28 mm or 34 mm; Intrusionstep 15 or 22 mm.



Dimension	P/N	
	Maxillary 2-2 = 34 mm	Mandibular 2-2 = 28 mm
.016"x.022" 15 mm (extraction cases)	77-F1U0-1622	77-F1L0-1622
.016"x.022" 22 mm	77-F2U0-1622	77-F2L0-1622
.017"x.025" 15 mm (no extraction cases)	77-F1U0-1725	77-F1L0-1725
.017"x.025" 22 mm	77-F2U0-1725	77-F2L0-1725

Titanium-Molybdenum archwires (Beta Titanium)

Titanium-Molybdenum (TMA®) is probably the orthodontic alloy (containing no nickel) requiring the most rigorous manufacturing process. Made in the USA, our Beta-Titanium is the finishing archwire of choice. Available in straight length or in preformed archwires, it can be shaped without breakage.



A			B	
P/N			P/N	
Dimension	Maxillary	Mandibular	Maxillary	Mandibular
.016"	73-A0U0-0016	73-A0L0-0016	—	—
.018"	73-A0U0-0018	73-A0L0-0018	—	—
.016"x.022"	73-A0U0-1622	73-A0L0-1622	73-B0U0-1622	73-B0L0-1622
.017"x.025"	73-A0U0-1725	73-A0L0-1725	73-B0U0-1725	73-B0L0-1725
.018" X.018"	73-A0U0-1818	73-A0L0-1818	—	—
.018"x.025"	73-A0U0-1825	73-A0L0-1825	—	—
.019"x.025"	73-A0U0-1925	73-A0L0-1925	73-B0U0-1925	73-B0L0-1925
.021"x.025"	73-A0U0-2125	73-A0L0-2125	—	—

C		
P/N		
Dimension	Maxillary	Mandibular
.016"x.022"	73-C0U0-1622	73-C0L0-1622
.017"x.025"	73-C0U0-1725	73-C0L0-1725
.018" X.018"	73-C0U0-1818	73-C0L0-1818
.018"x.025"	73-C0U0-1825	73-C0L0-1825
.019"x.025"	73-C0U0-1925	73-C0L0-1925
.021"x.025"	73-C0U0-2125	73-C0L0-2125



Titanium-Molybdenum (Beta Titanium) Archwires

Straight Length (10 per tube)



Dimension	P/N
.032"	73-L000-0032
.017"x.025"	73-L000-1725
.019"x.025"	73-L000-1925

Beta-Titanium Retraction Archwires

(5 per box)



Dimension	Distance	P/N
.016"x.022"	30 mm	73-K300-1622
	32 mm	73-K320-1622
	34 mm	73-K340-1622
	36 mm	73-K360-1622
	38 mm	73-K380-1622
	40 mm	73-K400-1622
.019"x.025"	30 mm	73-K300-1925
	32 mm	73-K320-1925
	34 mm	73-K340-1925
	36 mm	73-K360-1925
	38 mm	73-K380-1925
	40 mm	73-K400-1925

Monostranded Stainless Steel Archwires



Regular				
A		B		
P/N		P/N		
Dimension	Maxillary	Mandibular	Maxillary	Mandibular
.014"	78-A2U0-0014	78-A2L0-0014	—	—
.016"	78-A2U0-0016	78-A2L0-0016	78-B2U0-0016	78-B2L0-0016
.018"	78-A2U0-0018	78-A2L0-0018	78-B2U0-0018	78-B2L0-0018
.020"	78-A2U0-0020	78-A2L0-0020	—	—
.016"x.016"	78-A2U0-1616	78-A2L0-1616	—	—
.016"x.022"	78-A2U0-1622	78-A2L0-1622	78-B2U0-1622	78-B2L0-1622
.017"x.025"	78-A2U0-1725	78-A2L0-1725	78-B2U0-1725	78-B2L0-1725
.018"x.018"	78-A2U0-1818	78-A2L0-1818	78-B2U0-1818	78-B2L0-1818
.018"x.022"	78-A2U0-1822	78-A2L0-1822	—	—
.018"x.025"	78-A2U0-1825	78-A2L0-1825	78-B2U0-1825	78-B2L0-1825
.019"x.019"	78-A2U0-1919	78-A2L0-1919	—	—
.019"x.025"	78-A2U0-1925	78-A2L0-1925	78-B2U0-1925	78-B2L0-1925
.020"x.020"	78-A2U0-2020	78-A2L0-2020	78-B2U0-2020	78-B2L0-2020
.021"x.025"	78-A2U0-2125	78-A2L0-2125	78-B2U0-2125	78-B2L0-2125
.021"x.028"	78-A2U0-2128	78-A2L0-2128	—	—

Regular/High tensile				
C				
P/N (regular)		P/N (high tensile)		
Dimension	Maxillary	Mandibular	Maxillary	Mandibular
.014"	78-C2U0-0014	78-C2L0-0014	—	—
.016"	78-C2U0-0016	78-C2L0-0016	—	—
.018"	78-C2U0-0018	78-C2L0-0018	—	—
.020"	78-C2U0-0020	78-C2L0-0020	—	—
.016"x.016"	78-C2U0-1616	78-C2L0-1616	78-C3U0-1616	78-C3L0-1616
.016"x.022"	78-C2U0-1622	78-C2L0-1622	78-C3U0-1622	78-C3L0-1622
.0175"x.0175"	78-C2U0-1717	78-C2L0-1717	—	—
.017"x.025"	78-C2U0-1725	78-C2L0-1725	—	—
.018"x.022"	—	—	78-C3U0-1822	78-C3L0-1822
.018"x.025"	78-C2U0-1825	78-C2L0-1825	—	—
.019"x.025"	78-C2U0-1925	78-C2L0-1925	—	—
.020"x.020"	78-C2U0-2020	78-C2L0-2020	—	—
.020"x.025"	78-C2U0-2025	78-C2L0-2025	—	—
.020"x.025" (bords arrondis)	78-C4U0-2025	78-C4L0-2025	—	—
.020"x.028" (bords arrondis)	78-C4U0-2028	78-C4L0-2028	—	—
.021"x.025"	78-C2U0-2125	78-C2L0-2125	—	—



Monostranded Stainless Steel Archwires

Straight Length (50 per tube)		P/N
		Regular
Dimension		P/N
.014"		78-L200-0014
.016"		78-L200-0016
.018"		78-L200-0018
.020"		78-L200-0020

Monostranded Stainless Steel Archwires

Straight Length (10 per tube)		P/N
		Regular
Dimension		P/N
.016"x.016"		78-L200-1616
.016"x .022"		78-L200-1622
.017"x.025"		78-L200-1725
.018"x.025"		78-L200-1825
.019"x.025"		78-L200-1925
.021"x.025"		78-L200-2125

Monostranded Stainless Steel Archwires

GT (Gold Tone)		 			
		P/N		P/N	
Dimension	Maxillary	Mandibular	Maxillary	Mandibular	
.014"	78-A4U0-0014	78-A4L0-0014	78-C4U0-0014	78-C4L0-0014	
.016"	78-A4U0-0016	78-A4L0-0016	78-C4U0-0016	78-C4L0-0016	
.018"	78-A4U0-0018	78-A4L0-0018	78-C4U0-0018	78-C4L0-0018	
.016"x.016"	78-A4U0-1616	78-A4L0-1616	78-C4U0-1616	78-C4L0-1616	
.016"x.022"	78-A4U0-1622	78-A4L0-1622	78-C4U0-1622	78-C4L0-1622	
.017"x.025"	78-A4U0-1725	78-A4L0-1725	78-C4U0-1725	78-C4L0-1725	
.018"x.025"	78-A4U0-1825	78-A4L0-1825	78-C4U0-1825	78-C4L0-1825	
.019"x.025"	78-A4U0-1925	78-A4L0-1925	78-C4U0-1925	78-C4L0-1925	

Multistranded Stainless Steel Archwires

Triflex is a three strands round twisted archwire. Preformed. 10 per box.



Dimension	P/N
.0175"	78-AT00-0175

Quadflex is a four strands rectangular twisted archwire. Preformed. 10 per box.

P/N		
Dimension	Maxillary	Mandibular
.016"x.022"	78-AQU0-1622	78-AQL0-1622
.017"x.025"	78-AQU0-1725	78-AQL0-1725
.019"x.025"	78-AQU0-1925	78-AQL0-1925

Pentaflex is a rectangular coaxial wire (five strands twisted around a central core), straight length or preformed, 10 per box.



Dimension	P/N	P/N	
	14" in length	Maxillary	Mandibular
.0155"	78-LP00-0155	78-APU0-0016	78-APL0-0016
.0175"	78-LP00-0175	78-APU0-0175	78-APL0-0175
.0195"	78-LP00-0195	—	—
.0215"	78-LP00-0215	—	—

Hexaflex is a round 6-stranded coaxial wire. In 30' spools (9m30)



P/N	
Dimension	30" spool
.0175"	78-SH00-0175



Multiflex is an 8-stranded twisted wire, 10 archwires per box.




A		
P/N		
Dimension	Maxillary	Mandibular
.016"x.022"	78-AMU0-1622	78-AML0-1622
.017"x.025"	78-AMU0-1725	78-AML0-1725
.018"x.025"	78-AMU0-1825	78-AML0-1825
.019"x.025"	78-AMU0-1925	78-AML0-1925
.021"x.025"	78-AMU0-2125	78-AML0-2125

Bioalloy Wire



This cobalt-chromium wire is appreciated for its formability and its capacity to accept extreme loops, straight length, pack of 10.




Dimension	P/N
.016"x.016"	78-L000-1616
.016"x.022"	78-L000-1622
.032"	78-L000-0032
.036"	78-L000-0036


Intraoral Auxiliaries

INITIALLOY Springs

Made from the same alloy as INITIALLOY archwires, these springs exert constant and calibrated forces.



Stress Strain curves opened spring



Stress Strain curves closed spring

INITIALLOY Stop Wound™ Open Springs

Ach length has tight spirals every 4 cm. Once determining the measurement necessary, simply cut the wire at the center of the spiral. The spring goes back to its original size once cut. Springs are available in forces of 100 grams and 150 grams. Packaged by three, 18 cm length per tube.



Description	Force	Color	Internal bore	P/N
Extra-Light	50 g	Black	.036"	60-0112-0000
Light	100 g	Blue	.036"	60-0113-0000
Medium	150 g	Yellow	.036"	60-0114-0000
Medium	150 g	Yellow	.045"	60-0114-0045
Heavy	200 g	Red	.036"	60-0115-0000



INITIALLOY Open Springs

These springs are 15 mm long before activated and can be compressed down to 3 mm, exerting a calibrated force until they recover their initial length. Springs are available in forces of 100 grams and 150 grams. Packaged by ten 15 cm lengths per tube.

Description	Force	Color	P/N
Light	100 g	Blue	60-0123-0000
Medium	150 g	Yellow	60-0124-0000



NiTi Open Spring (in Spool)



P/N	
INITIALLOY Open Spring in Spool, Medium Force (150 g), .010"x.036" 38cm	60-0144-0000
Standard Open Spring in Spool .010" x .030", 38 cm	60-0140-0013

INITIALLOY Closed Springs

The tool of choice for space closure, without any cooperation from your patient. Initial length is 5 mm (excluding eyelets) and can be stretched up to 15 mm without any alteration to their elastic properties. Available in four levels of force: 100 g, 150 g, 200 g and 300 g. Packs of 10.



Description 10 St. / Pckg.	Force	Color	P/N
Light	100 g	Blue	60-0223-0000
Medium	150 g	Yellow	60-0224-0000
Heavy	200 g	Red	60-0225-0000
Incisors Retraction	300 g	White	60-0227-0000

Stainless Steel Springs

Open Spring (91cm / 3' Spool)



Dimension	P/N
.008"x.022"	61-0140-0082
.010"x.030"	61-0140-0013
.010"x.040"	61-0140-0014

Closed Spring (91cm / 3' Spool)


Dimension	P/N
.008"x.022"	61-0240-0082
.010"x.030"	61-0240-0013

Intraoral Auxiliaries

Lip Bumpers

Lip Bumper Natural® 1

Designed to perfection, this lip bumper features a sizing loop and a hook. Its acrylic small translucent molding protects the patient's lips well. Available in 7 sizes.



Description	P/N
Lip Bumper Natural® 1 size 0	63-1100-0000
Lip Bumper Natural® 1 size 1	63-1101-0000
Lip Bumper Natural® 1 size 2	63-1102-0000
Lip Bumper Natural® 1 size 3	63-1103-0000
Lip Bumper Natural® 1 size 4	63-1104-0000
Lip Bumper Natural® 1 size 5	63-1105-0000
Lip Bumper Natural® 1 size 6	63-1106-0000

Lip Bumper Natural® 2

Designed to perfection, this lip bumper features a sizing loop but no hook. Its acrylic translucent molding protects the patient's lips well. Available in 6 sizes.



Description	P/N
Lip Bumper Natural® 2 Universal	63-31UN-0000
Lip Bumper Natural® 2 size 0	63-3100-0000
Lip Bumper Natural® 2 size 1	63-3101-0000
Lip Bumper Natural® 2 size 2	63-3102-0000
Lip Bumper Natural® 2 size 3	63-3103-0000
Lip Bumper Natural® 2 size 4	63-3104-0000

Nylon Coated Lip Bumper


The thinness of the nylon coating makes appliance adjustment easier. Available in 2 sizes.

Description	P/N
Lip Bumper size 2/Hk	63-4102-0000
Lip Bumper size 3/Hk	63-4103-0000



Palatal Bars

Made from very resilient .036" stainless steel wire. Accurately formed posterior arms make insertion into the sheath and removal easier. Available with a mesial or distal loop. In order to save time, the Palatal Bars are also available with 45° angulated ends. Packed by 5.




Mesial Loop Palatal Bars

Size	P/N	Size	P/N
35	64-0M11-0035	47	64-0M11-0047
37	64-0M11-0037	49	64-0M11-0049
39	64-0M11-0039	51	64-0M11-0051
41	64-0M11-0041	53	64-0M11-0053
43	64-0M11-0043	55	64-0M11-0055
45	64-0M11-0045	—	—

Mesial Loop Palatal Bars with 45° Angulated Ends

Size	P/N	Size	P/N
35	64-0M12-0035	47	64-0M12-0047
37	64-0M12-0037	49	64-0M12-0049
39	64-0M12-0039	51	64-0M12-0051
41	64-0M12-0041	53	64-0M12-0053
43	64-0M12-0043	55	64-0M12-0055
45	64-0M12-0045	—	—




Distal Loop Palatal Bars

Size	P/N	Size	P/N
35	64-0D11-0035	47	64-0D11-0047
37	64-0D11-0037	49	64-0D11-0049
39	64-0D11-0039	51	64-0D11-0051
41	64-0D11-0041	53	64-0D11-0053
43	64-0D11-0043	55	64-0D11-0055
45	64-0D11-0045	—	—

Extra-oral Auxiliaires

Facebows


Our facebows, from Tomy®, are available in a choice of three outer bow sizes and as many as eight .045 inner bow sizes. Each universal facebow is individually packaged and includes a pair of stops.



Distance between both omegas



Outer bow	Short (Plastic Coated)
Universel	62-22UN-0000
Taille 3	62-2230-0000
Taille 4	62-2240-0000
Taille 5	62-2250-0000



Outer bow	Special Short	Sp. Short 0.51	Short	Short 0.51	Medium
Universel	62-11UN-0000	—	62-21UN-0000	—	62-31UN-0000
Taille 1	62-1110-0000	—	62-2110-0000	—	—
Taille 2	62-1120-0000	62-1320-0000	62-2120-0000	62-2320-0000	—
Taille 3	62-1130-0000	62-1330-0000	62-2130-0000	62-2330-0000	62-3130-0000
Taille 3.5	—	—	62-2135-0000	—	—
Taille 4	62-1140-0000	62-1340-0000	62-2140-0000	62-2340-0000	62-3140-0000
Taille 4.5	—	—	62-2145-0000	—	—
Taille 5	62-1150-0000	—	62-2150-0000	62-2350-0000	62-3150-0000
Taille 6	—	—	62-2160-0000	—	62-3160-0000



Hooks and Stops for Archwires

Opened

Description		P/N
	T-Bar Surgical Hook, Universal (Bag of 10)	66-0110-0001
	Straight Open Hook, .018" x .025", Optimized for Initialloy Archwires (Bag of 10)	66-0111-0008
	Curved Hook (Bag of 20)	66-0110-0003
	Stop (Bag of 20)	66-0120-0002
	Stop, .018" x .025", Optimized for Initialloy Archwires (Bag of 10)	66-0121-0004
	Stop, .022" x .028", Optimized for Initialloy Archwires (Bag of 10)	66-0122-0004

Closed

Description		Dimension	P/N
	Sliding Hooks for Elastics (Bag of 40)	.018"x.025"	66-0211-0011
	Sliding Hooks for Elastics (Bag of 40)	.022"x.028"	66-0212-0011
	Sliding Stops, 2 mm (Bag of 20)	.012"/.016"	66-0221-0006
	Sliding Stops, 3 mm (Bag of 20)	.012"/.016"	66-0221-0007
	Sliding Stops, 2 mm (Bag of 20)	.018"/.025"	66-0222-0006
	Sliding Stops, 3 mm (Bag of 20)	.018"/.025"	66-0222-0007

Metal Ligatures and Kobayashi Ligatures



Preformed, Long (Pack of 600)

Description	P/N
.008"	67-0110-0008
.009"	67-0110-0009
.010"	67-0110-0010
.011"	67-0110-0011
.012"	67-0110-0012

Preformed, Long, ivory-coloured (Pack of 100)

Description	P/N
.011" Peek Coat	67-0140-0011

Preformed, Short, ivory-coloured (Pack of 100)

Description	P/N
.012" Short	67-0140-0012
.011" Peek Coat	67-0240-0011

Preformed, Short, .010" (Box of 1000)

Description	P/N
.010"	67-0210-0010

Preformed, Short, Angulated, .010" (Box of 1000)

Description	P/N
.010"	67-0211-0010

Ligature, .010" (70 g Spool)

Description	P/N
.010"	67-0300-0010
.011" Peek Coat	67-0360-0011




Kobayashi

Long



Description	P/N
Kobayashi .012" Bag of 100	67-0120-0012
Kobayashi .014" Bag of 100	67-0120-0014

Short



Description	P/N
Kobayashi Legend .012" twist, Bag of 100	67-0220-0012
Kobayashi .013" Peek Coat Bag of 100	67-0250-0013

Rotation Springs



Description	P/N
Small, .011" (Bag of 10)	69-1510-0000
Long, .011" (Bag of 10)	69-1520-0000

Accessories for V-Slot Brackets

LEGEND mini & medium Hook for Vertical Slots



Description	P/N
Hook for V-Slot (Bag of 50)	69-1410-0000

Quadhelix

Single Packed




Quadhelix Stainless Steel

Description	P/N
Size 1, straight retention	68-0021-0000
Size 2, straight retention	68-0022-0000
Size 3, straight retention	68-0023-0000
Size 1, curved retention	68-0041-0000
Size 2, curved retention	68-0042-0000
Size 3, curved retention	68-0043-0000

Quadhelix Bioalloy

Description	P/N
Size 1, straight retention	68-0011-0000
Size 2, straight retention	68-0012-0000
Size 3, straight retention	68-0013-0000
Size 1, curved retention	68-0031-0000
Size 2, curved retention	68-0032-0000
Size 3, curved retention	68-0033-0000



Catalog N°6

Elastomerics



Experts in Orthodontics
GC Orthodontics Europe GmbH
www.gcorthodontics.eu

Elastomerics

Elastomeric Color Chains.....	199
Orchestra Intra and.....	200
Extraoral Elastics.....	200
GC Ties Elastomeric Ligatures	201
Hollow or Solid Elastomeric Threads	202
Archwire Protection Sleeves	203



Elastomeric Color Chains

Available in a wide range of colors that remain stable with time, our color chains are sold in 4.5 meter spools in either long or short.

Color		Short	Long
	Silver	88-1001-0000	88-3001-0000
	Pearl	88-1002-0000	—
	Clear	88-1003-0000	88-3003-0000
	Blue	88-1004-0000	88-3004-0000
	Red	88-1005-0000	—
	Green	88-1006-0000	88-3006-0000
	Black	88-1007-0000	88-3007-0000
	White	88-1008-0000	—
	Pink	88-1009-0000	—
	Metallic Purple	88-1010-0000	—
	Metallic Blue	88-1011-0000	—
	Metallic Red	88-1012-0000	—
	Lavender	88-1013-0000	88-3013-0000
	Fuchsia	88-1014-0000	—
	Yellow	88-1015-0000	—
	Orange	88-1016-0000	88-3016-0000
	Navy Blue	88-1017-0000	—
	Light Blue	88-1018-0000	88-3018-0000
	Maroon	88-1019-0000	—
	Grey	88-1020-0000	88-3020-0000
	Glow Blue	88-1021-0000	—
	Metallic Gold	88-1022-0000	88-3022-0000

Orchestra Intra and Extraoral Elastics

Our range of intra and extraoral elastics are made from the highest quality medical grade latex. The stated force corresponds to the force three times its original listed diameter. Intraoral elastics are packaged by 5000 pcs. Extraoral elastics are packaged by 2500 pcs. Each bag contain 1 insertion plastic instrument. Latex free elastics are listed on the chart below with product numbers (P/N) in white.

EXTRA-ORAL				
Force Size	2.5 oz (70,88 g)	4.5 oz (113,40 g)	6.5 oz (170,10 g)	8,5 oz (240, 98 g)
3 mm (1/8")	85-0321-0000 Harp	85-0331-0000 Xylophone	85-0341-0000 Tuba	
4 mm (3/16")	85-0421-0000 Tambourine	85-0431-0000 Piano	85-0441-0000 Trumpet	85-0461-0000 Trombone
4 mm (3/16") (Latex Free)		85-0430-0000 Jazz (Latex Free)	85-0440-0000 Rock-n-Roll (Latex Free)	
6 mm (1/4")	85-0621-0000 Oboe	85-0631-0000 Flute	85-0641-0000 Baritone	85-0661-0000 French Horn
6 mm (1/4") (Latex Free)		85-0630-0000 Hip-Hop (Latex Free)	85-0640-0000 Classical (Latex Free)	
8 mm (5/16")	85-0821-0000 Cello	85-0831-0000 Clarinet	85-0841-0000 Saxophone	85-0861-0000 Guitar
10 mm (3/8")	85-1021-0000 Cymbals	85-1031-0000 Tympani		85-1061-0000 Violin



GC Ties Elastomeric Ligatures

Latex-free, GC Ties ligatures allow for an upper and lower archwire change with a single stick. The high quality of the polyurethane enables these ligatures to recover 90 % of their initial shape after being stretched.

Available in bags of 50 sticks, 20 ligatures per stick. Outer diameter: .120"

	Silver	87-1201-0000		Lavender	87-1213-0000
	Pearl	87-1202-0000		Fuchsia	87-1214-0000
	Clear	87-1203-0000		Yellow	87-1215-0000
	Blue	87-1204-0000		Orange	87-1216-0000
	Red	87-1205-0000		Navy Blue	87-1217-0000
	Green	87-1206-0000		Light Blue	87-1218-0000
	Black	87-1207-0000		Maroon	87-1219-0000
	White	87-1208-0000		Grey	87-1220-0000
	Pink	87-1209-0000		Glow Blue	87-1221-0000
	Metallic Purple	87-1210-0000		Golden	87-1222-0000
	Metallic Blue	87-1211-0000		Glow Clear	87-1223-0000
	Metallic Red	87-1212-0000		Tooth	87-1224-0000

Separators



Very strong, latex-free separators with memory effect, these separators are ideal for creating spaces between molars. Sold by 1000.

Description	P/N
Radiopaque Separators	89-1602-0000



Hollow or Solid Elastomeric Threads

Our hollow or solid elastomeric threads are available in diameter sizes of .025" and .030" in 15 m spools.

Hollow Threads	P/N
.025" Grey	89-4325-0000
.025" Clear	89-3325-0000
.030" Clear	89-3335-0000

Solid Threads	P/N
.025" Grey	89-4125-0000
.025" Clear	89-3125-0000
.030" Grey	89-4135-0000
.030" Clear	89-3135-0000

Solid Fiber with Treated Surface	P/N
.025" Clear	89-3222-0000
.025" Grey	89-4222-0000
.030" Grey	89-4232-0000




Archwire Protection Sleeves

Available in 3 m Spools

For Archwires up to .018"		P/N
Grey		89-4311-0000
Clear		89-3311-0000

For Archwires up to .021" x .027"		P/N
Grey		89-4321-0000
Clear		89-3321-0000

For .045" Archwires		P/N
Grey		89-4341-0000





Catalog N°6

Adhesive and Sealing Products



Experts in Orthodontics
GC Orthodontics Europe GmbH
www.gcorthodontics.eu

Bonding and Sealing Products

Adhesive and Sealing Products.....	207
Light Cure Adhesive.....	208
GC Ortho Connect™	208
GC Ortho Connect™ Flow	208
GC Ortho Etching Gel.....	208
GC Fuji ORTHO™	209
GC Fuji ORTHO LC	209
GC Fuji ORTHO LC Paste Pak Automix	209
GC Fuji ORTHO Band LC Paste Pak Automix	209
Self-Cure Orthodontic Adhesives	210
GC Fuji ORTHO	210
GC Fuji ORTHO Band Paste Pak.....	210
Produits complémentaires	210
Lingual Orthodontics Base Extensions	211
GC Kommonbase™	211
Miscellaneous	211
GC Tooth Mousse	
& GC MI Paste Plus™.....	211
GC MI Varnish™	213
GC Tri Plaque ID Gel™	213
Reliance Range	214
Flow Tain™	214
L.C.R.™	214
Ultra Band-Lok®	214
Maximum Cure® Sealant.....	215
Metal Primer.....	215
Assure PLUS All Surface Bonding Resin	215
Porcelain Conditioner	216
Porc Etch™	216



Adhesive and Sealing Products

Our innovative adhesive products provide you with an added plus in your daily practice. Developed by GC Orthodontics in Japan, our adhesives are submitted to extensive testing in order to guarantee superior strength when bonding metal, ceramic or plastic appliances.



Light Cure Adhesive

One Step Solution

With GC Ortho Connect, there's no need to apply primer or adhesive on the tooth, since it is already incorporated into the paste. A simple etching of the enamel followed by drying is enough to prepare the bracket or buccal tube for bonding.



GC Ortho Connect™  

For Bracket bonding

Contents	P/N
2 syringes of 2.9 g, 4 dispensing tips, 2 light protective covers	90-1100-0000

GC Ortho Connect™ Flow

For Lingual retainer bonding



Contents	P/N
2 syringes of 2.7 g, 30 dispensing tips, 2 light protective covers	90-3100-0000

GC Ortho Etching Gel

With an ideal fluidity, this etching in gel (phosphoric acid) will have a perfect consistency during the necessary time to prepare the tooth enamel.



Contents	P/N
2 syringes of 4,8 g, 40 dispensing tips	90-1400-0000



GC Fuji ORTHO™

Easy On

GC Fuji ORTHO LC is a light-cured, resin reinforced glass ionomer that offers superior results thanks to its simple placement procedure, fluoride protection and trouble-free removal of brackets and bands on completion of treatment.

Superior Placement

The «easy on» placement of Fuji ORTHO products is guaranteed, due to its ability to be placed in the presence of moisture with no need for ortho-phosphoric acid etching, which simplifies the bonding procedure.



GC Fuji ORTHO LC

Contents	P/N
Intro Pack: 15 g powder, 6.8 ml liquid	90-1600-0000
Refill: 40 g powder	901603-0000
Refill: 6.8 ml liquid	90-1605-0000
Refill: Capsules x50	90-1606-0000



GC Fuji ORTHO LC Paste Pak Automix

Contents	P/N
Starter Set: 1 x 13.3 g, 7.2 ml Paste Pak cartridge, 20 x LC mixing tip, 2 x ORTHO Gel Conditioner, 15 brush tips, White Color Paste	90-1701-0000
2 x 13.3 g, 7.2 ml Paste Pak cartridge	90-1702-0000



GC Fuji ORTHO Band LC Paste Pak Automix

Contents	P/N
Refill: 2 x 12.9 g, 7.2 ml, Paste Pak cartridge, with mixing pad, Blue Color Paste	90-1900-0000

Self-Cure Orthodontic Adhesives



GC Fuji ORTHO

For brackets and bands

Contents	P/N
Intro Pack: 40 g powder, 2 x 6.8 ml liquid	90-1500-0000
Refill: 40 g powder	90-1503-0000
Refill: 6.8 ml liquid	90-1504-0000



GC Fuji ORTHO Band Paste Pak

Contents	P/N
Refill: 2 x 13.3 g; 7.2 ml paste cartridges and 1 mixing pad, color blue	90-1802-0000

Other Products



Contents	P/N
1 - Paste Pak Dispenser	90-1708-0000
2 - Capsule Applier	90-1609-0000
3 - GC ORTHO Conditioner	90-2200-0000
4 - GC ORTHO Gel Conditioner	90-2100-0000
5 - GC Mixing tips LC	90-1707-0000



Lingual Orthodontics Base Extensions

GC Kommonbase™



Improvements in customized base design and bonding materials have led to the development of a precise direct-bonding system called GC KommonBase.

The system features a large bonding base that provides precise bracket fit and positioning, while maximizing bond strength. No transfer trays are needed because of the base's self-positioning shape. In addition, by using a reference jig, single brackets can be rebonded in case of failure or the need for repositioning.

2 syringes of 2,7 g, 4 dispensing tips and 1 light protective cover		P/N
KommonBase HV Clear (high viscosity)		90-1200-0000
KommonBase LV Pink (low viscosity)		90-1300-0000

Miscellaneous

GC Tooth Mousse & GC MI Paste Plus™



Tooth Mousse is the ideal way to give your patients maximum all-round protection. Thanks to Recaldent™ * – its revolutionary ingredient!



Recaldent™ is derived from casein, the milk protein. Recent research has shown that milk's protective effect lies in a part of the casein protein called casein phosphopeptide (CPP), which carries calcium and phosphate ions as Amorphous Calcium Phosphate (ACP). Calcium phosphate is usually insoluble; in other words, it forms a crystalline structure at neutral pH. However, the CPP keeps the calcium and phosphate in an amorphous, non-crystalline state, much like the saliva's mineral components. This means that the CPP-ACP complex, or Recaldent™, is the optimal way to deliver calcium and phosphate ions to the surface of the tooth and within dental plaque. In short, Recaldent™ depresses enamel demineralisation and, even better, remineralises enamel.

* Recaldent™ is a trademark of Cadbury Enterprises Pte Ltd.

The Benefits of GC Tooth Mousse at a Glance:

- Supports greater resistance to acid attacks by inhibiting enamel demineralisation and inducing remineralisation at the tooth surface and sub-surface
- Helps minimize tooth sensitivity by obturating open dentinal tubules
- Prevents initial cavities from forming thanks to its anti-cariogenic properties
- Reverses white spot lesions process, even after orthodontic treatment

GC Tooth Mousse (40g, 35 ml per tube)	P/N
Assorted pack 10 pcs, 2 of each flavor (Melon, Strawberry, Tutti-Frutti, Mint & Vanilla)	55-0180-0000
Strawberry, pack of 10 pcs	55-0180-0034
Melon, pack of 10 pcs	55-0180-0037
Mint, pack of 10 pcs	55-0180-0012
Tutti-Frutti, pack of 10 pcs	55-0180-0038
Vanilla, pack of 10 pcs	55-0180-0036

Combining Remineralisation and Fluoridation, the Benefits of GC MI Paste Plus™ at a Glance:

- Buffers the pH changes in plaque
- Impairs the adhesion and growth of Streptococcus mutans and Streptococcus sobrinus to the tooth surface
- Remineralises enamel lesions (remineralisation) and makes remineralised enamel more resistant to acid attacks
- Optimises the way fluoride is transported to enamel and the fluoride intake by enamel
- The effects of Recaldent™ with fluorine are superior to the benefits provided by fluorine alone.

GC MI Paste Plus (40g, 35 ml per tube)	P/N
Assorted pack 10 pcs, 2 of each flavour (Melon, Strawberry, Tutti-Frutti, Mint & Vanilla)	55-0181-0000
Strawberry, pack of 10 pcs	55-0181-0012
Melon, pack of 10 pcs	55-0181-0034
Mint, pack of 10 pcs	55-0181-0037
Vanilla, pack of 10 pcs	55-0181-0036
Tutti-Frutti, pack of 10 pcs	55-0181-0038



GC MI Varnish™

Support, Replenish and Protect with the Stroke of a Brush

GC introduces MI Varnish, the latest addition to your minimum intervention dentistry arsenal.

Offering superior coverage of tooth surfaces, MI Varnish does substantially more than your average fluoride varnish. By delivering a powerful dose of fluoride, MI Varnish provides an added booster effect of calcium and phosphate ions through its patented Recaldent™* ingredient.



Contents	P/N
MI Varnish Intro Pack, 10 unit doses MI Varnish (5 Strawberry + 5 Mint), 0.50 ml per unit dose, and 20 brushes	55-0183-0000
Mint	55-0183-0012
Strawberry	55-0183-0034


GC Tri Plaque ID Gel™



GC Tri Plaque ID Gel can not only differentiate between old and new plaque in a few easy steps, this unique gel can also highlight exactly where the bacteria are most active by disclosing the acidic pH. This additional information will be a great help in your daily practise to motivate your patients to improve their oral hygiene.

Tri Plaque ID Gel =  Coloring/ Blue pigment  Coloring/ Red pigment  Sucrose

 Acid  Bacteria




NEW PLAQUE

When a plaque biofilm is sparse, the blue pigment is easily washed off which leaves behind the red pigment showing a pink / red result.




OLD PLAQUE (> 48HR)

When a plaque biofilm has matured, its structure is dense, so both the blue and red pigments are trapped which forms a blue / purple layer.



EXTRA HIGH RISK PLAQUE

The sucrose in GC Tri Plaque ID Gel will be metabolized by the acidogenic bacteria within the high risk plaque biofilm. The resulting acid produced lowers the plaque pH (<pH4,5) and this makes the red pigment disappear which leaves the light blue colour.



EXTRA HIGH RISK PLAQUE

Dr G. Ghani, Royaume-Uni

Contents	P/N
40 g (36 ml) tube of ID gel	55-0182-0000

Reliance Range

Flow Tain™

Light Cure Flowable Composite

- Thixotropic viscosity
- Cures glassy smooth
- Slumps over wire
- Fluoresces w/blacklight

Available in 2 viscosities Low viscosity (LV) and regular



Description	P/N
1.5 g Flow Tain™ LV With Tips (10)	90-4014-0000
1.5 g Flow Tain™ With Tips (10)	90-4012-0000

L.C.R.™

Light Cure Retainer Adhesive

- Smooth viscosity
- Cures to a glassy finish



Description	P/N
1.5 g L.C.R.™ Paste in Push Syringe without tips	90-4010-0000

Ultra Band-Lok®

Light Cure Compomer Band Cement

- Bonds to metal
- Natural or Blue Shade



Description	P/N
5 g Ultra Band-Lok® Syringe Blue shade	90-3010-0000
5 g Ultra Band-Lok® Syringe	90-3015-0000

Maximum Cure® Sealant

Indirect Bonding Sealant

- 90 Second working time
- Excellent molecular conversion rate
- Self curing



Description	P/N
7 g Maximum Cure® Sealant A with fluoride	90-2022-0000
7 g Maximum Cure® Filled Sealant B	90-2023-0000

Metal Primer

For Bonding to metallic Crowns

- Effective between brackets bonding material and all metal crown



Description	P/N
Metal Primer, flacon de 8ml	90-5031-0000

Assure PLUS All Surface Bonding Resin

- Enhances bond strength on all surfaces
- Effective on any enamel type
- Effective on any artificial substrate



Description	P/N
6 ml Assure® PlusAll Surface Bonding Resin	90-5012-0000

Porcelain Conditioner

For Bonding to Ceramic Crowns

- Effective with: porcelain, zirconia and lithium disilicate



Description	P/N
8 ml Porcelain Conditioner	90-5033-0000

Porc Etch™

Porcelain Etching Agent with Barrier Gel

- Preps porcelain crowns for bonding



Description	P/N
7 g Porc-Etch™ w/Barrier Gel	90-5043-0000



Catalog N°6

Facebows, Lab, Miscellaneous



Experts in Orthodontics
GC Orthodontics Europe GmbH
www.gcorthodontics.eu

Facebows, Lab, Miscellaneous

DentaSonic.....	219
Interproximal reduction.....	219
Laboratory	222
Smile Rite Thermoforming.....	222
Extraoral Traction.....	222
Miscellaneous	223
Band Pushers	223
Cheek Retractor.....	223
Cheek Retractor with vaccuming system NOLA.....	224
Protective Wax	224
Protective Silicon	224
Mirrors	225
Lip Protection.....	225
Elastics Placement.....	225
Elasti-bites.....	225



Interproximal reduction

For safe, precise surface reduction with minimal enamel damage, our professional materials for MI-IPR, reduce inter-proximal spaces with minimal deterioration.



Profi Kit 2

Profi Kit 2 Box includes single and double-sided DiaStrips, for inter-proximal space reduction, proximal finishing and polishing in orthodontics, aligners and restorative dentistry. Profi Kit 2 also features a new water-cooled oscillating handpiece with a 4:1 ratio and a second head with an alternative movement.

Description	P/N
4 DiaStrips, 2 sides • 4 DiaStrips 1 side • 2 Polishing PoliStrip • 2 polishing burs • 1 water cooled hand piece, 4:1 • 1 tête oscillante • 1 measuring gauge set: 0.1, 0.15, 0.2, 0.3, 0.4, 0.5mm • 1 extracting tip • 1 Spray	55-BD02-0000



Basic set nwc (no water cooled)

Basic reduction set of 4:1.

Description	P/N
Reduction: 4:1 (not cooled) • 1 assortment of 4 stripes • 1 measuring gauge set: 0.1, 0.15, 0.2, 0.3, 0.4, 0.5mm • 1 extracting tip	55-BD04-0000



Double-sided DiaStrip

Double-sided DiaStrip oscillating diamond files, allows for inter-proximal reduction on both sides at the same time. Used for proximal finishes and orthodontic polishing.

Double-Sided	DiaStrip	DiaStrip	DiaStrip	DiaStrip
P/N 5/pk	55-FDM0-5215	55-FDM0-5225	55-FDM0-5240	55-FDM0-5260
P/N 12/pk	55-FDM0-1215	55-FDM0-1225	55-FDM0-1240	55-FDM0-1260
Thickness	0.1mm	0.15mm	0.2mm	0.3mm



Single-sided DiaStrip

Single-sided DiaStrip oscillating diamond files, allows inter-proximal reduction on one side only. Used for proximal finishes and orthodontic or restorative polishing.

Simple-Sided	DiaStrip	DiaStrip	DiaStrip	DiaStrip
P/N 5/pk	55-FDM0-5115	55-FDM0-5125	55-FDM0-5140	55-FDM0-5160
Thickness	0.1mm	0.15mm	0.2mm	0.3mm



DiaSaw

Diamond oscillating DiaSaw files. Opens contact points safely and quickly (without soft tissue damage) and reduces tooth size in orthodontics.

Double sides	DiaSaw	DiaSaw	DiaSaw
P/N 5/pk	55-SDM0-5315	55-SDM0-5325	55-SDM0-5340
Thickness = +/- 0.03mm	0.1mm	0.15mm	0.2mm



Set



Double-Sided	DiaStrip Set 5	DiaSaw Set 5	Aligner Set
P/N	55-FDM0-5200	55-SDM0-5300	55-FDA0-5300
Grain µm:	1x1,0.15,0.2,0.3mm +1PoliStrip	1x1,0.15,0.2mm, +2 PoliStrip	1x1,0.15,0.2mm, +2 PoliStrip
Coating side:	2 sides	2 sides	2 sides
Refill pack:	5 pieces	5 pieces	5 pieces

PoliStrip

Made from flexible resin, these strips are for ultimate proximal polishing on both sides in just 1 passage.

PoliStrips are sold in blister packs of 12 (2x6) with 6 0.10 mm strips and 6 0.15 mm strips.

55-FDRA-1200



DS-Debonding Polisher

Easily and safely remove orthodontic adhesive residue following bracket debonding. Due to the hardness and abrasiveness of materials used with a rotary bur or a metal instrument, there is always a risk when debonding of damaging the natural tooth structure. Our DS-Debonding Polisher features micro particles deposited on a synthetic rubber matrix that safely removes adhesive residue in minutes.

55-D000-6B00

Measuring Gauge

Thickness: 0.1, 0.15, 0.2, 0.3, 0.4, 0.5 mm


55-G000-1000



Inox SteryStrip

Stainless steel sterilization set for 6 polishers.

55-TDM0-6000



Laboratory



Smile Rite Thermoforming


All Smile Rite Thermoforming plastic sheets, regardless of thickness, are pre-dried and packaged in aluminium bags of 25 pieces. The water absorption by the material has been eliminated as well as the bubble problem during thermoforming has been resolved.

Hard	Rond 120 mm	Rond 125 mm	Square 125mmX125mm
1,5 mm (x 50)	—	92-1015-R125	92-1015-S125
1,0 mm (x100)	92-1010-R120	92-1010-R125	92-1010-S125
0,80 mm (x100)	—	92-1008-R125	—

Soft	Rond 120 mm	Rond 125 mm	Square 125 mm X125mm
1,0 mm (X100)	92-1110-R120	92-1110-R125	92-1110-S125

Extraoral Traction

These traction devices are made from washable hypoallergenic materials. Comfortable, in vivid colors, they are easily accepted by young patients.



Neck Strap with Safety Release

Description	P/N
Blue/Pink 450 g	55-4450-0029
Blue/Yellow 450 g	55-4450-0028
Black 600 g	55-4600-0027



Head Cap with Safety Release

Description	P/N
Head Cap Denim 450 g	55-5450-0030
Head Cap Color 600 g	55-5600-0035
Head Cap Denim 600 g	55-5600-0030

Miscellaneous



Band Pushers

Description	P/N
Bite Stick, Autoclavable, Orange	50-8020-0000
Bite Stick, Autoclavable, Blue, Lower Tip	50-8022-0000
Bite Stick, Autoclavable (High Temperature), Blue	50-8023-0000



Cheek Retractor

Description	P/N
Opac, Automatic Cheek Retractor, Full View With Extension	55-0240-0012



Description	P/N
Disposable Cheek Retractor, Medium (x 10)	55-0243-0002



Cheek Retractor with vaccuming system NOLA

Description	P/N
Large, white	55-4100-0000
Narrow, red	55-4101-0000
Tongue pusher large by 2	55-4102-0000
Tongue pusher narrow by 2	55-4103-0000
Rétractor large, white	55-4104-0000
Pipes with connector "Y" white by 4	55-4105-0000
Connector «Y» by 4	55-4106-0000
Silicon pipes par 10	55-4107-0000



Protective Wax

Description	P/N
Protective Wax, Neutral Flavored (x 100)	55-0111-0033



Protective Silicon

Description	P/N
Protective Silicon (x 50)	55-0121-0000



Mirrors

Description	P/N
Set of 4 Premium Mirrors	55-0170-0000
Premium Occlusal Mirror	55-0171-0000



Lip Protection

Description	P/N
Lip Protector (x 10)	55-0130-0000




Elastics Placement

Description	P/N
Instruments for Elastics, Assorted Colors (x 100)	55-0140-0021



Elasti-bites

Description	P/N
Elasti-bites (x 25)	55-0150-0013





Catalog N°6

Instruments



Experts in Orthodontics
GC Orthodontics Europe GmbH
www.gcorthodontics.eu

Instruments

Distable end Cutters229

Cutters229

Utility Pliers.....230

Linguales Pliers231

Forming Pliers232

Forming Pliers (Continued)233

Instruments.....233

Holders234

Mosquito and Mathieu Pliers.....234

Lab Instruments234

Self-ligation Instruments235

Aligners Instruments YDM235

Sterilization.....236



Distable end Cutters



50-0678-1010
Distal End Cutter
(Safety Hold)
Max .021" X .025"



50-0678-101L
Long Handled Distal End
Cutter (Safety Hold)
Max .018" X .025"



50-0678-1130
Slim Distal End Cutter
(Safety Hold)
Max .021" X .025"

Cutters



50-0678-1030
15 Degree Angulated
Hard Wire Cutter
Max .022" X .028"



50-0678-1040
Hard Wire Cutter
Max .022" X .028"



50-0678-1070
Micro-Pin and Ligature
Cutter Max .012"



50-0678-107L
Long Handled Micro-Pin
and Ligature Cutter
Max .012"



50-0678-5000
Slim Mini Ligature Cutter
Max .012"

Utility Pliers



50-0678-2000
Ultra Slim Weingart Pliers



50-0678-2010
32 Degree Angulated Tapered Slim Weingart Pliers



50-0678-201L
Angulated Tapered Slim Weingart Pliers



50-0678-2020
Serrated Slim Weingart Pliers



50-0678-2060
Bond Removing Pliers
Plastic Pad
50-0678-014A
Replacement Blade
50-0678-0010



50-0678-2070
Long Jaw Band Remover
Plastic Pad
50-0678-0140/0360



50-0678-2080
Short Jaw Band Remover
Plastic Pad
50-0678-0140/0360



50-0678-2100
Force Module Separator



50-0678-2190
Straight Bracket Remover



50-0678-220L
Long Handled Angulated Bracket Remover



Linguales Pliers



50-0678-7000
Distal End Lingual Cutter



50-0678-7010
Lingual Ligature Cutter




50-0678-7020
Lingual Weingart Pliers



50-0678-7029
Lingual Distal Weingart
Pliers, 90°



50-0678-7030
Lingual Debonding Pliers



50-0678-704S
NiTi Cinch Back Distal
Pliers (With Holding Screws)



50-0678-7050
Lingual Mathieu Pliers



50-0678-7060
Lingual Ligature Director



50-0678-7070
U-Shaped Lingual Ligature
Director

Forming Pliers



50-0678-3020
Three Jaw Plier



50-0678-3220
NiTi Three Jaw Plier



50-0678-3260
Tapered Bird Beak Plier



50-0678-3040
Bird Beak Plier



50-0678-3050
Light Wire Long Bird Beak
Pliers (With Groove)



50-0678-3070
Rectangular Tweed Pliers



50-0678-3090
Lingual Arches Bender



50-0678-3100
"De la Rosa" Hollow Chop
Pliers



50-0678-3170
"De la Rosa" Short Jaw
Hollow Chop Pliers



Forming Pliers (Continued)



50-0678-3240
Old Style Tweed Loop
Pliers



50-0678-5020
Hammerhead Distal Ben-
ding Pliers




50-00SD-1302
Angulated Crimpable
Stop and Hook Pliers

Instruments




50-0678-FELD
Probe/Ligature Director



50-0678- BPS1
Shure Instrument



50-0678-LDG2
Double-Ended Ligature
Director



50-0678-MHE6
Holder (Sold Individually)
50-0678-M4C0
Mouth Mirror (Pack of 12)



50-HSL2-4752
Caliper

Holders



50-0678-2120
Bracket Holder



50-0678-5040
Slim Bracket Holder



50-0678-212M
Slim Jaw Bracket Holder



50-0678-5050
Molar Tube Holder

Mosquito and Mathieu Pliers



50-0678-H400
Mosquito Pliers



50-NH50-74E0
Mathieu Needle Holder



50-0YDM-5090
Mathieu Needle Holder



50-0YDM-5110
Slim Mathieu Needle Holder

Lab Instruments



50-00SD-3140
Young Pliers



50-00SD-5050
Adams Pliers



50-00SD-2000
Aderer Three Jaw Pliers



50-00SD-1010
Heavy Duty Cutter (.045")



Self-ligation Instruments



50-0030-0000 
Open Tool: For opening EXPERIENCE brackets from either the buccal (hook) or gingival (safety) side by using a hollow ball.



50-1030-0000 
C-Tool: To safely open EXPERIENCE ceramic brackets from the gingival edge.



50-2030-0000 
M-Tool: To safely open EXPERIENCE metal brackets by the gingival edge.



50-2130-0000 
EM-Tool: An autoclavable instrument for opening the clip.

Aligners Instruments



50-0YDM-4490
Create vertical force



50-0YDM-4500
Create Horizontal force



50-0YDM-4510
Create large cut



50-0YDM-4480
Create narrow cut

Sterilization

If you wish to have a sterilization cassette solution presentation, please contact your sales representative



50-0040-0620
Protection Gloves (Chemical and Perforation) Size M



50-0678-ILS0
Anti Corrosion Spray (Use after Cleaning)



50-0678-IPS0
Lubrication Spray for Pliers' Hinges



50-0000-ORT1
Sterilization Cassette



